BULLETIN OF THE GEOLOGICAL SOCIETY OF AMERICA
VOL. 65, PP. 467-590 JUNE 1954

BIBLIOGRAPHY AND INDEX OF LITERATURE ON URANIUM AND THORIUM AND RADIOACTIVE OCCURRENCES IN THE UNITED STATES

PART 3: COLORADO AND UTAH

BY MARGARET COOPER

CONTENTS

	Page
1. Foreword	467
2. Bibliography	468
Section 1. References Re-cited from Part 1 and Part 2	468
Section 2. Additional References	470
3. Index I. Gazetteer for Colorado and Utah	477
4. Index II. Geographical Index for Colorado and Utah	488
5. Index III. Subject Index for Colorado and Utah	537

FOREWORD

The following bibliography consists of references to published literature, press releases, speeches, and both open-file and other unclassified reports dealing with uranium, thorium, and radioactive occurrences in Colorado and Utah. It is Part 3 of a comprehensive bibliography planned to cover references to all similar deposits throughout the world. While the object has been to make the present bibliography as all-inclusive as possible, from the point of view of including all the major papers and at least one reference to each known radioactive occurrence in these two States, only references for which the original text was readily available for examination and checking have been cited at this time. The remaining old and new references will be added to this basic list when the section is ready for inclusion in the comprehensive volumes, planned for future publication as a complete bibliography of the entire United States and world.

The main bibliography consists of an author section, in which each reference has been assigned an individual item number. Following the author listings are the anonymous notes, which are listed in chronological order, and alphabetically by title within each year. The bibliography proper is followed by three indexes: Index I, Gazetteer for Colorado and Utah; Index II, Geographical Index for Colorado and Utah; Index III, Subject Index for Colorado and Utah. The geographical and subject indexes have been made as detailed as practicable since the main reference entries have not been annotated. Where there are variations in spelling or alternate names for the same locality, a standard form has been used in the geographical and subject indexes and the variations have been noted in the gazetteer. Where county boundary lines have been changed since a reference was written, the locality has been listed under the county in which it is found today.

Entries for certain mines and prospects in Boulder, Chaffee, Clear Creek, El Paso, Gunnison, Jefferson, and Larimer counties, Colorado, and Beaver, Piute, and San Juan counties, Utah, are cited frequently and are unusually long because they include detailed ownership and location information. To avoid needless repetition, the full description of these mines appears in the gazetteer and only in the first entry under the proper county in Index II, where the mine is mentioned. Thereafter only the name of the mine or prospect is used throughout Index II and Index III.

A fairly extensive survey has been made of the geological and mining literature published through 1949 in compiling the references included in this bibliography. A few of the standard American and English geological and mining publications have also been reviewed up to the early part of 1952. Every reference cited

in the bibliography has been checked with the original text. References re-cited from the first two sections of the bibliography, Part 1* covering Arizona, Nevada, and New Mexico, and Part 2† covering California, Idaho, Montana, Oregon, Washington, and Wyoming, have been assigned the same item number as in Parts 1 and 2. The authors and item numbers of these re-cited references have also been recorded here in regular alphabetical order in the second group of author listings, which gives all the new references on the states covered by this bibliography.

Bibliography

Section 1: References on Colorado and Utah Re-cited from Part 1 and Part 2

ALLEN, Milton Arthur
1. (and BUTLER, Gurdon Montague) Vanadium.
Arizona State Bureau of Mines, Tucson, Mineral Technology Series No. 26, Bulletin, No. 115, 1921, 23 pp.

ANTHONY, John W.
2. Radioactive Uranium and Thorium.
Arizona Bureau of Mines, Tucson, Circular, No. 13, 1948, 22 pp.

BUTLER, Gurdon Montague
7. (and ALLEN, Milton Arthur) Uranium and Radium.
Arizona State Bureau of Mines, Tucson, Mineral Technology Series No. 27, Bulletin, No. 117, 1921, 26 pp.

COOPER, Margaret
9. Preliminary Bibliography on Uranium and Thorium and Radioactive Carbonaceous Deposits.
U.S.A.E.C. RMO-835, November, 1951, 40 pp., (Report issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)

CROXTON, Fred E.
10. Uranium and Its Compounds—a Bibliography of Unclassified Literature.
Carbide and Carbon Chemicals Co., K-25 Plant, Oak Ridge, Tenn., Report, K-295, Part 2, 1951, 708 pp.

DAY, David Talbot
11. (and RICHARDS, Robert Hallowell) Useful Minerals in the Black Sands of the Pacific Slope.
U. S. Geological Survey, Washington, Mineral Resources of the United States for 1905, 1906, pp. 1175–1258.

DeMENT, Jack Andrew
12. (and DAKE, Henry Carl) Handbook of Uranium Minerals.
Portland, Ore. (Mineralogist Publishing Company), 1948, 96 pp.
13. (and DAKE, Henry Carl) Uranium and Atomic Power.
New York (Chemical Publishing Company), 2nd Ed., 1945, 343 pp.

EBBLEY, Norman
18. Drilling for Uranium-Vanadium on the Colorado Plateau.
Mining and Contracting Review, Salt Lake City, Vol. 51, No. 9, 1949, pp. 5–6, 14.

EVERHART, Donald Lough
20. Geology of Uranium Deposits—A Condensed Version, with Mineral Tables by Muriel Mathez.
U.S.A.E.C. RMO-732, May 1951, 33 pp. (Unclassified report issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)
21. Reconnaissance Examinations of Copper-Uranium Deposits West of the Colorado River.
U.S.A.E.C. RMO-659, November, 1950, 19 pp. (Unclassified report issued by U.S. A.E.C. Technical Information Service, Oak Ridge, Tenn.)

FISCHER, Richard Philip
22. Uranium-Bearing Sandstone Deposits of the Colorado Plateau.
Economic Geology, Urbana, Ill., Vol. 45, 1950, pp. 1–11.

GEORGE, D'Arcy Roscoe
25. Mineralogy of Uranium and Thorium Bearing Minerals.
Revised January 1949.
U.S.A.E.C. RMO-563, 1950, 198 pp. (Report issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)

GOTT, Garland B.
27. (and WYANT, Donald Gray; BERONI, Ernest P.) Uranium in Black Shales, Lignites, and Limestones in the United States.
Geological Society of America, New York, Bulletin, Vol. 62, 1951, p. 1535. (Abstract of paper given at G.S.A. Rocky Mt. Section meeting, April 13–14, 1951).

HESS, Frank L.
33. Radium, Uranium, and Vanadium.
Engineering and Mineral Journal, New York, Vol. 127, No. 3, 1929, p. 101.
34. Uranium, Vanadium, Radium, Gold, Silver, and Molybdenum Sedimentary Deposits.
"Ore Deposits of the Western States," New York (A.I.M.E. Lindgren Memorial Volume) 1933, pp. 450–480.

JOSEPH, Phineas Eleasor
41. Vanadium.
Arizona State Bureau of Mines, Tucson, Mineral Technology Series No. 9, Bulletin, No. 18, 1915, 10 pp.

KEEVIL, Norman Bell
45. Radioactivity and Mineral Deposits.
American Mineralogist, Washington, Vol. 35, 1950, pp. 816–833.

* Cooper, Margaret, 1953, Bibliography and index of literature on uranium and thorium and radioactive occurrences in the United States. Part 1: Arizona, Nevada, and New Mexico: Geol. Soc. America Bull., v. 64, p. 197–234.

† Cooper, Margaret, 1953, Bibliography and index of literature on uranium and thorium and radioactive occurrences in the United States. Part 2: California, Idaho, Montana, Oregon, Washington, and Wyoming: Geol. Soc. America Bull., v. 64, p. 1103–1172.

KENNAN, Chester T.
46. Some Ore Deposits in Sandstone.
Mining Science, Denver, Vol. 71, March 1915, pp. 21–23.
KERR, Paul Francis
48. The Earth's Uranium.
Scientific American, New York, Vol. 184, No. 5, 1951, pp. 17–21.
KNOERR, Alvin William
53. Uranium.
Engineering and Mining Journal, New York, Vol. 153, No. 2, 1952, pp. 92–94.
McKELVEY, Vincent Ellis
62. (and PAGE, Lincoln Ridler; FISCHER, Richard Philip; BUTLER, Arthur Pierce, Jr.) Uranium Deposits in the United States.
Economic Geology, Urbana, Ill., Vol. 47, 1952, pp. 125–126. (Abstract of paper given at A.I.M.E.-S.E.G. meetings, New York, February 18–20, 1952).
MERRITT, Phillip Leonidas
63. Uranium and the Petroleum Industry.
U.S.A.E.C., Washington, 5 pp. (mimeo.) (Speech given before the American Association of Petroleum Geologists, April 26, 1951).
MUENCH, Oscar Brauer
68. Recent Analyses for Age by Lead Ratios.
Geological Society of America, New York, Bulletin, Vol. 61, 1950, pp. 129–132.
PAGE, Lincoln Ridler
70. Uranium in Pegmatites.
Economic Geology, Urbana, Ill., Vol. 45, 1950, pp. 12–34.
RICHARDSON, James K.
73. Unprecedented Expansion in the Mining Industry.
Mining Engineering, New York, Vol. 4, 1952, pp. 351–355. See p. 355.
ROVE, Olaf N.
77. Mining Geology.
Mining Engineering, New York, Vol. 4, 1952, pp. 140–143.
SANFORD, Samuel
78. (and STONE, Ralph Walter) Useful Minerals of the United States.
U. S. Geological Survey, Washington, Bulletin, No. 585, 1914, 250 pp.
SCHRADER, Frank Charles
82. (and STONE, Ralph Walter; SANFORD, Samuel) Useful Minerals of the United States.
U. S. Geological Survey, Washington, Bulletin, No. 624, 1917, 412 pp.
STAVER, W. H.
86. Radium Ore Supply Not Limited.
Engineering and Mining Journal, New York, Vol. 112, 1921, p. 405.
U.S.A.E.C. & U.S.G.S.
90. Prospecting for Uranium.
Washington (Government Printing Office), 1949, 123 pp.; (revised) October, 1951, 128 pp.
WILMARTH, V. R.
95. (and BAUER, Herman L.; STAATZ, Mortimer Hay; WYANT, Donald Gray) Uranium in Fluorite Deposits.
Geological Society of America, New York, Bulletin, Vol. 62, 1951, pp. 1543–1544 (Abstract of paper given at G.S.A. Rocky Mt. Section meetings, April 13–14, 1951).
WRIGHT, Robert James
102. Current Status of Atomic Raw Materials.
Earth Science Digest, Revere, Mass., Vol. 4, No. 12, July, 1950, pp. 3–8; Vol. 5, No. 1, Aug. 1950, pp. 3–10.
ANONYMOUS NOTES
104. Production of Rare Minerals.
Mining and Scientific Press, San Francisco, Vol. 84, May 24, 1902, p. 281.
118. Vanadium (and Uranium).
Mining Congress Journal, Washington, Vol. 8, 1922, p. 985–986.
124. Shipment of Two Cars of Material by the Smithsonian Institution.
Mining Journal, Phoenix, Vol. 14, No. 15, 1930, p. 29.
140. Terms for Uranium Ores from Indian Reservations.
Mining Congress Journal, Washington, Vol. 34, No. 12, 1948, p. 73.
144. Southwest Uranium Mining Activities with Special Emphasis on Arizona Developments.
Mining World, San Francisco, Vol. 11, No. 8, 1949, p. 17.
148. Western United States.
Mining Journal, London, Vol. 233, No. 5945, 1949, p. 679.
154. Diamond Drilling for Uranium on the Colorado Plateau.
Engineering and Mining Journal, New York, Vol. 151, No. 10, 1950, pp. 86–88.
161. One of the Big Pieces of Mining News in the Southwest.
Engineering and Mining Journal, New York, Vol. 151, No. 11, 1950, p. 135.
163. A New Bonus Offer Is Being Made by the U. S. Atomic Energy Commission.
Engineering and Mining Journal, New York, Vol. 152, No. 10, 1951, p. 121.
169. Development of the Last Frontier.
Mining World, San Francisco, Vol. 13, No. 4, 1951, pp. 3, 6.
178. Utah. . . . Members of the Navajo Tribe May Reassign Mining Permits.
Engineering and Mining Journal, New York, Vol. 152, No. 2, 1951, p. 163.
186. Navajo Uranium Co., Cortez, Colo.
Engineering and Mining Journal, New York, Vol. 153, No. 3, 1952, p. 137.
187. No Change in AEC Bonus.
Engineering and Mining Journal, New York, Vol. 153, No. 3, 1952, p. 105.
188. Using a Bulldozer, Gus Rogers and Ed Bottomley Have Opened Up Another 110 ft. of their Pitchblende Vein.
Engineering and Mining Journal, New York, Vol. 153, No. 1, 1952, p. 132.
DAY, David Talbot
217. (and RICHARDS, Robert Hallowell) Investigation of Black Sands from Placer Mines.
U. S. Geological Survey, Washington, Bulletin, No. 285, 1905, pp. 150–164.
DeMENT, Jack Andrew
219. $10,000 Uranium Bonus.
Mineralogist, Portland, Vol. 16, 1948, pp. 306, 308, 310.

HANLEY, John B.
234. (and HEINRICH, Eberhardt William; PAGE, Lincoln Ridler) Pegmatite Investigations in Colorado, Wyoming, and Utah, 1942–1944.
U.S. Geological Survey, Washington, Professional Paper, No. 227, 1950, 125 pp.
HILL, James Madison
241. The Mining Districts of the Western United States.
U.S. Geological Survey, Washington, Bulletin, No. 507, 1912, 309 pp.
KERR, Paul Francis
250. (and KULP, J. Laurence) Pre-Cambrian Uraninite, Sunshine Mine, Idaho.
Science, Washington, Vol. 115, 1952, pp. 86–88.
KITHIL, Karl L.
252. Monazite, Thorium, and Mesothorium.
U.S. Bureau of Mines, Washington, Technical Paper, No. 110, 1915, 29 pp.
MERRITT, Phillip Leonidas
267. Uranium Exploration in the United States.
Canadian Mining and Metallurgical Bulletin, Montreal, Vol. 43, No. 460, Aug. 1950, pp. 438–443; Mines Magazine, Denver, Vol. 40, No. 6, 1950, pp. 36, 51–52.
THURLOW, Ernest Emmanuel
306. The Pacific Northwest as a Source of Radioactive Raw Materials.
(Speech given before the Teacher Seminars at Idaho State College, Pocatello, Idaho, and University of Idaho, Moscow, Idaho, July 7–11, 1952).
ANONYMOUS NOTES
330. United States Uranium Production.
Engineering and Mining Journal, New York, Vol. 94, 1912, p. 1083.
384. Developing the Uranium Discovery on the Plains near Lusk.
Engineering and Mining Journal, New York, Vol. 152, No. 12, 1951, p. 142.

Section 2: Additional References on Colorado and Utah

ALLEN, Milton Arthur. See Reference 1. See also BUTLER, Gurdon Montague, 7.
ANDERSON, John Carter. See GREGORY, Herbert Ernest, 428.
ANDERSON, Thomas P. See KERR, Paul Francis, 445, 446, 447. See also TAYLOR, Allen O., 495.
ANTHONY, John W. See Reference 2.
ARMSTRONG, F. C.
394. Pitchblende Deposits on Quartz Hill, Central City District, Gilpin County, Colorado.
Economic Geology, Urbana, Ill. Vol. 47, 1952, pp. 767–768, and Geological Society of America, New York, Bulletin, Vol. 63, 1952, p. 1232. (Abstract of paper given at G.S.A.-S.E.G. meetings, Boston, November 13–15, 1952).
ATKINSON, A. S.
395. Mining for the Rare Minerals.
Mining Science, Denver, Vol. 61, Jan. 27, 1910, pp. 76–77.
BAKER, Arthur Alan
396. Geology and Oil Possibilities of the Moab District, Grand and San Juan Counties, Utah.
U. S. Geological Survey, Washington, Bulletin, No. 841, 1933, 95 pp. See p. 84.
BAKER, Kenneth Earl. See SMITH, Loren Edgar, 487.
BASTIN, Edson Sunderland
397. Geology of the Pitchblende Ores of Colorado.
U. S. Geological Survey, Washington, Professional Paper, No. 90, 1915, pp. 1–5.
398. (and HILL, James Madison) Economic Geology of Gilpin County and Adjacent Parts of Clear Creek and Boulder Counties, Colorado.
U. S. Geological Survey, Washington, Professional Paper, No. 94, 1917, 379 pp.
399. (and HILL, James Madison) Preliminary Report on the Economic Geology of Gilpin County, Colorado.
U. S. Geological Survey, Washington, Bulletin, No. 620, 1915, pp. 295–330.
400. (and HILL, James Madison) Some Features of the Ore Deposits of Gilpin County, Colorado.
Washington Academy of Sciences, Washington, Journal, Vol. 5, 1915, pp. 160–164.
BAUER, Herman L., Jr. See STAATZ, Mortimer Hay, 488,489. See also WILMARTH, V. R., 95, 504.
BENSON, W. E.
401. (and TRITES, Alfred F., Jr.; BERONI, Ernest P.; FEEGER, J. A.) Preliminary Report on the White Canyon Area, San Juan County, Utah.
U. S. Geological Survey, Washington, Circular, No. 217, 1952, 10 pp.
BERONI, Ernest P.
402. (and KING, Robert U.) The Mike Doyle Carnotite Deposit, El Paso County, Colorado.
U. S. Geological Survey TEM-133A, (issued) April 1952, 6 pp. (Unclassified report prepared by U.S.G.S. for U.S.A.E.C. and issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)
(See also BENSON, W. E., 401; GOTT, Garland B., 27, 426; WYANT, Donald Gray, 509.)
BEVER, James E.
403. Petrology of the Guffey-Micanite Region, Colorado.
American Mineralogist, Washington, Vol. 37, 1952, p. 285. (Abstract of paper given before the M.S.A. meetings, Nov. 8–10, 1951).
BOUTWELL, John Mason
404. Vanadium and Uranium in Southeastern Utah.
U. S. Geological Survey, Washington, Bulletin, No. 260, 1905, pp. 200–210.
BRADLEY, Wilmot Hyde
405. Occurrence of Uranium Deposits.
Bulletin of the Atomic Scientists, Chicago, Vol. 4, 1950, pp. 149–152.
BROOKE, Gerald LeRoy
406. (and SHIRLEY, Raymond Fletcher; SWANSON, Melvin Albert) Geological Investigation of the Trachyte District, Henry Mountains, Utah.

U.S.A.E.C. RMO-912, (issued) December 6, 1951, 7 pp. (Unclassified report issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)

BROPHY, Gerald P. See KERR, Paul Francis, 450, 451.

BURBANK, W. S. See PIERSON, C. T., 477.

BURWELL, Blair

407. Carnotite Mining in Southwestern Colorado. Engineering and Mining Journal, New York, Vol. 110, 1920, pp. 755–758.

BUTLER, Arthur Pierce, Jr. See McKELVEY, Vincent Ellis, 62.

BUTLER, Charles R. See MOORE, Frank B., 467.

BUTLER, Gurdon Montague. See Reference 7. See also ALLEN, Milton Arthur, 1.

BUTLER, John A.

408. Utah's New Uranium Mill. Engineering and Mining Journal, New York, Vol. 152, No. 3, 1951, pp. 56–62.

CANNON, Helen L.

409. The Effect of Uranium-Vanadium Deposits on the Vegetation of the Colorado Plateau. American Journal of Science, New Haven, Vol. 250, 1952, pp. 735–770.

CAVENDER, Wayne S. See MOORE, Frank B., 468.

CAYWOOD, Roger M. See TAYLOR, Allen O., 495.

CHERRY, Charles L. See TAYLOR, Allen O., 495.

COHEN, William J. See KERR, Paul Francis, 445.

COOPER, Margaret. See Reference 9.

CROXTON, Fred E. See Reference 10.

DAHL, Harry M. See KERR, Paul Francis, 450, 451.

DAKE, Henry Carl. See DeMENT, Jack Andrew, 12, 13.

DANE, Carle Hamilton

410. Geology of the Salt Valley Anticline and Adjacent Areas, Grand County, Utah. U. S. Geological Survey, Washington, Bulletin, No. 863, 1935, 184 pp. See pp. 176–178.

DAVIDSON, Donald Miner

411. Mining Geology—Leads Way in Greatest Exploration Program in History. Mining Engineering, New York, Vol. 1, No. 3, 1949, pp. 55–60.

DAY, David Talbot. See Reference 11, 217.

DeMENT, Jack Andrew. See Reference 12, 13, 219.

DODD, Philip Horace

412. Happy Jack Mine, White Canyon, Utah. U.S.A.E.C. RMO-660, December 1950, 23 pp. (Unclassified report issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)

DOUGLAS, H. See TAYLOR, Allen O., 495.

EBBLEY, Norman

413. Colorado Plateau Uranium—Worked Principally from Small Mines. It Presents Some Specialized Problems. Mining World, San Francisco, Vol. 12, No. 2, 1950, pp. 10–15. (See also Reference 18.)

EVERHART, Donald Lough. See Reference 20, 21.

FAHL, Rudolph

414. Uranium in Colorado. Mineralogist, Portland, Vol. 18, 1950, pp. 140, 142.

FEEGER, J. A. See BENSON, W. E., 401.

FETZER, Wallace Gordon. See GRUNER, John Walter, 429.

FISCHER, Richard Philip

415. Sedimentary Deposits of Copper, Vanadium, Uranium, and Silver in Southwestern United States. Economic Geology, Urbana, Ill., Vol. 32, 1937, pp. 906–951.

416. Vanadium Deposits of Colorado and Utah. U. S. Geological Survey, Washington, Bulletin, No. 936-P, 1942, pp. 363–394.

417. (and HILPERT, Lowell Sinclair) Geology of the Uravan Mineral Belt. U. S. Geological Survey, Washington, Bulletin, No. 988-A, 1952, pp. 1–13. (See also Reference 22; McKELVEY, Vincent Ellis, 62.)

FISCHER, Siegfried

418. The Concentration of Carnotite Ores, and Some Similar Ores. Metallurgical and Chemical Engineering, New York, Vol. 10, 1912, pp. 356–359.

419. The Extraction of Vanadium from Carnotite and Vanadiferous Sandstone Concentrates. Metallurgical and Chemical Engineering, New York, Vol. 10, 1912, pp. 469–471.

FOSHAG, William Frederick. See HESS, Frank L., 437.

FRENZEL, A. B.

420. The Growth of the Rare Mineral Industry. Mining Science, Denver, Vol. 65, Jan. 25, 1910, pp. 73–74.

FRONDEL, Judith Weiss

421. Studies of Uranium Minerals (VII): Zeunerite. American Mineralogist, Washington, Vol. 36, 1951, pp. 249–255.

GALE, Hoyt Stoddard

422. Carnotite and Associated Minerals in Western Routt County, Colo. U. S. Geological Survey, Washington, Bulletin, No. 340, 1908, pp. 257–262.

423. Carnotite in Rio Blanco County, Colo. U. S. Geological Survey, Washington, Bulletin, No. 315, 1907, pp. 110–117.

GARDINER, Lynn. See ROSENZWEIG, Abraham, 485.

GEORGE, D'Arcy Roscoe. See Reference 25.

GEORGE, Russel D.

424. A Bibliography of Uranium and Vanadium. Mining Science, Denver, Vol. 63, March 2, 1911, p. 241.

GILLULY, James

425. (and REESIDE, John Bernard, Jr.) Sedimentary Rocks of the San Rafael Swell and Some Adjacent Areas in Eastern Utah. U. S. Geological Survey, Washington Professional Paper, No. 150, 1928, pp. 61–110. See p. 67.

GODDARD, Edwin Newell. See LOVERING, Thomas Seward, 460.

GOTT, Garland B.

426. (and WYANT, Donald Gray; BERONI, Ernest P.) Uranium in Black Shales, Lignites, and Limestones in the United States. U. S. Geological Survey, Washington, Circular, No. 220, 1952, pp. 31–35. Maps. (See also Reference 27.)

GRANGER, HARRY C. See King, Robert U., 454. See also WATERS, Aaron Clement, 499; WYANT, Donald Gray, 509.
GRANT, Robert. See Meyers, Burt, 465.
GRAY, Anton W. See TAYLOR, Allen O., 495.
GREEN, Jack. See KERR, Paul Francis, 450, 451.
GREGORY, Herbert Ernest
427. Geology of the Navajo Country. A Reconnaissance of Parts of Arizona, New Mexico, and Utah.
U. S. Geological Survey, Washington, Professional Paper, No. 93, 1917, 161 pp., maps. See p. 148.
428. (and ANDERSON, John Carter) Geographic and Geologic Sketch of the Capitol Reef Region, Utah.
Geological Society of America, New York, Bulletin, Vol. 50, 1939, pp. 1827–1850. See p. 1845.
GRUNER, John Walter
429. (and FETZER, Wallace Gordon; RAPAPORT, Irving) Uranium Deposits near Marysvale, Piute County, Utah.
Economic Geology, Urbana, Ill., Vol. 46, 1951, pp. 243–251.
(See also ROSENZWEIG, Abraham, 485.)
GUDE, Arthur James, 3rd. See STUGARD, Frederick, Jr., 493.
GUSTAFSON, John Kyle
430. Colorado Plateau Program.
Rocks and Minerals, Peekskill, Vol. 24, 1949, pp. 137–139.
(Statement made at U.S.A.E.C. Press Conference, Denver, Dec. 17, 1948.)
HALDANE, William E.
431. Uranium Mining Is Primarily a Field for Small Operators.
Mining World, San Francisco, Vol. 13, No. 1, 1951, pp. 28–30; World Mining, San Francisco, Vol. 4, No. 1, 1951, pp. 8–10.
HAMILTON, Peggy-Kay. See KERR, Paul Francis, 445, 446, 447, 449.
HANLEY, John B. See Reference 234.
HARRISON, J. E.
432. (and LEONARD, Benjamin Franklin) Preliminary Report on the Jo Reynolds Area, Lawson-Dumont District, Clear Creek County, Colorado.
U. S. Geological Survey, Washington Circular, No. 213, 1952, 9 pp.
HAZEN, Scott Wike, Jr. See HULEATT, William Penn, 440.
HEINRICH, Eberhardt William. See HANLEY, John B., 234.
HESS, Frank L.
433. Carnotite near Green River, Utah.
U. S. Geological Survey, Washington, Bulletin, No. 530, 1913, pp. 161–164.
434. New and Known Minerals from the Utah-Colorado Carnotite Region.
U. S. Geological Survey, Washington, Bulletin, No. 750, 1925, pp. 63–78.
435. Notes on the Vanadium Deposits near Placerville, Colorado.
U. S. Geological Survey, Washington, Bulletin, No. 530, 1913, pp. 142–156.
436. Uranium-Bearing Asphaltite Sediments of Utah.
Engineering and Mining Journal, New York, Vol. 114, No. 7, 1922, pp. 272–276.
437. (and FOSHAG, William Frederick) Crystalline Carnotite from Utah.
U. S. National Museum, Washington, Proceedings, Vol. 72, Art. 12, 1927, 6 pp.
(See also Reference 33, 34.)
HILL, James Madison. See Reference 241. See also BASTIN, Edson Sunderland, 398, 399, 400.
HILLEBRAND, William Francis
438. Carnotite and Tyuyamunite and Their Ores in Colorado and Utah.
American Journal of Science, New Haven, Ser. 5, Vol. 8, 1924, pp. 201–216.
439. (and RANSOME, Frederick Leslie) On Carnotite and Associated Vanadiferous Minerals in Western Colorado.
U. S. Geological Survey, Washington, Bulletin, No. 262, 1905, pp. 9–31.
HILPERT, Lowell Sinclair. See FISCHER, Richard Philip, 417.
HINRICHS, E. N. See KING, Robert U., 455.
HULEATT, William Penn
440. (and HAZEN, Scott Wike, Jr.; TRAVER, William Merton, Jr.) Exploration of Vanadium Region of Western Colorado and Eastern Utah.
U. S. Bureau of Mines, Washington, Report of Investigation, No. 3930, 1946, 30 pp.
JOHNSON, Jesse C.
441. U. S. Atomic Energy Commission Uranium Procurement Policies.
Mines Magazine, Golden, Vol. 40, No. 9, 1950, pp. 26–27, 42.
JOSEPH, Phineas Eleasor. See Reference 41.
KAISER, Edward Peck
442. The Papsy's Hope Autunite Prospect, Marysvale District, Piute County, Utah.
U. S. Geological Survey TEM-145A, (issued) January 7, 1952, 10 pp. (Unclassified report prepared by U.S.G.S. for U.S.A.E.C. and issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)
443. (and PAGE, Lincoln Ridler) Distribution of Uranium Deposits in the United States.
U. S. Geological Survey, Washington, Circular, No. 220, 1952, pp. 1–7. Maps.
KEEVIL, Norman Bell. See Reference 45.
KENNAN, Chester T.
444. On Carnotite Deposits and the Rand Banket.
Mining and Scientific Press, San Francisco, Vol. 110, April 17, 1915, pp. 620–621.
(See also Reference 46.)
KERR, Paul Francis
445. (and ANDERSON, Thomas P.; RASOR, Charles Alfred; PILL, Roselyn J.; HAMILTON, Peggy-Kay; WRIGHT, Harold D.; COHEN, William J.) Annual Report for July 1, 1950 to June 30, 1951. An Interim Technical Report. Mineralogical Studies of Uraninite and Uraninite-bearing Deposits.
U.S.A.E.C. RMO-797, September 1951, 86 pp. (Report prepared for U.S.A.E.C. by Columbia University under Contract AT-30-1-702 and issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)
446. (and ANDERSON, Thomas P.; HAMILTON, Peggy-Kay) Bellevue-Rochester Mine. in: Annual Report for July 1, 1950 to June 30, 1951. U.S.A.E.C. RMO-797, September, 1951, 86 pp. See pp. 44–57.

(Report prepared for U.S.A.E.C. by Columbia University under Contract AT-30-1-702 and issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)

447. (and ANDERSON, Thomas P.; HAMILTON, Peggy-Kay; PILL, Roselyn J.) Preliminary Memorandum, Marysvale, Utah.
in: Annual Report for July 1, 1950 to June 30, 1951. U.S.A.E.C. RMO-797, September 1951, 86 pp. See pp. 1–7. (Report prepared for U.S.A.E.C. by Columbia University under Contract AT-30-1-702 and issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)

448. (and PILL, Roselyn J.) X-Ray Fluorescence Data on Marysvale Uraninite.
in: Annual Report for July 1, 1950 to June 30, 1951. U.S.A.E.C. RMO-797, September 1951, 86 pp. See pp. 8–23. (Report prepared for U.S.A.E.C. by Columbia University under Contract AT-30-1-702 and issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)

449. (and RASOR, Charles Alfred; HAMILTON, Peggy-Kay) Uranium in Black King Prospect, Placerville, Colorado.
in: Annual Report for July 1, 1950 to June 30, 1951. U.S.A.E.C. RMO-797, September 1951, 86 pp. See pp. 24–43. (Report prepared for U.S.A.E.C. by Columbia University under Contract AT-30-1-702 and issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)

450. (and BROPHY, Gerald P.; DAHL, Harry M.; GREEN, Jack; WOOLARD, Louis E.) Alteration and Uranium Mineralization, Marysvale, Utah.
Economic Geology, Urbana, Ill., Vol. 47, 1952, pp. 772–773, and Geological Society of America, New York, Bulletin, Vol. 63, 1952, pp. 1270–1271. (Abstract of paper given at G.S.A.-S.E.G. meetings, Boston, November 13–15, 1952).

451. (and BROPHY, Gerald P.; DAHL, Harry M.; GREEN, Jack; WOOLARD, Louis E.) Annual Report for July 1, 1951 to June 30, 1952. Part 1. A Geologic Guide to the Marysvale Area.
U.S.A.E.C. RMO-924, May 1952, 57 pp. (Report prepared for U.S.A.E.C. by Columbia University under Contract AT-30-1-702 and issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)
(See also Reference 250.)

KING, Robert U.

452. Investigations in the Wood Mine, Colorado.
U. S. Geological Survey TEM-102A, (issued) December 12, 1951, 1 p. (Unclassified report prepared by U.S.G.S. for U.S.A.E.C. and issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)

453. Vein Deposits of Uranium at the Caribou Mine, Boulder County, Colorado.
U. S. Geological Survey TEM-13A, (issued) February 6, 1952, 18 pp. (Unclassified report prepared by U.S.G.S. for U.S.A.E.C. and issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)

454. (and GRANGER, Harry C.) Torbernite Occurrence at the Robineau Claims, Clear Creek County, Colorado.
U. S. Geological Survey TEM-24A, (issued) January 25, 1952, 7 pp. (Unclassified report prepared by U.S.G.S. for U.S.A.E.C. and issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)

455. (and MOORE, Frank B.; HINRICHS, E. N.) Pitchblende Deposits in the United States.
U. S. Geological Survey, Washington, Circular, No. 220, 1952, pp. 8–12. Maps.
(See also BERONI, Ernest P., 402.)

KITHIL, Karl L. See Reference 252.

KNOERR, Alvin William

456. How to Make Uranium Mining Pay More. Engineering and Mining Journal, New York, Vol. 153, No. 1, 1952, pp. 72–81.
(See also Reference 53.)

KULP, J. Laurence. See KERR, Paul Francis, 250.

LADOO, Raymond B.

457. (and MYERS, W. M.) Nonmetallic Minerals. 2nd Ed.
New York (McGraw-Hill Book Co., Inc.,) 1951, 605 pp. See pp. 351–355 (monazite and thorium), 568–574 (uranium).

LEONARD, Benjamin Franklin

458. Relation of Pitchblende Deposits to Hypogene Zoning in the Front Range Mineral Belt, Colorado.
Economic Geology, Urbana, Ill., Vol. 47, 1952, p. 773, and Geological Society of America, New York, Bulletin, Vol. 63, 1952, pp. 1274–1275. (Abstract of paper given at G.S.A.-S.E.G. meetings, Boston, November 13–15, 1952.)
(See also HARRISON, J. E., 432.)

LINDGREN, Waldemar

459. Ores of Copper, Lead, Vanadium, and Uranium in Sandstone and Shale.
"Mineral Deposits," 4th Edition, New York (McGraw-Hill Book Co.), 1933, pp. 403–415.

LOVERING, Thomas Seward

460. (and GODDARD, Edwin Newell) Geology and Ore Deposits of the Front Range, Colorado.
U. S. Geological Survey, Washington, Professional Paper, No. 223, 1950, 319 pp.

LUEDKE, R. G. See SHOEMAKER, E. M., 486.

McGRATH, M. G.

461. Uranium Recovery at Monticello.
Mining World, San Francisco, Vol. 12, No. 4, 1950, pp. 11–13.

McKELVEY, Vincent Ellis

462. (and NELSON, John Marshall) Characteristics of Marine Uranium-Bearing Sedimentary Rocks.
Economic Geology, Urbana, Ill., Vol. 45, 1950, pp. 35–53.
(See also Reference 62.)

MAGUIRE, Don

463. A New Mining Region.
Mining and Scientific Press, San Francisco, Vol. 82, Feb. 16, 1901, p. 93.

464. Radium Ores in Utah.
Mining and Scientific Press, San Francisco, Vol. 88, April 9, 1904, p. 243.

MATHEZ, Muriel. See EVERHART, Donald Lough, 20.

MERRITT, Phillip Leonidas. See Reference 63, 267.
MEYERS, Burt
465. (and GRANT, Burt) Uranium Jackpot. Engineering and Mining Journal, New York, Vol. 154, No. 9, 1953, pp. 72–75.
MILKEY, R. G. See STIEFF, Lorin R., 492.
MILLER, Leo J.
466. Uranium Ore Controls in the Happy Jack Mine and Vicinity, White Canyon, Utah.
Economic Geology, Urbana, Ill., Vol. 47, 1952, p. 774, and Geological Society of America, New York, Bulletin, Vol. 63, 1952, p. 1280. (Abstract of paper given at G.S.A.-S.E.G. meetings, Boston, November 13–15, 1952.)
MOORE, Frank B.
467. (and BUTLER, Charles R.) Pitchblende Deposits at the Wood and Calhoun Mines, Central City Mining District, Gilpin County, Colorado.
U. S. Geological Survey, Washington, Circular, No. 186, 1952, 8 pp.
468. (and CAVENDER, Wayne S.) Pitchblende Deposit at the Caribou Mine, Boulder County, Colorado.
Economic Geology, Urbana, Ill., Vol. 47, 1952, p. 775, and Geological Society of America, New York, Bulletin, Vol. 63, 1952, p. 1281. (Abstract of paper given at G.S.A.-S.E.G. meetings, Boston, November 13–15, 1952).
(See also KING, Robert U., 455.)
MOREHOUSE, George E.
469. Investigation of Thucholite Deposits near Placerville, Colorado.
U.S.A.E.C. RMO-910, (issued) July 12, 1951, 13 pp. (Unclassified report issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)
MUENCH, Oscar Brauer. See Reference 68.
MYERS, W. M. See LADOO, Raymond B., 457.
NELSON, John Marshall. See McKELVEY, Vincent Ellis, 462.
OHLY, Julius
470. Alleged Improvements in the Manufacture of Uranium Concentrates.
Mining Reporter, Denver, Vol. 50, Sept. 22, 1904, pp. 292–293.
471. The Commercial Treatment of Carnotite.
Mining Reporter, Denver, Vol. 44, July 25, 1901, pp. 56–57.
472. The Preparation of Radium, Vanadium, and Uranium Compounds from Carnotite and Pitchblende.
Mining Reporter, Denver, Vol. 49, May 12, 1904, pp. 476–478.
473. The Separation of Vanadium, Uranium and Radium from Carnotite.
Mining Reporter, Denver, Vol. 48, Aug. 6, 1903, pp. 118–119.
ONODA, Kiyoko. (See also SHIMAMOTO, Kiyoko Onoda) See PHAIR, George, 474.
O'TOOLE, Walter L. See TAYLOR, Allen O., 495.
PAGE, Lincoln Ridler. See Reference 70. See also McKELVEY, Vincent Ellis, 62; HANLEY, John B., 234; KAISER, Edward Peck, 443.
PHAIR, George
474. (and ONODA, Kiyoko) Hydrothermal Uranothorite in Fluorite Breccias from the Blue Jay Mine, Jamestown, Boulder County, Colorado.
U. S. Geological Survey TEI-144, March 1951, 16 pp. (Unclassified report prepared by U.S.G.S. for U.S.A.E.C. and issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)
475. (and SHIMAMOTO, Kiyoko Onoda) Hydrothermal Uranothorite in Fluorite Breccias from the Blue Jay Mine. Jamestown, Boulder County, Colorado.
American Mineralogist, Washington, Vol. 37, 1952, pp. 659–666.
PHILLIPS, Alexander Hamilton
476. Radium from American Ores.
Science, New York, N.S. Vol. 19, 1904, pp. 721–722.
PIERSON, C. T.
477. (and BURBANK, W. S.; SINGEWALD, Quentin D.) Some Uranium Occurrences in the Central and Southwestern Parts of the Colorado Mineral Belt.
Geological Society of America, New York, Bulletin, Vol. 63, 1952, p. 1368. (Abstract of paper given at G.S.A. Rocky Mountain Section meetings, Salt Lake City, May 8–10, 1952.)
PILL, Roselyn J. See KERR, Paul Francis, 445, 447, 448.
PROCTOR, Paul Dean
478. Harrisburg (Silver Reef) Mining District, Washington County, Utah.
Geological Society of America, New York, Bulletin, Vol. 61, 1950, p. 1495. (Abstract of paper given before the G.S.A. meetings, Nov. 1950.)
QUIGLEY, James E.
479. Primary Uranium Ore Now Being Mined in Utah.
Engineering and Mining Journal, New York, Vol. 151, No. 8, 1950, pp. 90–93.
RANSOME, Frederick Leslie. See HILLEBRAND, William Francis, 439.
RAPAPORT, Irving. See GRUNER, John Walter, 429.
RASOR, Charles Alfred
480. Uraninite from the Grey Dawn Mine, San Juan County, Utah.
Science, Washington, Vol. 116, 1952, pp. 89–90.
(See also KERR, Paul Francis, 445, 449.)
REESIDE, John Bernard, Jr. See GILLULY, James, 425.
REINHARDT, Elmer V.
481. Practical Guides to Uranium Ores on the Colorado Plateau.
U.S.A.E.C. RMO-1027, (issued) September 30, 1952, 13 pp. (Unclassified report issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)
482. Reconnaissance of Henry Mountains Area, Wayne and Garfield Counties, Utah.
U.S.A.E.C. RMO-753, April 5, 1951, 7 pp. (Unclassified report issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)
REYNER, Millard Lester
483. Preliminary Report on Some Uranium Deposits along the West Side of the San Rafael Swell, Emery County, Utah.
U.S.A.E.C. RMO-673, October 1950, 32 pp. (Unclassified report issued by U.S.A.E.C.

Technical Information Service, Oak Ridge Tenn.)
RICHARDS, Robert Hallowell. See DAY, David Talbot, 11, 217.
RICHARDSON, James K. See Reference 73.
RIDLAND, George Carman
484. Radioactivity at the Caribou Silver Mine, Boulder County, Colorado.
Mining Engineering, New York, Vol. 2, 1950, pp. 98–101.
ROSENZWEIG, Abraham
485. (and GRUNER, John Walter; GARDINER, Lynn) Widespread Occurrence and Character of Pitchblende in the Triassic and Jurassic Sediments of the Colorado Plateau.
Economic Geology, Urbana, Ill., Vol. 47, 1952, pp. 776–777, and Geological Society of America, New York, Bulletin, Vol. 63, 1952, p. 1293. (Abstract of paper given at G.S.A.-S.E.G. meetings, Boston, November 13–15, 1952)
ROVE, Olaf N. See Reference 77.
SANFORD, Samuel. See Reference 78. See also SCHRADER, Frank Charles, 82.
SCHRADER, Frank Charles. See Reference 82.
SHIMAMOTO, Kiyoko Onoda. (See also ONODA, Kiyoko) See PHAIR, George, 475.
SHIRLEY, Raymond Fletcher. See BROOKE, Gerald LeRoy, 406.
SHOEMAKER, E. M.
486. (and LUEDKE, R. G.) Map of the Uranium Region of the Colorado Plateau.
U. S. Geological Survey TEI-279, December 1952, 1 map. (Map prepared by U.S.G.S. for U.S.A.E.C.; placed in open file in a few selected U.S.G.S. offices throughout the United States.)
SINGEWALD, Quentin D. See PIERSON, C. T., 477.
SMITH, Loren Edgar
487. (and BAKER, Kenneth Earl) Uranium in Fall River area, Clear Creek County, Colorado.
U.S.A.E.C. RMO-913, (issued) October 15, 1951, 12 pp. (Unclassified report issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)
STAATZ, Mortimer Hay
488. (and BAUER, Herman L., Jr.) A Preliminary Report on Radioactive Fluorite Deposits, Thomas Range, Juab County, Utah.
U. S. Geological Survey TEM-167A, (issued) December 18, 1951, 11 pp. (Unclassified report prepared by U.S.G.S. for U.S.A.E.C. and issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)
489. (and BAUER, Herman L., Jr.) Preliminary Examination of the Uranium Prospect at the Spider No. 1 Claim, Honeycomb Hills, Juab County, Utah.
U. S. Geological Survey TEM-165, October 1950, 7 pp. (Unclassified report prepared by U.S.G.S. for U.S.A.E.C. and issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)
(See also WILMARTH, V. R., 95, 504.)
STAVER, W. H. See Reference 86.
STERN, T. W.
490. (and WEEKS, Alice Dowse) Second Occurrence of Bayleyite in the United States.
American Mineralogist, Washington, Vol. 37, 1952, pp. 1058–1060.
(See also STIEFF, Lorin R., 492.)
STERRETT, Douglas Bovard
491. Mica Deposits of the United States.
U. S. Geological Survey, Washington, Bulletin, No. 740, 1923, 342 pp.
STIEFF, Lorin R.
492. (and STERN, T. W.; MILKEY, R. G.) A Preliminary Determination of the Age of Some Colorado Plateau Uranium Ores by the Lead-Uranium- and Lead-Lead-Ratio Method.
Economic Geology, Urbana, Ill., Vol. 47, 1952, p. 123. (Abstract of paper given at A.I.M.E.-S.E.G. meetings, February 18–20, 1952.)
STONE, Ralph Walter. See SANFORD, Samuel, 78; SCHRADER, Frank Charles, 82.
STUGARD, Frederick, Jr.
493. (and WYANT, Donald Gray; GUDE, Arthur James, 3rd.) Secondary Uranium Deposits in the United States.
U. S. Geological Survey, Washington, Circular, No. 220, 1952, pp. 19–25. Maps.
(See also WYANT, Donald Gray, 510.)
SWANSON, Melvin Albert. See BROOKE, Gerald LeRoy, 406.
TAVELLI, Joseph Allen
494. Review of Airborne Radioactivity Survey Techniques in the Colorado Plateau.
U.S.A.E.C. RMO-697, September 21, 1951, 12 pp. (Unclassified report issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)
TAYLOR, Allen O.
495. (and ANDERSON, Thomas P.; O'TOOLE, Walter L.; WADDELL, Galen G.; GRAY, Anton W.; DOUGLAS, H.; CHERRY, Charles L.; CAYWOOD, Roger M.). Geology and Uranium Deposits of Marysvale, Utah. Interim Report on the Producing Area.
U.S.A.E.C. RMO-896, (issued) September 1951, 30 pp. (Unclassified report issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)
THURLOW, Ernest Emmanuel. See Reference 306.
TRAVER, William Merton, Jr. See HULEATT, William Penn, 440.
TRITES, Alfred F., Jr. See BENSON, W. E., 401.
U.S.A.E.C. See Reference 90.
U.S.G.S. for U.S.A.E.C.
496. Progress Report: Colorado Front Range Area.
U. S. Geological Survey TEM-97A, August 30, 1951, 2 pp. (Unclassified report issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)
(See also U.S.A.E.C., 90.)
U. S. VANADIUM COMPANY, U.C.C.
497. Mesa Miracle. In the Uranium Deposits of the Colorado Plateau Lies One of America's Greatest Power Reserves.
New York (Union Carbide and Carbon Corporation) 1952, 32 pp.
WADDELL, Galen G. See TAYLOR, Allen O., 495.
WANTLAND, Dart
498. Geophysical Investigations for United States Atomic Energy Commission in the Colorado Plateau Area.

U. S. Bureau of Reclamation, Geological Report G-119, July 25, 1952, 151 pp. (Unclassified report prepared by U. S. Bureau of Reclamation for U.S.A.E.C. and issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)

WATERS, Aaron Clement

499. (and GRANGER, Harry C.) Volcanic Debris in Uraniferous Sandstones, and Its Possible Bearing on the Origin and Precipitation of Uranium.
U. S. Geological Survey, Washington, Circular, No. 224, 1953, 26 pp.

WEEKS, Alice Dowse

500. Red and Gray Clay Underlying Ore-bearing Sandstone of the Morrison Formation in Western Colorado.
U. S. Geological Survey TEM-251, May 1951, 16 pp. (Unclassified report prepared by U.S.G.S. for U.S.A.E.C. and issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)
(See also STERN, T. W., 490.)

WEIR, Doris Blackman

501. Geologic Guides to Prospecting for Carnotite Deposits on Colorado Plateau.
U. S. Geological Survey, Washington, Bulletin, No. 988-B, 1952, pp. 15–27.

WEMLINGER, C. A.

502. Colorado Pegmatite Deposit Yields Beryl and Mica.
Engineering and Mining Journal, New York, Vol. 151, No. 11, 1950, pp. 92–94.

WILLIAMS, George O.

503. Radium-Bearing Silts of Southeastern Utah.
Engineering and Mining Journal, New York, Vol. 119, 1925, pp. 201–202.

WILMARTH, V. R.

504. (and BAUER, Herman L., Jr.; STAATZ, Mortimer Hay; WYANT, Donald Gray) Uranium in Fluorite Deposits.
U. S. Geological Survey, Washington, Circular, No. 220, 1952, pp. 13–18. Maps.
(See also Reference 95.)

WILSON, John H.

505. An Occurrence of Carnotite near Denver.
Engineering and Mining Journal, New York, Vol. 116, No. 6, 1923, pp. 239–240.

WOOLARD, Louis E. See KERR, Paul Francis, 450, 451.

WRIGHT, Harold D.

506. Memorandum on the Study of Certain Colorado and Ontario Uraninite Deposits.
in: Annual Report for July 1, 1950 to June 30, 1951. U.S.A.E.C. RMO-797, September 1951, 86 pp. See pp. 69–86. (Report prepared for U.S.A.E.C. by Columbia University under Contract AT-30-1-702 and issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)

507. Paragenesis of a Uranium-bearing Vein at Caribou, Colorado.
Denison University, Granville, Ohio, Bulletin, Vol. 51, 1951, pp. 75–82.
(See also KERR, Paul Francis, 445.)

WRIGHT, Robert James. See Reference 102.

WYANT, Donald Gray

508. Treasure Hill Area, Larimer County, Colorado.
U. S. Geological Survey TEM-9B, (issued) December 20, 1951, 3 pp. (Unclassified report prepared by U.S.G.S. for U.S.A.E.C. and issued by U.S.A.E.C. Technical Information Service, Oak Ridge, Tenn.)

509. (and BERONI, Ernest P.; GRANGER, Harry C.) Some Uranium Deposits in Sandstones.
U. S. Geological Survey, Washington, Circular, No. 220, 1952, pp. 26–30. Maps.

510. (and STUGARD, Frederick, Jr.) Indian Creek Uranium Prospects, Beaver County, Utah.
U. S. Geological Survey TEM-212, Part 1, 1951, 7 pp. (Report prepared by U.S.G.S. for U.S.A.E.C.; placed on open file in a few selected U.S.G.S. offices throughout the United States.)
(See also GOTT, Garland B., 27, 426; STUGARD, Frederick, Jr., 493; WILMARTH, V. R., 95, 504.)

ANONYMOUS NOTES, 1913–1952.

511. The Uranium and Radium Situation.
Engineering and Mining Journal, New York, Vol. 95, 1913, pp. 1106, 1160.

512. Colorado. A New Discovery of Uranium.
Engineering and Mining Journal, New York, Vol. 151, No. 12, 1950, p. 132.

513. Colorado. A New Uranium Processing Plant May Be Built.
Engineering and Mining Journal, New York, Vol. 151, No. 2, 1950, p. 153.

514. Colorado. At Pagosa Springs.
Engineering and Mining Journal, New York, Vol. 151, No. 12, 1950, p. 131.

515. Colorado. Consolidated Caribou Silver Mines, Inc.
Engineering and Mining Journal, New York, Vol. 151, No. 3, 1950, p. 115.

516. Colorado. . . . Consolidated Caribou Silver Mines, Inc.
Engineering and Mining Journal, New York, Vol. 151, No. 5, 1950, pp. 112, 114.

517. Colorado. Pitchblende Has Been Rediscovered.
Engineering and Mining Journal, New York, Vol. 151, No. 9, 1950, p. 114.

518. Colorado. . . . R. O. Dulaney. . . . Uranium Mines. Engineering and Mining Journal, New York, Vol. 151, No. 3, 1950, pp. 114–115.

519. Colorado. U. S. Vanadium Co.
Engineering and Mining Journal, New York, Vol. 151, No. 1, 1950, p. 109.

520. Colorado. Uranium Ore Has Been Found in Oil Creek Canyon.
Engineering and Mining Journal, New York, Vol. 151, No. 10, 1950, p. 112.

521. Colorado. Vitro Manufacturing Co.
Engineering and Mining Journal, New York, Vol. 151, No. 3, 1950, p. 135.

522. Marysvale Uranium Review.
Mining World, San Francisco, Vol. 12, No. 8, 1950, pp. 10–13.

523. Utah. Interest in Utah Uranium Production.
Engineering and Mining Journal, New York, Vol. 151, No. 1, 1950, p. 117–118.

524. Utah. J. R. Simplot Co.
Engineering and Mining Journal, New York, Vol. 151, No. 1, 1950, p. 118.

525. Utah. Latest Development in Marysvale.
Engineering and Mining Journal, New York, Vol. 151, No. 3, 1950, p. 126.
526. Utah. Mining Interest.
Engineering and Mining Journal, New York, Vol. 151, No. 2, 1950, p. 162.
527. Utah. New Finds of Uranium-Bearing Ores.
Engineering and Mining Journal, New York, Vol. 151, No. 9, 1950, p. 130.
528. Utah. New Park Mining Company.
Engineering and Mining Journal, New York, Vol. 151, No. 10, 1950, p. 129.
529. Utah. New Park Mining Co. Has Secured Leases on 28 Uranium Claims.
Engineering and Mining Journal, New York, Vol. 151, No. 10, 1950, p. 129.
530. Utah. Rapid Expansion of the Atomic Energy Commission's Exploration Program in the Marysvale Field.
Engineering and Mining Journal, New York, Vol. 151, No. 12, 1950, pp. 143–144.
531. Utah. The U. S. Atomic Energy Commission.
Engineering and Mining Journal, New York, Vol. 151, No. 5, 1950, p. 132.
532. Utah. Uranium Field near Marysvale.
Engineering and Mining Journal, New York, Vol. 151, No. 6, 1950, p. 125.
533. Climax Uranium Co.
Engineering and Mining Journal, New York, Vol. 152, No. 8, 1951, pp. 93–94.
534. Climax Uranium Co.'s New Mill Is First to Acid-Leach Carnotite Ore.
Mining World, San Francisco, Vol. 13, No. 6, 1951, p. 16.
535. Colorado. Below Gold Creek near Gunnison.
Engineering and Mining Journal, New York, Vol. 152, No. 7, 1951, p. 162.
536. Colorado. Beryllium, Inc.
Engineering and Mining Journal, New York, Vol. 152, No. 4, 1951, p. 151.
537. Colorado. Climax Molybdenum Co.
Engineering and Mining Journal, New York, Vol. 152, No. 7, 1951, p. 162.
538. Colorado. The Operations of the Vanadium Corporation of America.
Engineering and Mining Journal, New York, Vol. 152, No. 4, 1951, p. 151.
539. Colorado Western Land Co.
Engineering and Mining Journal, New York, Vol. 152, No. 11, 1951, p. 131.
540. Evidence of Still Further Activity in Uranium Workings in Southern Utah.
Engineering and Mining Journal, New York, Vol. 152, No. 10, 1951, p. 135.
541. New Discoveries of Uranium Ore.
Engineering and Mining Journal, New York, Vol. 152, No. 10, 1951, p. 136.
542. ... Public Land Order 745.
Engineering and Mining Journal, New York, Vol. 152, No. 10, 1951, p. 122.
543. Samples of Ore Taken from the Copper King Mine.
Engineering and Mining Journal, New York, Vol. 152, No. 11, 1951, p. 132.
544. Three New Utah Uranium Discoveries.
Engineering and Mining Journal, New York, Vol. 152, No. 11, 1951, p. 142.
545. Utah. Development of 160 Claims.
Engineering and Mining Journal, New York, Vol. 152, No. 6, 1951, p. 135.
546. Utah. The Kalunite Plant in Salt Lake City.
Engineering and Mining Journal, New York, Vol. 152, No. 2, 1951, p. 163.
547. Utah. Uranium Activities.
Engineering and Mining Journal, New York, Vol. 152, No. 7, 1951, p. 196.
548. Utah. Vitro Chemical Co.
Engineering and Mining Journal, New York, Vol. 152, No. 6, 1951, p. 135.
549. AEC Has Moved its Spokane Headquarters to Salt Lake City and Opened a Branch Office at Butte, Mont.
Engineering and Mining Journal, New York, Vol. 153, No. 3, 1952, p. 133.
550. Consolidated Uranium Mines, Inc., Is Reportedly Utah's Largest Shipper of Uranium Ore.
Engineering and Mining Journal, New York, Vol. 153, No. 2, 1952, pp. 177–178.
551. Gordon Dean, Chairman of AEC.
Engineering and Mining Journal, New York, Vol. 153, No. 2, 1952, p. 167.
552. R. N. Cooper, Secretary-Treasurer of the Bullion-Monarch Mining Co.
Engineering and Mining Journal, New York, Vol. 153, No. 1, 1952, p. 135.
553. The Government Will Advance $24,052.
Engineering and Mining Journal, New York, Vol. 153, No. 2, 1952, p. 138.
554. The Office of Senator Arthur V. Watkins, (R) Utah, Has Indicated that a Salt Lake City Regional Exploration Office ....
Engineering and Mining Journal, New York, Vol. 153, No. 3, 1952, p. 142.
555. The U. S. Department of Interior Has Advised AEC.
Engineering and Mining Journal, New York, Vol. 153, No. 3, 1952, p. 127.
556. Two Government Exploration Contracts.
Engineering and Mining Journal, New York, Vol. 153, No. 1, 1952, p. 135.
557. U. S. Vanadium's Uravan, Colo. Mill Doubles Output. Colorado Plateau Scene of Stepped-Up Exploration.
Mining Engineering, New York, Vol. 4, 1952, pp. 1025–1026.
558. With the Approval of AEC, Vanadium Corporation of America Has Increased the Capacity of Its Durango Mill.
Engineering and Mining Journal, New York, Vol. 153, No. 1, 1952, p. 128.

INDEX I

GAZETTEER FOR COLORADO AND UTAH

(Numers refer to References Listed in Author Section of Bibliography)

A

Abajo Mts.: See Utah-San Juan Co., 404, 481.
Abe Day's Vanadium Queen claim: See Utah-San Juan Co., 544.
Ace of Hearts claim: See Utah-San Juan Co., 401.
Ace Turner, operator of Grey Dawn mine: See Utah-San Juan Co.-Beta-Uranotil Occ., 480.
Alma Mining District: See Colorado-Park Co., 477.
Almaden mine (owned by Mrs. S. E. Tabor, the

former Helen McAnulty, and located on S side of Fall River 100 yds. NW of mouth of Golconda tunnel): See Colorado-Clear Creek Co., 487.
Alps mine: See Colorado-Gilpin Co., 398, 460.
American Smelting and Refining Co. (A.S. & R. Co.): See United States-General, 441; See Utah-Piute Co., 522; See Utah-San Juan Co., 461.
Anaconda Mining Co. (airborne work): See Utah-San Juan Co., 494.
Anderson and Smith claims: See Prospector group, Utah-Piute Co., 522.
Antelope Range: See Utah-Piute Co., 447.
Area D, Bull Canyon: See Colorado-Montrose Co., 498.
Arrowhead group: See Colorado-Mesa Co., 413.
Ashley's Fork: See Utah-Uintah Co., 464.
Atherley Brothers work: See Utah-Piute Co., 522.
Ayres Leavenworth mine: See Colorado-Gilpin Co., 467.
Aztec mine: See Colorado-Montrose Co., 440.

B

Bald Mountain: See Colorado-Jefferson Co.-Monazite Occ., 234.
Bankrupt claim: See Utah-San Juan Co., 401.
Basin claim: See Utah-San Juan Co., 440.
Bauer claims: See Utah-Juab Co., 489.
Bazooka spodumene prospect (owned by Leonard Nesbit of Parlin, head of Wood Gulch near Doyle): See Colorado-Gunnison Co., 234.
Bear claim: See Utah-San Juan Co., 401.
Beaver Brook Valley: See Colorado-Clear Creek Co.-Monazite Occ., 234.
Belcher mine: See Colorado-Gilpin Co., 7, 78, 82, 330, 398, 460, 467.
Belcher, German-, mine: See Colorado-Gilpin Co., 53.
Belknap rhyolite: See Mt. Belknap rhyolite, Utah-Piute Co., 447.
Belknap volcanics: See Mt. Belknap volcanics, Utah-Piute Co., 450.
Bell claim: See Utah-San Juan Co., 401.
Bell Hill claims: See Utah-Jaub Co., 488.
Bellevue Hudson mine: See Colorado-Clear Creek, 517.
Bellevue-Rochester mine: See Colorado-Clear Creek Co., 53, 445, 446.
Bellview-Rochester mine: See Bellevue-Rochester mine, Colorado-Clear Creek Co., 53.
Bertelsen claims: See Utah-Juab Co., 489.
Bertelson's deposit, Marysvale: See Utah-Piute Co., 479.
Beryllium Mining Co., Inc.: See Colorado-Gunnison Co., 502.
Big Boulder pegmatite: See Colorado-Larimer Co., 234.
Big Boulder prospect (owned by Mountain States Mineral Production Co. and worked by United Beryllium Ores and Metals Corp., 2 mi. SE of Crystal Mountain): See Colorado-Larimer Co., 234.
Big Indian Valley: See Utah-San Juan Co., 78, 82.
Bigger mica mine (owned by D. N. Biggers of Littleton, on northern ridge of Bald Mountain at divide between South Turkey and Deer Creeks): See Colorado-Jefferson Co., 234.
Biggers, D. N. property: See Colorado-Jefferson Co.—Monazite Occ., 234.
Birthday claim: See Utah-San Juan Co., 440.
Bishop Canyon: See Colorado-San Miguel Co., 440.
Bitter Creek group: See Colorado-Montrose Co., 500.
Black Hawk mine: See Colorado-Gilpin Co., 104.
Black King prospect: See Colorado-San Miguel Co., 445, 449.
Black King No. 5 prospect (formerly called Evans property): See Colorado-San Miguel Co., 469.
Blanco Basin: See Colorado-Archuleta Co. but see also Colorado-Mineral Co., 514.
Blanding District: See Utah-San Juan Co., 154, 494.
Blanding Mines Co.: See Utah-San Juan Co., 440.
Blanding Mines Co. (plant): See Utah-San Juan Co., 440.
Blazing Star Vein: See Almaden mine, Colorado-Clear Creek Co., 487.
Blitz Nos. 1–7 claims owned by V.C.A.: See Utah-Garfield Co., 406.
Block Mt.: See Utah-Emery Co., 483.
Blue Bird claims (Oiler tunnel): See Oyler mine, Utah-Wayne Co., 21.
Bluebird claim: See Utah-San Juan Co., 440.
Blue Jay claim: See Utah-Garfield Co., 21.
Blue Jay mine: See Colorado-Boulder Co., 474, 475.
Blue Mountain: See Colorado-Moffat Co., 34, 78, 82, 422.
Blue Mountain Mining District: See Colorado-Moffat Co., 241.
Boulder: See Colorado-Boulder Co., 82, 515, 516.
Bowles-Heflin Mining Co.: See Utah-San Juan Co., 556.
Brazer limestone: See Utah-General, 462.
Bridger Jack flat: See Utah-San Juan Co., 437.
Bridges claim: See Utah-San Juan Co., 401.
Brown Derby: See Colorado-Gunnison Co., 70.
Brown Derby mine (owned by Hayden Mining Co., 17 mi. E of Gunnison, dikes on E wall of Quartz Creek Valley): See Colorado-Gunnison Co., 234.
Brown Derby No. 5 prospect (owned by Hayden Mining Co., in small gulch on side of Brown Derby ridge): See Colorado-Gunnison Co., 234.
Brown Derby ridge: See Colorado-Gunnison Co.—Microlite Occ., 234.
Brown Throne group: See Utah-Emery Co., 483.
Browns Hole: See Utah-San Juan Co., 396.
Browns Park: See Utah-Daggett Co., 34, 78, 82, 434.
Brush Creek: See Colorado-Eagle Co., 34, 78, 82.
Brushy Basin shale member of Morrison formation: See Colorado-General, 499; See Colorado Plateau-General, 409, 499; See Utah-General, 499.
Buckeye "reef": See Utah-Washington Co., 415.
Buckhorn claim: See Colorado-San Miguel Co., 440.
Buckhorn mine: See Colorado-Larimer Co., 491.
Buddy claim, Bertelson's deposit, Marysvale: See Utah-Piute Co., 479.
Buddy mine: See Utah-Piute Co., 429, 451, 495.
Buena Vista: See Colorado-Chaffee Co., 11, 78, 82,-Allanite & Euxenite Occs., 234.
Bull Canyon: See Colorado-Montrose Co., 415, 498.
Bull Canyon: See Utah-San Juan Co., 524.
Bullion Canyon latite: See Utah-Beaver Co., 510.
Bullion Canyon volcanics: See Utah-Piute Co., 442. 450.
Bullion Monarch mine (on Farmer John group of claims): See Utah-Piute Co., 429, 451, 495, 522.
Bullion Monarch prospect: See Utah-Piute Co., 447.
Bullion Monarch Mining Co.: See Utah-Piute Co., 522; claims near Marysvale.: See Utah-Piute Co., 479, 532, 541, 552; operations at Marysvale: See Utah-Piute Co., 526.
Bulloch claims: See Utah-Kane Co., 509.

Burlington mine: See Colorado-Boulder Co., 504.
Butler's claim: See Utah-San Juan Co., 401.

C

Cactus Rat group: See Utah-Grand Co., 413.
Calamity Creek: See Colorado-Mesa Co., 434, 438.
Calamity group (many claims on Calamity Mesa): See Colorado-Mesa Co., 440, 501.
Calamity Gulch: See Colorado-Montrose Co., 34, 415.
Calamity Mesa: See Colorado-Mesa Co., 154, 411, 413, 417, 500, 501.
Calhoun mine: See Colorado-Gilpin Co., 7, 78, 82, 397, 398, 460, 467.
Calhoun properties, Central City area: See Colorado-Gilpin Co., 420.
Calhoun vein in East Calhoun mine: See Colorado-Gilpin Co., 467.
Cane Creek anticline: See Utah-Grand Co., 481.
Cane Springs Pass: See Utah-San Juan Co., 34, 437.
Capitol Reef: See Utah-Wayne Co., 63, 428, 481.
Capitol Reef Monument: See Utah-Wayne Co., 21.
Caribou Hill: See Colorado-Boulder Co.-Pitchblende Occ., 484.
Caribou mine (owned by Consolidated Caribou Silver Mines, Inc., and located on Caribou Hill about 15 mi. SW of Jamestown and 5 mi. NW of Nederland): See Colorado-Boulder Co., 53, 102, 250, 411, 453, 455, 468, 484, 506, 507, 515, 516.
Caribou vein, Caribou mine: See Colorado-Boulder Co., 455.
Casey lease: See Colorado-Larimer Co., 508.
Cashin: See Colorado-Montrose Co., 104.
Cataract Canyon: See Utah-San Juan Co., 494.
Caywood claims: See Colorado-Rio Blanco Co., 423.
Cedar: See Colorado-San Miguel Co., 78, 82.
Cedar Mining District: See Colorado-San Miguel Co., 241.
Centennial Cone beryl-monazite prospect (on ranch owned by Frank Temantozzi, 7 mi. W. of Golden): See Colorado-Jefferson Co., 234.
Centennial Eureka mine: See Utah-Juab Co., 82, 421.
Central City: See Colorado-Gilpin Co., 7, 11, 53 68, 78, 82, 104, 330, 399, 420, 493.
Central City Mining District: See Colorado-Gilpin Co., 394, 400, 445, 455, 467, 506.
Central mining area: See Utah-Piute Co., 451.
Charles Steen claims: See Utah-San Juan Co., 465
Charles T. group: See Colorado-San Miguel Co., 440.
Chinle formation:
See Colorado-General, 499.
See Colorado Plateau-Gen., 481, 499.
See Utah-General, 499; Utah-Emery Co., 509; Grand Co., 481; San Juan Co., 401, 481; Washington Co., 478, 509.
Chinle, Lower, formation: See Colorado Plateau-General, 485.
Chloride Chief claim: See Utah-Washington Co., 21.
Circle Cliffs: See Utah-Garfield Co., 21, 63, 481, 509, 528, 529.
Clear Creek: See Colorado-Clear Creek Co.-Pitchblende Occ., 487.
Clear Creek Canyon: See Colorado-Jefferson Co.-Gadolinite Occ., 234.
Cliffhouse claim: See Utah-San Juan Co., 440.
Clifford Smith claim: See Utah-Emery Co., 483.
Climax Molybdenum Co.:
See Colorado Plateau-General, 441.
See United States-General, 441.
Climax Molybdenum Co. (mill): See Colorado-General, 537.
Climax Uranium Co.: See Colorado-Mesa Co., 456; See Colorado Plateau-General, 431.
Climax Uranium Co. (plant): See Colorado-Mesa Co., 533, 534.
Clora May mine (owned by M & S, Inc., of Denver, E of Buena Vista near Trout Creek Pass): See Colorado-Chaffee Co., 234.
Club Camp: See Colorado-Montrose Co., 34, 407, 415.
Club Mesa: See Colorado-Montrose Co., 154, 417, 494.
Coal Creek: See Colorado-Rio Blanco Co., 34, 78, 82, 422, 423.
Coal Creek anticline: See Colorado-Rio Blanco Co., 481.
Coal Creek Mining District: See Colorado-Rio Blanco Co., 241.
Cold (or may mean Coal) Creek: See Utah-Carbon Co., 404.
Collins, Fort: See Colorado-Larimer Co., 53, 77, 491, 543; -Autunite Occ., 234.
Colorado Feldspar Co. property: See Colorado-Freemont Co., 234; Gunnison Co. -Microlite Occ., 234.
Colorado Front Range: See Colorado-Colorado Front Range, 20, 455, 458; See Colorado-Boulder Co., 102, 484, 507; Clear Creek, Gilpin and Larimer Cos., 77; Gilpin Co., 53, 77, 78, 104, 394, 398; Gilpin and Larimer Cos., 53; Jefferson Co., 505; Larimer Co., 53, 77.
Colorado Mineral Belt: See Colorado-General, 477.
Colorado Plateau: See United States-General, 398.
Colorado River (formerly, Grand River): See Utah-Grand Co., 404.
Colorado River, confluence of Green River and: See Utah-Garfield and Wayne Cos., 540.
Colorado Springs: See Colorado-El Paso Co., 188; -Carbonaceous Shales, Uranium-bearing, 402.
Cone Claim: See Colorado-San Miguel Co., 440.
Consolidated Caribou Silver Mines, Inc.: See Colorado-Boulder Co., -Pitchblende Occ., 453, 484, 515.
Consolidated Uranium Mines, Inc., claims: See Utah-Emery Co., 550.
Copper Globe deposit: See Utah-Emery Co., 509.
Copper King mine: See Colorado-Larimer Co., 53, 77, 543.
Copper Prince claim: See Colorado-Montrose Co., 473.
Corvusite claims: See Utah-Grand Co., 440.
Cottonwood: See Utah-San Juan Co., 154, 440.
Cottonwood Canyon District: See Utah-San Juan Co., 440.
Cottonwood Creek: See Utah-San Juan Co., 440.
Cougar claim: See Colorado-San Miguel Co., 440.
Cracker Jack claim: See Colorado-Montrose Co., 34, 415.
Crackerjack claim: See Colorado-Mesa Co., 440.
Crescent Creek: See Utah-Garfield Co., 78, 82.
Cripple Creek claim, Long Park: See Colorado-Montrose Co., 34.
Crystal Mountain: See Colorado-Larimer Co. -Autunite Occ., 234.
Crystal Mountain District: See Colorado-Larimer Co., 234.
Crystal No. 8 mine (owned by M & S, Inc., of Denver, E of Buena Vista near Trout Creek Pass): See Colorado-Chaffee Co., 234.
Cub claim: See Utah-San Juan Co., 401.

D

D. N. Biggers property: See Colorado-Jefferson Co., 234.
Dakota formation: See Utah-Kane Co., 509.
Dakota sandstone:
See Colorado-Fremont Co., 509.
See Utah-Grand Co., 409.
Dalton group: See Utah-Emery Co., 483.
Darys Ekker lease from V.C.A.: See Utah-Garfield Co., 406.
Darys Ekker mine: See Utah-Garfield Co., 482.
Darys (not Daryl) Ekker operations: See Utah-Garfield Co., 482.
Davis, Mildred, claims: See West Point & Treasure Hill Nos. 1-6 claims, Colorado-Larimer Co., 508.
Day's Vanadium Queen claim: See Utah-San Juan Co., 544.
Dead Buck claim: See Utah-San Juan Co., 401.
Deer Creek: See Colorado-Jefferson Co. -Monazite Occ., 234.
Deer Flats: See Utah-San Juan Co. Bayleyite Occ., 490.
Del Monte group: See Utah-Garfield Co., 482.
Denver: Colorado-Denver Co. but see Colorado-Douglas Co., 252; Colorado-Jefferson Co., 505.
Deseret limestone: See Utah-General, 462.
Devils Head: See Colorado-Douglas Co., 82.
Dexter group: See Utah-Emery Co., 483.
Dirty Devil group: See Utah-Emery Co., 483.
Disappointment Creek: See Colorado-San Miguel Co., 78, 82, 104.
Disappointment District: See Colorado-San Miguel Co., 439.
Dixie claim: See Colorado-Mesa Co., 440.
Dolly group: See Utah-Emery Co., 483.
Dolores: See Colorado-Montezuma Co. but see Colorado-San Miguel Co., 104.
Dolores Camp: See Colorado-Montrose Co., 34, 407, 415, 434.
Dolores River: See Colorado-Montrose Co., 407; Colorado-San Miguel Co., 104.
Double Opening pegmatite: See Colorado-Larimer Co., 234.
Double Opening prospect (of United Beryllium Ores and Metals Corp., SW of Fort Collins): See Colorado-Larimer Co., 234.
Dove Creek: See Colorado-Costilla Co., 411, 456.
Doyle: See Colorado-Gunnison Co. -Microlite Occ., 234.
Doyle, Mike, prospect: See Mike Doyle prospect, Colorado-El Paso Co., 402, 509.
Drake: See Colorado-Larimer Co.-Autunite Occ., 234.
Dry Valley: See Utah-San Juan Co., 78, 82, 415.
Dud No. 1 claim: See Utah-Garfield Co., 21.
Duffin mine: See Utah-Washington Co., 21.
Dulaney Mining Co.: See Colorado-Costilla Co., 456.
Dulaney property (may refer to Costilla Co. land): See Colorado-Southwest part, 518.
Dumont District: See Larson-Dumont District, Colorado-Clear Creek Co., 432.
Dumont Mining District: See Colorado-Clear Creek Co., 487.
Duponts' exploration work: See Colorado-Gilpin Co., 420.
Durango: See Colorado-La Plata Co., 140, 144, 413, 431, 440, 497, 538, 557, 558.
Dust, Lawson-, deposits: See Colorado-Clear Creek Co., 53.
Dynamite mine: See Colorado-Montrose Co., 500.

E

Eagle: See Colorado-Eagle Co., 34.
Eagle mine: See Colorado-Eagle Co., 45.
East Bank claim: See Utah-San Juan Co., 440.
East Calhoun mine: See Colorado-Gilpin Co., 53, 467.
East Canyon: See Utah-San Juan Co., 82.
East Rifle Creek: See Colorado-Garfield Co., 34, 415, 503.
East Slope claims: See Utah-Piute Co., 429.
East Slope No. 2 deposit: See Utah-Piute Co., 493.
Egnar: See Colorado-San Miguel Co., 154, 413.
Egnar District: See Egnar-Slick Rock District, Colorado-San Miguel Co., 440.
Egnar-Slick Rock District: See Colorado-San Miguel Co., 440.
Eight Mile Park: See Colorado-Freemont Co., 234.
Ekker, Darys, lease from V.C.A.: See Utah-Garfield Co., 406.
Ekker, Darys, mine: See Utah-Garfield Co., 482.
Ekker, Darys (not Daryl), operations: See Utah-Garfield Co., 482.
Eldorado mine: See Colorado-Gilpin Co., 467.
Eli Malich's Lucky Day claim: See Utah-Grand Co., 544.
Elida tunnel, Jo Reynolds mine: See Colorado-Clear Creek Co., 432.
Elk Ridge anticline: See Utah-San Juan Co., 481.
Eloise claims: See Utah-Washington Co., 21.
Elva M. claims, Polar Mesa: See Utah-Grand Co., 410, 440.
Empire: See Colorado-Clear Creek Co., 517.
Entrada sandstone:
See Colorado-General, 22.
See Colorado-Garfield Co., 415, 509; San Miguel Co., 449, 509;
See Colorado Plateau-General, 22, 481, 501.
Escalante: See Utah-Garfield Co., 21, 529.
Evans property: See Black King No. 5 prospect, Colorado-San Miguel Co., 469.
Excalibur Uranium Corp.: See Utah-Grand Co., 494; Utah-San Juan Co., 494.

F

Fairplay: See Colorado-Park Co., 53.
Fall River: See Colorado-Clear Creek Co.-Pitchblende Occ., 487.
Falling Star claim: See Utah-Garfield Co., 21.
Family Butte: See Utah-Emery Co., 483.
Farewell claim: See Utah-Garfield Co., 21.
Farmer John claims: See Utah-Piute Co., 522, 541; -Autunite Occ., 495, 522.
Farmer John open pit, Bullion-Monarch Mining Co.: See Utah-Piute Co., 479.
Farmer's Knob: See Utah-Garfield Co., 406, 482.
Fish Springs Mining District: See Utah-Juab Co., 489.
Fish Springs Mts.: See Utah-Juab Co., 489.
Flat Top: See Utah-Emery Co., 436.
Flat Top No. 1 claim: See Utah-Grand Co., 440.
Flattop area: See McCoy-Flattop area, Utah-Grand Co., 409.
Fluorine Queen property: See Utah-Juab Co., 504.
Fluorite (Original Spor) group: See Utah-Juab Co., 488.
Fort Collins: See Colorado-Larimer Co., 53, 77, 491, 543; -Autunite Occ., 234.
Fort Pierce: See Utah-Washington Co., 21.
Found claim: See Utah-San Juan Co., 401.

Found No. 2 claim: See Utah-San Juan Co., 440.
Four Aces claim: See Utah-San Juan Co., 401.
Four Aces mine: See Utah-San Juan Co., 509.
Fraction No. 1 claim: See Colorado-San Miguel Co., 440.
Frank Termantozzi ranch: See Colorado-Jefferson Co. -Monazite Occ., 234.
Frankie No. 1 claim: See Colorado-San Miguel Co., 440.
Freedom lease, V.C.A.: See Utah-Piute Co., 479.
Freedom mines (Seegmiller's claims): See Utah-Piute Co., 522.
Freedom mine: See Utah-Piute Co., 522.
Freedom No. 1 (Seegmiller) mine: See Utah-Piute Co., 451, 495, 522.
Freedom No. 2 mine (on W slope of Pratt's Ridge under lease by V. C. A.): See Utah-Piute Co., 429, 451, 495.
Freedom prospect: See Utah-Piute Co., 447.
Frenchy claim: See Colorado-San Miguel Co., 440.
Frey Canyon No. 4 claim: See Utah-San Juan Co., 401.
Frey claim: See Utah-San Juan Co., 401.
Frey No. 1 claim: See Utah-San Juan Co., 401.
Frey No. 2 claim: See Utah-San Juan Co., 401.
Front Range Mineral Belt: See Colorado and Colorado Front Range, 458.
Fruita: See Utah-Wayne Co., 78, 82, 433, 434, 436, 493, 509.
Fullmer, J. P., property: See Papsy's Hope prospect, Utah-Piute Co., 442.

G

Galigher Co.: See Utah-San Juan Co., 461.
Gardell Snow's claim: See Utah-Emery Co., 483.
Garo: See Colorado-Park Co., 509.
Gateway: See Colorado-Mesa Co., 78, 82, 411, 440.
Gateway Alloys: See Colorado-Mesa Co., 440.
General Vanadium Co.: See Colorado-Montrose Co., 407.
Gensen district: See Jensen district, Utah-Uintah Co., 11.
George Peabody claim (one of the Robineau claims, owned by L. G. Robineau and J. H. Harris): See Colorado-Clear Creek Co., 454.
German mine: See Colorado-Gilpin Co., 7, 78, 82, 330, 398, 460, 467, 473.
German-Belcher mine: See Colorado-Gilpin Co., 53.
German-Belcher vein: See Colorado-Gilpin Co., 467.
German Gold and Uranium Co.: See Colorado-Gilpin Co., 330.
Gilman: See Colorado-Eagle Co., 45.
Golconda mine (owned by Henry de Linde and located on SW side of Fall River 2.5 mi. above junction with Clear Creek): See Colorado-Clear Creek Co., 487.
Golconda tunnel: See Colorado-Clear Creek Co. -Pitchblende Occ., 487.
Gold Brick Mining District: See Colorado-Gunnison Co., 502.
Gold Creek: See Colorado-Gunnison Co., 535, 536.
Gold Rock mine: See Colorado-Gilpin Co., 467.
Golden: See Colorado-Jefferson Co., 53; -Gadolinite & Monazite Occs., 234.
Golden Cycle Corp.: See United States-General, 441.
Golden Gate Canyon: See Colorado-Jefferson Co., 53.
Gonaway claim: See Utah-San Juan Co., 466. (Spelled, Gonway, in Ref. 401.)
Gonaway-North Point claim: See Utah-San Juan Co., 401. (Spelled, Gonway, in Ref. 401.)
Grand Island Mining District: See Colorado-Boulder Co., 453.
Grand Junction: See Colorado-Mesa Co., 73, 431, 497, 513, 521, 533, 534, 557.
Grand River: See Colorado River, Utah-Grand Co., 404.
Great Hesper claim: See Colorado-Mesa Co., 440.
Green River: See Utah-Emery Co., 78, 82, 418, 433, 511, 545; Utah-Emery and Uintah Cos., 78, 82; Utah-Uintah Co., 11, 78, 82.
Green River, Confluence of Colorado River and: See Utah-Garfield and Wayne Cos., 540.
Green River desert: See Utah-Garfield and Grand Cos., 494.
Green River formation: See Utah-San Pete Co., 509.
Green Vein group: See Utah-Emery Co., 21, 483.
Grey Dawn mine (operated by Ace Turner, on small tributary of La Sal Creek near SW flank of LaSal Mts.): See Utah-San Juan Co., 480.
Grover, Joe, property: See Colorado-Clear Creek Co.-Monazite Occ., 234.
Grover mine (owned by Joe Grover of Park City, Utah, SW of Golden on N side of Beaver Brook Valley): See Colorado-Clear Creek Co., 234.
Guffey region: See Guffey-Micanite region, Colorado-Fremont-Park Cos., 403.
Guffey-Micanite region: See Colorado-Fremont-Park Cos., 403.
Gunnison: See Colorado-Gunnison Co., 535, 536; -Microlite Occ., 234.
Guthrie, S. Y., orebody, North Wash district: See Utah-Garfield Co., 482.
Gyp mines: See Colorado-Montrose Co., 440.
Gypsum Valley: See Colorado-Montrose and San Miguel Cos., 440; Colorado-San Miguel Co., 154, 416, 439.
Gypsum Valley District: See Colorado-San Miguel Co. and Montrose Co., 440; Colorado-San Miguel Co., 154, 416, 439.

H

Hahns Peak: See Colorado-Routt Co., 11.
Hangover claims: See Utah-San Juan Co., 440.
Hanksville: See Utah-Wayne Co., 404.
Happy Jack mine: See Utah-San Juan Co., 48, 401, 412, 440, 466, 481, 493, 509.
Haputa Ranch: See Colorado-Custer Co., 53.
Hard Pan group: See Utah-Emery Co., 493.
Harley Dome: See Utah-Grand Co., 409.
Harris claims: See Harrisite claims, Utah-Juab Co., 488.
Harris, J. H., claims: See Robineau claims, Colorado-Clear Creek Co., Torbernite Occ., 454.
Harrisburg Mining District: See Silver Reef Mining District, Utah-Washington Co., 478.
Harrisite claims: See Utah-Juab Co., 488.
Harsh mine: See Colorado-Gilpin Co., 467.
Hartsel: See Colorado-Park Co., 512.
Hatch claim: See Utah-Garfield Co., 21.
Hawk claims: See Colorado-San Miguel Co., 440.
Hayden Mining Co. property: See Colorado-Gunnison Co. -Microlite Occ., 234.
Helen M. Tabor (Mrs. S. E.) mine: See Almaden mine, Colorado-Clear Creek Co. -Pitchblende Occ., 487.
Henry, J., claims at Marysvale: See Utah-Piute Co., 527.

Henry de Linde mine: See Golconda mine, Colorado-Clear Creek Co. -Pitchblende, Occ., 487.
Henry Mountains: See Utah-Garfield Co., 78, 82, 86, 406, 434, 464, 481, 482, 494; Utah-Garfield and Wayne Cos., 78, 82; Utah-Wayne Co., 78, 82.
Hertz No. 1 claim: See Utah-Emery Co., 483.
Hidden Treasure claim: See Colorado-Mesa Co., 440.
Hideout mine: See Utah-San Juan Co., 401.
Hideout No. 1 mine (on Deer Flats, N side of White Canyon): See Utah-San Juan Co., 490.
Hieroglyphic Camp: See Colorado-Montrose Co., 407.
Hillers, Mount: See Utah-Garfield Co., 434, 482.
Hines Uranium Co. (airborne work for): See Colorado Plateau-General, 494.
Hite: See Utah-Garfield Co., 11; Utah-Garfield Co. but see Utah-San Juan Co., 78.
Hite (plant): See Utah-San Juan Co., 144, 413, 497, 547, 557.
Hogback claim: See Colorado-San Miguel Co., 440.
Holmes, Mt.: See Utah-Garfield Co., 482.
Honeybell claim: See Utah-Garfield Co., 21.
Honeycomb Hills: See Utah-Juab Co., 489, 493, 504.
Horse Creek: See Utah-Garfield Co., 21.
Horse Creek claim: See Utah-Garfield Co., 21.
Horse Mountain: See Colorado-Eagle Co., 46.
Hot Shot claims: See Utah-Garfield Co., 21.
Huerfano Park: See Colorado-Huerfano Co., 509.
Hummer claim: See Colorado-Mesa Co., 440.
Hummer mine owned by U. S. Vanadium Co.: See Colorado-Mesa Co., 456.
Hunt, Kay, operations: See Utah-Garfield Co., 482.
Hurricane: See Utah-Washington Co., 21.
Hyatt: See Colorado-Larimer Co., 70.
Hyatt beryl mine (leased to United Beryllium Ores and Metals Corp., 1 mi N of North Fork Big Thompson River and 1½ mi. NNW of Drake): See Colorado-Larimer Co., 234.
Hydraulic Mining District: See Colorado-Montrose Co., 241.

I

Idaho Springs: See Colorado-Clear Creek Co., 53.
Imp claim, Polar Mesa: See Utah-Grand Co., 410.
Incline mines: See Colorado-San Miguel Co., 431.
Indian Creek: See Utah-Beaver Co., 504; -Autunite Occ., 510.
Iron mine: See Colorado-Gilpin Co., 53, 467.

J

J. and L. alunite mine: See Utah-Piute Co., 451.
J. Mackay mine No. 2: See Colorado-Rio Blanco Co., 418.
J. H. Harris claims: See Robineau claims, Colorado-Clear Creek Co., 454.
J. P. Fullmer property: See Papsy's Hope prospect, Utah-Piute Co., 442.
J. R. Simplot Co. (airborne work): See Utah-Garfield Co., 494.
Jack Knife claim: See Colorado-San Miguel Co., 440.
Jack Rabbit Camp: see Colorado-Montrose Co., 407.
Jacobs Chair claim: See Utah-San Juan Co., 401.
Jamestown: See Colorado-Boulder Co., 455, 474, 475, 504; -Pitchblende Occ., 484.
Jensen District: See Utah-Uintah Co., 11, 78, 82.
Jerry claim: See Utah-San Juan Co., 401.
Jesus lode: See Colorado-Fremont Co., 509.
Jo Dandy Camp: See Colorado-Montrose Co., 407, 434.
Jo Reynolds area: See Colorado-Clear Creek Co., 432.
Jo Reynolds mine: See Colorado-Clear Creek Co., 53, 78, 82, 398, 432.
Joe Grover property: See Colorado-Clear Creek Co. -Monazite Occ., 234.
John Hill: See Utah-Garfield Co., 406.
Jones and Laughlin Ore Co.: See United States-General, 441.
Julian Camp: See Colorado-Montrose Co., 407.
June Bell Nos. 1–4 claims owned by V.C.A.: See Utah-Garfield Co., 406.

K

Kalunite extraction plant: See Utah-Salt Lake Co., 546, 548.
Kanab: See Utah-Kane Co., 21.
Kay Hunt operations: See Utah-Garfield Co., 482.
King claims: See Colorado-San Miguel Co., 440.
Kirk mine: See Colorado-Gilpin Co., 7, 53, 78, 82, 104, 330, 394, 398, 455, 460, 467, 473.
Kirk vein in Kirk mine: See Colorado-Gilpin Co., 467.

L

L. A. Sutherland's Socko claim: See Utah-Grand Co., 544.
L. G. Robineau claims: See Robineau claims, Colorado-Clear Creek Co., 454.
Laramie coal formation: See Colorado-Jefferson Co., 505.
Laramie formation: See Colorado-Jefferson Co., 509.
La Sal Creek: See Colorado-Montrose Co., 78, 82, 104, 439, 472, 473.
La Sal Creek, tributary of: See Utah-San Juan Co. -Beta-Uranotil Occ., 480.
La Sal District: See Utah-San Juan Co., 544.
La Sal Mining District: See Colorado-Montrose Co., 241.
La Sal Mountains: See Utah-Grand Co., 33, 78, 82, 104, 481; Utah-Grand and San Juan Cos., 82; Utah-San Juan Co., 82, 396, 481; -Beta-Uranotil Occ., 480.
La Sal Valley: See Colorado-Montrose Co., 459.
Last Chance claim: See Colorado-San Miguel Co., 440.
La Veta Pass: See Colorado-Costilla Co., 411.
Lawson: See Colorado-Clear Creek Co., 398, 446 455, 517.
Lawson Mining District: See Colorado-Clear Creek Co., 77.
Lawson-Dumont District: See Colorado-Clear Creek Co., 432.
Lawson-Dust deposits: See Colorado-Clear Creek Co., 53.
Leadville Mining District: See Colorado-Lake Co., 477.
Leavenworth Gulch: See Colorado-Gilpin Co., 398.
Leavenworth mines: See Colorado-Gilpin Co., 460, 467.
Legin group: See Colorado-San Miguel Co., 413, 440.

Leonard Nesbit property: See Colorado-Gunnison Co., 234.
Leyden coal mine: See Colorado-Jefferson Co., 509.
Lincoln Mining District: See Colorado-Clear Creek Co., 487.
Linde, Henry de, mine: See Golconda mine, Colorado-Clear Creek Co. -Pitchblende Occ., 487.
Lisbon (not Lisburne) Valley: See Utah-San Juan Co., 78, 82.
Little Mariel claim: See Colorado-San Miguel Co., 440.
Little Rockies district: See Utah-Garfield Co., 482.
Lone Tree deposit: See Utah-Emery Co., 509.
Lone Tree group: See Utah-Emery Co., 483.
Long Park: See Colorado-Montrose Co., 34, 154, 407, 417, 494.
Lost claim:
See Colorado-San Miguel Co., 440.
See Utah-San Juan Co., 440.
Lower group: See Colorado-San Miguel Co., 440.
Lower Uncompahgre Mining District: See Colorado-Ouray Co., 477.
Lucky Day claim: See Utah-Grand Co., 544.

Mc

MacIntosh, D., claims at Marysvale: See Utah-Piute Co., 527.
McAfee claims: See Utah-Juab Co., 489.
McCoy area: See McCoy-Flattop area, Utah-Grand Co., 409.
McCoy-Flattop area: See Utah-Grand Co., 409.
McElmo formation: See Colorado-Montrose Co., 407; Colorado Plateau-General, 407.
McIntire prospect: See Colorado-Huerfano Co., 509.
McIntyre District: See Colorado-San Miguel Co., 415.

M

M & S, Inc., Denver, property: See Colorado-Chaffee Co. -Allanite Occ., 234.
Mac Gulch: See Colorado-Fremont Co., 234.
Mackay mine No. 2: See Colorado-Rio Blanco Co., 418.
Maggie C claim: See Colorado-Montrose Co., 34.
Main Street claim: See Colorado-San Miguel Co., 440.
Malich's Lucky Day claim: See Utah-Grand Co., 544.
Mancos shale: See Utah-Grand Co., 409.
Marie claim: See Colorado-San Miguel Co., 440.
Markie claim: See Utah-San Juan Co., 401.
Maroon formation: See Colorado-Moffat Co., 509; Colorado- Park Co., 509.
Mary No. 2 claim: See Utah-Grand Co., 440.
Marysvale: See Utah-Piute Co., 48, 53, 73, 77, 102, 267, 409, 429, 441, 442, 443, 445, 447, 448, 450, 451, 455, 479, 493, 495, 522, 523, 525, 526, 527, 530, 531, 532, 541, 547, 548, 552, 554; Utah-Piute Co. but see Utah-Beaver Co. -Autunite Occ., 510.
Maverick group: See Colorado-Mesa Co., 440.
May claim: See Colorado-San Miguel Co., 440.
Meeker: See Colorado-Rio Blanco Co., 78, 82, 509, 511.
Mesa Creek: See Colorado-Montrose Co., 415.
Mesa Verde sandstone: See Utah-Uintah Co., 509.
Metals Reserve Co. (plant): See Colorado-La Plata Co., 440; Colorado-Mesa Co., 440.
Mi Vida claim: See Utah-San Juan Co., 465.
Mi Vida mine: See Utah-San Juan Co., 465
Mica Lode mine: See Colorado-Fremont Co., 234.
Micanite region: See Guffey-Micanite region, Colorado-Fremont-Park Cos., 403.
Micanite Mining District: See Colorado-Fremont Co., 234.
Mike Doyle prospect (10 mi. S. of Colorado Springs and just W of Colorado State Highway 115): See Colorado-El Paso Co., 402, 509.
Mill Creek: See Utah-Grand Co., 404.
Mill No. 2 mine owned by U. S. Vanadium Co.: See Colorado-General, 456.
Minerals Engineering Co.: See Utah-Emery Co., 456.
Minerals Engineering Co. operations: See Utah-Grand Co., 413.
Calamity area: See Colorado-Mesa Co., 413.
Slick Rock area: See Colorado-San Miguel Co., 413.
Minnie Pearl Nos. 1 and 2 claims: See Utah-Garfield Co., 406.
Mitchell mine: See Colorado-Gilpin Co., 398, 460.
Moab: See Utah-Grand Co., 33, 34, 404, 470, 494, 511.
Moenkopi formation: See Utah-San Juan Co., 401.
Monogram Camp: See Colorado-Montrose Co., 407, 415.
Montezuma Canyon: See Utah-San Juan Co., 503.
Monticello: See Utah-San Juan Co., 78, 82.
Monticello (mill): See Utah-San Juan Co., 144, 408, 413, 431, 440, 461, 465, 497, 547, 557.
Monticello (ore-buying station): See Utah-San Juan Co., 53.
Monument Valley: See Utah-San Juan Co., 63, 427, 481.
Monument Valley uplift: See Utah-San Juan Co., 481.
Moody claims: See Utah-Garfield Co., 21.
Mossback claim: See Utah-San Juan Co., 401.
Mossback (Old Jackpot) claim: See Utah-San Juan Co., 401.
Morrison formation:
See Colorado-General, 22, 443, 499; Colorado-Colorado Plateau, 486; Colorado-El Paso Co., 402, 509; Mesa Co., 417, 440, 500; Mesa-Montrose-San Miguel Cos., 417; Montrose Co., 415, 417, 500; Park Co., 53; Rio Blanco Co., 509; San Miguel Co., 415, 417.
See Colorado Plateau-General, 267, 409, 431, 440, 481, 486, 499, 501, 509; Colorado Plateau-Colorado, 443.
See Utah-General, 22, 499; Utah-Colorado Plateau, 486; Utah-Garfield Co., 406; Grand Co., 409; San Juan Co., 415, 480.
Mt. Belknap rhyolite (at contact with quartz monzonite): See Utah-Piute Co., 447.
Mt. Belknap volcanics: See Utah-Piute Co., 450.
Mt. Hillers: See Utah-Garfield Co., 434, 482.
Mt. Holmes: See Utah-Garfield Co., 482.
Mountain States Mineral Production Co.: See Colorado-Larimer Co. -Autunite Occ., 234.
Mucho Grande claim: See Colorado-San Miguel Co., 440.
Muddy River: See Utah-Emery Co., 483.
Mystery claims (Indian Creek, in S. 28, T. 27 S., R. 6 W., 20 mi. W of Marysvale on W side Tushar Mts.): See Utah-Beaver Co., 510.

N

Nations Treasure mine: See Colorado-Boulder Co., 504.
Naturita: See Colorado-Montrose Co., 34, 144, 413, 431, 440, 497, 538, 557.
Naturita Mining District: See Colorado-Montrose Co., 241.
Navajo Indian Reservation: See Utah-San Juan Co., 161, 169, 178.
Navajo Mt.: See Utah-San Juan Co., 169.
Navajo sandstone:
See Colorado-Colorado Plateau, 486; Colorado-Moffat Co., 509; Park Co., 509.
See Colorado Plateau-General, 486.
See Utah-Colorado Plateau, 486.
Nederland: See Colorado-Boulder Co. -Pitchblende Occ., 102, 250, 453.
Nesbit, Leonard, property: See Colorado-Gunnison Co. -Microlite Occ., 234.
New Park Mining Co., claims: See Utah-Garfield Co., 529.
Newlin (not Newlands) Gulch: See Colorado-Douglas Co., 252.
Newmont Mining Co.: See United States-General, 441.
Newton claim: See Colorado-Montrose Co., 498.
Newton Mining District: See Utah-Beaver Co., 510.
No. 4 vein: See Golconda mine, Colorado-Clear Creek Co., 487.
North Continent Mines, Inc.: See Colorado-San Miguel Co., 440.
North Continent Mines, Inc. (plant): See Colorado-San Miguel Co., 440.
North Fork Big Thompson River: See Colorado-Larimer Co. -Autunite Occ., 234.
North Point claim: See Gonaway-North Point claim, Utah-San Juan Co., 401.
North Wash district: See Utah-Garfield Co., 482.
Notch claim: See Utah-San Juan Co., 401.

O

Oak Creek prospect: See Utah-Garfield Co., 21, 509.
Ogden Canyon: See Utah-Weber Co., 82.
Oil Creek Canyon: See Colorado-Archuleta Co., 520.
Oiler tunnel (Blue Bird claims): See Oyler mine, Utah-Wayne Co., 21.
Old Jackpot claim: See Mossback (Old Jackpot) claim, Utah-San Juan Co., 401.
Old Salt Lick claim: See Colorado-Montrose Co., 440.
Opportunity No. 1 propsect (E side of Quartz Creek near Doyle): See Colorado-Gunnison Co., 234.
Orderville: See Utah-Kane Co., 509.
Original Spor Group: See Fluorite Group, Utah-Juab Co., 488.
Ouray: See Colorado-Ouray Co., 53.
Outlaw Camp: See Colorado-Montrose Co., 407.
Outlaw Mesa: See Colorado-Mesa Co., 154, 417, 456.
Oyler mine: See Utah-Wayne Co., 21, 493, 509.

P

Pack Creek: See Utah-Grand Co., 78, 82.
Pagosa Springs: See Colorado-Archuleta Co., 520.
Pahreah: See Utah-Kane Co., 78, 82, 511.
Papsy's Hope prospect: See Utah-Piute Co., 429, 442, 451.
Paradox Creek: See Colorado-Montrose Co., 78, 82.
Paradox Valley: See Colorado-Montrose Co., 1, 7, 104, 118, 407, 434, 438, 439, 459, 464.
Paria Road claims Nos. 1-6: See Utah-Kane Co., 21.
Pay Day claim:
See Colorado-San Miguel Co., 440.
See Utah-Emery Co., 21, 483.
Peabody, George, claim: See Colorado-Clear Creek Co., 454.
Pennsylvania tunnel: See Colorado-Clear Creek Co., 487.
Pewabic mine: See Colorado-Gilpin Co., 53, 398, 460.
Pitchfork claim: See Colorado-San Miguel Co., 440.
Placerville: See Colorado-San Miguel Co., 34, 78, 82, 435, 439, 445, 449, 459, 469, 509.
Platte Canyon: See Colorado-Douglas Co., 252.
Point claim: See Utah-San Juan Co., 401.
Poison Springs area: See Utah-Garfield & Wayne Cos., 540.
Polar claims: See Utah-Grand Co., 440.
Polar Mesa: See Utah-Grand Co., 154, 410, 411, 440.
Posey mine: See Utah-San Juan Co., 401.
Post-Morrison formations:
See Colorado Plateau-General, 486.
See Utah-Colorado Plateau, 486.
Prairie Divide: See Colorado-Larimer Co., 455.
Pratt Peak (or Ridge): See Utah-Piute Co., 522; -Autunite Occ., 495.
Pre-Cambrian granite and pegmatite: See Colorado-Clear Creek Co., 454.
Pre-Navajo formations:
See Colorado-Colorado Plateau, 486.
See Colorado Plateau-General, 486.
See Utah-Colorado Plateau, 486.
Price: See Utah-Carbon Co., 404.
Prospector group: See Utah-Piute Co., 522.
Prospector lease, V. C. A.: See Utah-Piute Co., 479.
Prospector mine: See Utah-Piute Co., 429, 447, 495.
Public Land Order 459: See Colorado-General, 90.
Public Land Order 494:
See Colorado-General, 90.
See Utah-General, 90.
Public Land Order 565:
See Colorado-General, 90.
See Utah-General, 90.
Public Land Order 698: See Colorado-General, 90.
Public Land Order 745: See Utah-Grand Co., 542.
Public Land Order 779: See Colorado-Montrose Co., 559.
Pyrenees mine: See Colorado-Gilpin Co., 467, 506.

Q

Quartz Creek: See Colorado-Gunnison Co. -Microlite Occ., 234.
Quartz Hill: See Colorado-Gilpin Co., 7, 77, 394, 397, 398, 399, 400, 445, 452, 455, 467, 506, 511.

R

Radium claims: See Colorado-San Miguel Co., 440.
Radium Co. of Colorado: See Colorado-Montrose Co., 407.
Radium group: See Colorado-Costilla Co., 456.

Radium Luminous Materials Corp.: See Colorado-Montrose Co., 407.
Radium vein, Caribou mine: See Colorado-Boulder Co., 453, 468, 506, 507.
Radium-Sitton area: See Colorado-San Miguel Co., 413.
Rainbow claim: See Colorado-San Miguel Co., 440.
RAJ prospect: See Utah-San Pete Co., 509.
Ralston Creek: See Colorado-Jefferson Co., 53, 455.
Raven claim: See Colorado-Montrose Co., 440.
Realty Co. of Denver: See Colorado-Gilpin Co., 452, 467.
Recapture shales: See Colorado Plateau-General, 481.
Red Canyon: See Utah-San Juan Co., 494.
Red Canyon deposit: See Utah-Emery Co., 509.
Red Canyon District: See Utah-San Juan Co., 20.
Red Canyon No. 1 claim: See Utah-San Juan Co., 401.
Red Creek: See Utah-Daggett Co., 78, 82.
Red Mountain Mining District: See Colorado-Ouray Co., 477, 551.
Red Vanadium group: See Utah-Grand Co., 440.
Reynolds, Jo, area: See Colorado-Clear Creek Co., 432.
Reynolds, Jo, mine: See Colorado-Clear Creek Co., 53, 78, 82, 432.
Richardson: See Utah-Grand Co., 34, 41, 78, 82, 404, 410, 416, 434, 464, 476, 511.
Richfield: See Utah-Sevier Co., 554.
Ridge claims: See Utah-San Juan Co., 440.
Rifle: See Colorado-Garfield Co., 413, 415, 431, 440, 459, 497, 503, 509, 519.
Rifle mine: See Colorado-Garfield Co., 415.
Rigg Aviation Service: See Utah-San Juan Co., 494.
Rim Rock claims: See Utah-Grand Co., 440.
Rio Dolores: See Colorado-Dolores and Mesa Cos., 78, 82.
Riverview claim: See Colorado-San Miguel Co., 440.
Robert Yard property: See Colorado-Chaffee Co. -Euxenite Occ., 234.
Robineau, L. G., claims: See Colorado-Clear Creek Co., 53; -Torbernite Occ., 454.
Robineau group (of claims): See Colorado-Clear Creek Co., 53; -Torbernite Occ., 454.
Robinson, Boyd, property (White Spar prospect): See Colorado-San Miguel Co., 469.
Roc Creek: See Colorado-Montrose Co., 78, 82, 416, 439, 473.
Roc Creek Mining District: See Colorado-Montrose Co., 241.
Rochester mine: See Bellevue-Rochester mine, Colorado-Clear Creek Co., 53, 445, 446.
Roosevelt mine: See Colorado-Montrose Co., 440.
Roscoe beryl prospect (in wall of Clear Creek Canyon 8 mi. W of Golden): See Colorado-Jefferson Co., 234.
Rough Rider No. 2 claim: See Utah-Washington Co., 21.
Rowe's South prospect: See Colorado-Fremont Co., 234.
Russell Gulch: See Colorado-Gilpin Co., 68, 398.
Ruthiford claims: See Bell Hill claims, Utah-Juab Co., 488.

S

S. Y. Guthrie orebody, North Wash District: See Utah-Garfield Co., 482.
Saddle claim: See Utah-San Juan Co., 401.
St. Kevin Mining District: See Colorado-Lake Co., 477.
St. Peters Dome: See Colorado-El Paso Co., 504.
Salida: See Colorado-Chaffee Co., 414.
Salt Lake City: See Utah-Salt Lake Co., 217, 384, 554.
Salt Lake City (plant): See Utah-Salt Lake Co., 497, 546, 547, 548, 557.
Salt Wash member of Morrison formation:
See Colorado-General, 499.
See Colorado Plateau-General, 267, 409, 431, 481, 499, 501, 509.
See Utah-General, 499; Utah-Garfield Co., 406; San Juan Co., 480.
Sam claim: See Colorado-San Miguel Co., 440.
San Juan area: See Colorado-Ouray Co., 551.
San Lina Valley: See Colorado-Costilla Co., 11.
San Luis Valley: See Colorado-Costilla Co., 11, 78, 82.
San Miguel Canyon: See Colorado-Montrose Co., 407.
San Miguel River: See Colorado-Montrose Co., 407, 415.
San Rafael group:
See Colorado-Colorado Plateau, 486.
See Colorado Plateau-General, 486.
See Utah-Colorado Plateau, 486.
San Rafael Mining District: See Utah-Emery Co., 241.
San Rafael River bridge: See Utah-Emery Co., 483.
San Rafael Swell: See Utah-Emery Co., 20, 21, 41, 63, 78, 82, 404, 410, 415, 425, 426, 433, 436, 459, 481, 483, 509.
Santa Fe Railway land in Marysvale area: See Utah-Piute Co., 73.
Sargeant's claims: See Farmer John claims, Utah-Piute Co., 522.
Saucer Basin Camp: See Colorado-Montrose Co., 407.
Scenic No. 2 claim: See Utah-San Juan Co., 401.
Scenic No. 4 claim: See Utah-San Juan Co., 401.
School Section mine: See Colorado-Fremont Co., 234.
Scotty claim: See Utah-San Juan Co., 401.
Searle claims: See Bell Hill claims, Utah-Juab Co., 488.
Seegmiller's claim: See Freedom mines, Utah-Piute Co., 522.
Seegmiller mine: See Freedom No. 1 mine, Utah-Piute Co., 451, 495.
Seven Forty tunnel: See Colorado-Clear Creek Co., 487.
Seven Mile Canyon: See Utah-Grand Co., 481, 485.
Shale claim: See Utah-San Juan Co., 440.
Shamrock claim: See Colorado-Montrose Co., 440.
Shamrock group: See Colorado-Montrose Co., 440.
Sheeprock Mts.: See Utah-Tooele Co., 504.
Sheldon claims: See Utah-Juab Co., 489.
Shinarump conglomerate:
See Colorado-General, 499; Colorado-Huerfano Co., 509.
See Colorado Plateau-General, 267, 499, 501.
See Utah-General, 22, 499; Utah-Emery Co., 550; Garfield Co., 509; San Juan Co., 401, 415, 455, 490; Wayne Co., 509.
Shinarump formation:
See Colorado Plateau-General, 481, 485.
See Utah-Emery Co., 481, 509; Grand Co., 481; San Juan Co., 466, 481.
Shootering Canyon: See Utah-Garfield Co., 482.

Sierra Madre Mountain: See Utah-Box Elder Co., 463.
Silver Falls Creek: See Utah-Garfield Co., 21.
Silver Reef: See Utah-Washington Co., 82, 415, 464, 509.
Silver Reef (Harrisburg) Mining District: See Utah-Washington Co., 20, 21, 478.
Silver Reef sandstone: See Utah-Washington Co., 478.
Simplot Co. (airborne work): See Utah-Garfield Co., 494.
Sinbad Valley: See Colorado-Montrose Co., 435 439, 459.
Sitton, F. A., operations: See Colorado-San Miguel Co., 413.
Skull Creek: See Colorado-Moffat Co., 78, 82, 422, 509, 511.
Skull Creek Mining District: See Colorado-Moffat Co., 241.
Skyline mine: See Utah-San Juan Co., 481.
Slick Rock: See Colorado-San Miguel Co., 154, 409, 413, 431, 440.
Slick Rock District: See Egnar-Slick Rock District, Colorado-San Miguel Co., 440.
Smith and Anderson claims: See Prospector group, Utah-Piute Co., 522.
Smith, Clifford, claim: See Utah-Emery Co., 483.
Sniffer claims (Indian Creek, in S. 28, T. 27S., R. 6W., 20 mi. W of Marysvale on W side Tushar Mts.): See Utah-Beaver Co., 510.
Sniffer claims: See Utah-Piute Co., 429.
Snow claims: See Utah-Uintah Co., 509.
Snow's, Gardell, claim: See Utah-Emery Co., 483.
Snyderville (Cedar) Mining District: See Colorado-San Miguel Co., 241.
Socko claim: See Utah-Grand Co., 544.
South Fork group: See Utah-Emery Co., 483.
South Temple Wash: See Utah-Emery Co., 82.
South Turkey Creek: See Colorado-Jefferson Co. -Monazite Occ., 234.
Spanish Valley anticline: See Utah-San Juan Co., 481.
Spider No. 1 claim: See Utah-Juab Co., 489.
Spor claims: See Utah-Juab Co., 488.
Spor leased claims: See Bell Hill Claims, Utah-Juab Co., 488.
Spotted Dog claim: See Utah-Garfield Co., 509.
Spring Gulch: See Colorado-Clear Creek Co., 487.
Springdale mine: See Colorado-Gilpin Co., 506.
Squaretop Mt.: See Colorado-Archuleta Co., 520.
Staats mine: See Utah-Beaver Co., 504.
Standard Chemical Co.: See Colorado-Montrose Co., 407.
Standard claim: See Utah-San Juan Co., 401.
Standard tunnel: See Colorado-Clear Creek Co., 487.
Starlight claims: See Utah-Garfield Co., 434.
Steen, Charles, claims: See Utah-San Juan Co., 465.
Straight Creek claim owned by V.C.A.: See Utah-Garfield Co., 406.
Summerville formation: See Utah-Kane Co., 509.
Summit Canyon: See Colorado-San Miguel Co., 440.
Summit claim: See Colorado-San Miguel Co., 440.
Sunrise claim: See Utah-San Juan Co., 401, 466.
Sunshine Mining Co.: See United States-General, 441.
Sutherland's Socko claim: See Utah-Grand Co., 544.
Swan Peak quartzite: See Utah-General, 462.

T

Table Mountain: See Utah-Emery Co., 511.
Tabor, Helen M. (Mrs. S. E.) mine: See Almaden mine, Colorado-Clear Creek Co. -Pitchblende Occ., 487.
Taylor Leavenworth mine: See Colorado-Gilpin Co., 467.
Tecumseh mine: See Utah-Washington Co., 21.
Temple Mountain: See Utah-Emery Co., 20, 21, 409, 416, 425, 434, 436, 438, 456, 481, 485, 509, 545, 550.
Temple Rock: See Utah-Emery Co., 34, 78, 82, 415.
Termantozzi, Frank, ranch: See Colorado-Jefferson Co. -Monazite Occ., 234.
Tertiary tuffs: See Utah-Sevier Co., 509.
Texas Co. (airborne work):
See Colorado-Montrose Co., 494.
See Utah-San Juan Co., 494.
Thomas Range: See Utah-Juab Co., 488, 493, 504.
Thompsons: See Utah-Grand Co., 78, 82, 154, 409, 413, 440, 497, 511, 519.
Thompsons Springs: See Utah-Grand Co., 404.
Thursday property: See Utah-Juab Co., 504.
Tidwell: See Utah-Emery Co., 433.
Timber Lake: See Colorado-Routt Co., 11, 78, 82.
Tintic: See Utah- Juab Co., 421.
Tintic Mining District: See Utah-Juab Co., 82.
Todilto limestone: See Colorado Plateau-General, 481.
Tollgate Gulch: See Colorado-Gunnison Co. -Microlite Occ., 234.
Trachyte Creek: See Utah-Garfield Co., 78, 82.
Trachyte district: See Utah-Garfield Co., 406, 482.
Trachyte Nos. 1-20 claims owned by V.C.A.: See Utah-Garfield Co., 406.
Treasure Hill: See Colorado-Larimer Co., 508.
Treasure Hill Nos. 1-6 claims: See Colorado-Larimer Co., 508.
Triangle claim: See Colorado-Mesa Co., 440.
Trinity mine: See Utah-Piute Co., 451.
Trout Creek Pass: See Colorado-Chaffee Co., 68, 70;-Allanite & Euxenite Occs., 234.
Turner, Ace, operator of Grey Dawn mine: See Utah-San Juan Co. -Beta-Uranotil Occ., 480.
Turret district: See Colorado-Chaffee Co., 539.
Tushar Mts.: See Utah-Beaver Co. -Autunite Occ., 510.

U

Uinta Basin: See Utah-Uintah Co., 509.
Uintah formation: See Utah-General, 426.
Uncle Sam claim: See Colorado-San Miguel Co., 440.
Uncompahgre Canyon: See Colorado-Ouray Co., 53.
Uncompahgre Mining District: See Colorado-Ouray Co., 551.
Uncompahgre Mining Districts: See Colorado-Ouray Co., 477.
United Beryllium Ores & Metals Corp.: See Colorado-Larimer Co. -Autunite Occ., 234.
U.S.A.E.C.: See Colorado Plateau-General, 431.
U.S.G.S.: See Colorado Plateau-General, 431.
U.S.G.S. (airborne work): See Colorado Plateau-General, 494.
U.S.V.: See U. S. Vanadium Co. (formerly Corp.)
U. S. Vanadium Co.:
See Colorado-General, 456, 497; Colorado-Garfield Co., 415, 519; La Plata Co., 440; Mesa Co., 456; Montrose Co., 519, 557.

See Colorado Plateau-General, 431, 441, 497.
See United States-General, 441.
See Utah-General, 497; Utah-Grand Co., 519.
U. S. Vanadium Co. (mill) at: Rifle: See Colorado-Garfield Co., 413, 440.
Uravan: See Colorado-Montrose Co., 413, 440.
U. S. Vanadium Co. (sampling plant) at: Thompsons: See Utah-Grand Co., 413.
U. S. Vanadium Corp.: Name changed to U. S. Vanadium Co.
Unknown claim: See Utah-San Juan Co., 401.
Upheaval dome: See Utah-Wayne Co., 481.
Upper Morrison formation: See Colorado-Park Co., 53.
Upper Uncompahgre Mining District: See Colorado-Ouray Co., 477.
Uracop claim: See Utah-San Juan Co., 401.
Uravan: See Colorado-Montrose Co., 144, 148, 413, 417, 431, 440, 497, 519, 557.
Uravan mineral belt: See Colorado-Mesa-Montrose-San Miguel Cos. and individual counties too, 417.
Utex Exploration Co.: See Utah-San Juan Co., 465.
Uvanco (Yellow Jacket) mine: See Utah-Grand Co., 410.

V

Vanadium Corporation of America: See V.C.A.
V.C.A.: See Colorado Plateau-General, 431, 441.
See United States-General, 441.
V.C.A. (properties):
See Colorado-Montrose Co., 440.
See Utah-Garfield Co., 406; Farmer's Knob, 482; North Wash District, 482; Poison Springs, 540.
See Utah-Piute Co.: Marysvale, 523, 532; leases at Marysvale, 479, 522; -Autunite Occ., 495.
See Utah-San Juan Co.: 440.
See Utah-Wayne Co.: Poison Springs, 540.
V.C.A. (mill) at:
Durango: See Colorado-La Plata Co., 413, 558.
Naturita: See Colorado-Montrose Co., 413, 440.
Hite: See Utah-San Juan Co., 413. Monticello: See Utah-San Juan Co., 440, 461.
Vanadium Queen claim: See Utah-San Juan Co., 544.
Vernal: See Utah-Uintah Co., 464.
Virgin River: See Utah-Kane Co., 82.
Vitro Manufacturing Co.: See Colorado-Mesa Co., 521.
Vixen (Naturita) Mining District: See Colorado-Montrose Co., 241.

W

W.G.J.N.W. claim: See Utah-San Juan Co., 401.
W.N. claim: See Utah-San Juan Co., 401.
Walsenburg: Colorado-Huerfano Co., but see Colorado-Costilla Co., 411.
Washington: See Utah-Washington Co., 464.
Waterloo mine: See Colorado-Gilpin Co., 467.
Waterpocket fold: See Utah-Garfield Co., 426, 481; Utah-Wayne Co., 481.
Weatherly property (Black King No. 5 prospect): See Colorado-San Miguel Co., 469.
West Calhoun mine: See Colorado-Gilpin Co., 467.
West Fork: See Colorado-Mineral Co. but see also Colorado-Archuleta Co., 514.
West Knob: See Utah-Garfield Co., 406.
West Point claim: See Colorado Larimer Co., 508.
West Russell mine: See Colorado-Gilpin Co., 467.
Westcliffe: See Colorado-Custer Co., 53.
Whirlwind mine: See Utah-San Juan Co., 481.
White Canyon: See Utah-San Juan Co., 63, 78, 401, 411, 455, 481, 485, 509, 538; -Bayleyite Occ., 490.
White Canyon District: See Utah-San Juan Co., 20, 140, 144, 412, 466, 485, 547.
White Canyon No. 1 claim: See Utah-San Juan Co., 401.
White Fawn claim: See Utah-San Juan Co., 440.
White "reef": See Utah-Washington Co., 415.
White Spar prospect: See Colorado-San Miguel Co., 469.
White Spar No. 1 prospect (owned by the Colorado Feldspar Co., N side of Tollgate Gulch near Brown Derby mine): See Colorado-Gunnison Co., 234.
Wickiup group: See Utah-Emery Co., 483.
Wildhorse Canyon: See Utah-Emery Co., 404, 433.
Willow Creek: See Colorado-Gunnison Co., 502.
Wood Gulch: See Colorado-Gunnison Co. -Microlite Occ., 234.
Wood mine: See Colorado-Gilpin Co., 7, 53, 68, 78, 82, 104, 394, 397, 398, 452, 455, 460, 467, 473.
Wood vein in Wood mine: See Colorado-Gilpin Co., 467.
Woodenshoe (?) claim: See Utah-San Juan Co., 401.
Woodhams, Orville and Clifford, claims: See West Point and Treasure Hill Nos. 1-6 claims, Colorado-Larimer Co., 508.
Wooley prospect: See Utah-Sevier Co., 509.
Wyandotte mine: See Colorado-Gilpin Co., 460.

X-Y

Yard mine (owned by Robert Yard of Canon City, NE of Buena Vista near Trout Creek Pass): See Colorado-Chaffee Co., 234.
Yard, Robert, property: See Colorado-Chaffee Co., -Euxenite Occ., 234.
Yellow Boy claim: See Colorado-Montrose Co., 473.
Yellow Canary claims: See Utah-Daggett Co., 493.
Yellow Canary Prospect: See Utah-Piute Co., 495.
Yellow Cat district: See Utah-Grand Co., 409, 544.
Yellow Circle claim: See Utah-San Juan Co., 440.
Yellow Circle group: See Utah-San Juan Co., 440.
Yellow Jacket (Uvanco) mine: See Utah-Grand Co., 410.
Yellow John claim: See Utah-San Juan Co., 401.

Z

Zebra claim:
See Colorado-Montrose Co., 498.
See Utah-San Juan Co., 401.

INDEX II

GEOGRAPHICAL INDEX FOR COLORADO AND UTAH

(Numbers refer to References Listed in Author Section of Bibliography)

COLORADO

General

Biogeochemical research: 409.

COLORADO (contd.)
Carnotite Occurrences—
General: 86, 395, 511;
in sandstone: 46; results of extraction processes on specimens: 419.
Entrada sandstone: 22.
Morrison formation: 22.
Origin: 13, 22; probably syngenetic in Morrison and Entrada formations: 415.
Carnotite Production—
General: 1949 production from 250 operations, of which 80% were in Colorado: 457.
Fluorite, Uranium-bearing—
General: 95.
Gadolinite Occurrences—
General: 395.
Geobotanical research: 409.
Geochemical research: 409.
Geophysical research: 494, 498.
Land Withdrawals—
Public Land Order 459: land at New Mexico Principal Meridian withdrawn for U.S.-A.E.C. use: 90.
Public Land Order 494: land at New Mexico Principal Meridian withdrawn for U.S.-A.E.C. use: 90.
Public Land Order 565: land at New Mexico Principal Meridian withdrawn for U.S.-A.E.C. use: 90.
Public Land Order 698: land at New Mexico Principal Meridian withdrawn for U.S.-A.E.C. use: 90.
Public Land Order 779: land in Montrose Co. withdrawn for U.S.A.E.C. use in uranium exploration: 555.
Monazite Occurrences—
General: small mounts produced: 457.
Monazite Production—
General: small amounts: 457.
Climax Molybdenum Co. mill: monazite as by-product: 537.
Pitchblende Occurrences—
General: analysis of specimen: 472.
Colorado Front Range: 496.
Prospectors' Guides—
Uranium: 90.
Radium Production—
General: carnotite processed in Europe: 7; 1913–1923: 415.
Thorium Occurrences—
General: 12, 25.
Bibliography: 9.
Gadolinite: 395.
Monazite, small amounts produced: 457.
Thorium Production—
Climax Molybdenum Co. mill: monazite as by-product: 537.
Uranium Exploration—
General: 90; Smithsonian Institution found uranium: 124.
Biogeochemical prospecting: 409.
Drilling methods: 18, 154, 413, 501.
Drilling Programs:
U.S.A.E.C. (by private contractors), methods and results: 18.
U.S.B.M., methods and results: 18.
U.S.G.S., methods and results: 18.
Geobotanical prospecting: 409.
Geochemical prospecting: 409.
Geophysical exploration: airborne: 494; ground: 484, 498.
Land Withdrawals:
Public Land Order 459: land at New Mexico Principal Meridian withdrawn for U.S.A.E.C. use: 90.
Public Land Order 494: land at New Mexico Principal Meridian withdrawn for U.S.A.E.C. use: 90.
Public Land Order 565: land at New Mexico Principal Meridian withdrawn for U.S.A.E.C. use: 90.
Public Land Order 698: land at New Mexico Principal Meridian withdrawn for U.S.A.E.C. use: 90.
Public Land Order 779: land in Montrose Co. withdrawn for U.S.A.E.C. use: 555.
Uranium Mining—
Mill No. 2 mine owned by U. S. Vanadium Co. and operated by a contractor: uranium orebody blocked by careful drilling and mined from below: 456; equipment: 456; good example of a model small mine: 456; mining methods: 456.
Uranium Occurrences—
General: 12, 13, 25, 48.
Bibliography: 9, 10, 424.
Carnotite: 22, 86, 395, 511; in sandstone: 46; origin: 22; results of extraction processes: 419.
Colorado Front Range: general (pitchblende, etc.): 496; reconnaissance work in 1949: 496.
Fluorite, Uranium-bearing—
General: 95.
Maps showing location and types of uranium deposits: 426, 443, 455, 486, 493, 504, 509.
Origin: carnotite: 13, 22; in Morrison and Entrada formations probably syngenetic in origin: 415; uranium-bearing deposits in Colorado and Utah in the Salt Wash sandstone and Brushy Basin shale members of Morrison formation, Shinarump conglomerate, and Chinle formation, which also contain volcanic debris altered to clays: 499.
Pitchblende: specimen analyzed: 472.
Structurally controlled uranium deposits: 443.
Types—
Carnotite in sandstone deposits: 62.
Hydrothermal vein deposits: 62.
Volcanic Debris in Uraniferous Sandstone—
Uranium-bearing deposits in Colorado and Utah in the Salt Wash sandstone and Brushy Basin shale members of Morrison formation, Shinarump conglomerate, and Chinle formation, which also contain volcanic debris altered to clay minerals: 499.
Characteristics of deposits: 499.
Evidence of volcanism: occurred during and just after the time the host rocks were accumulating but the later igneous activity was of primary importance in origin of uranium ore deposits: 499.
Geology of ore-bearing formations: 499.
Mineralogical examination of clay samples from Colorado and Utah: by microscopic examination: 499; petrographic examination: 499; X-ray examination: 499.

Origin of deposits: 499.
Petrography: 499.
Presence of volcanic debris altered to clays: 499.
Processes involved in ore deposition: 499.
Relation of uranium ore to clays: 499.
Relation of uranium ore to fossil wood: 499.
Structure: 499.
Suggestions for future work on deposits along geologic, chemical, and physical lines: 499.
Uranium Ore Guides—
Geobotanical Guides—
General indicator plants: Slick Rock: 409.
Selenium-indicator plants: Slick Rock: 409.
Sulfur-indicator plants: Slick Rock: 409.
Geologic Guides—
Clays underlying Morrison formation: Calamity Mesa, Mesa Co.: 500; Dynamite mine, Bitter Creek group, Montrose Co.: 500.
Uranium Processes—
Qualified Uranium Mills—
General: five uranium mills in operation: 53.
Durango: 497; formerly operated by U. S. Vanadium Co. for Metals Reserve Co., capacity 100 t. daily reported in 1946: 440.
Gateway: inactive mill, formerly operated by Gateway Alloys under contract with Metals Reserve Co., capacity 15 t. daily: 440.
Grand Junction: 497.
Naturita: 497; owned by V.C.A., capacity 100 t. daily reported in 1946: 440.
Rifle: owned and operated by U. S. Vanadium Co.: 497; capacity 200 t. daily reported in 1946: 440.
Slick Rock: inactive mill owned by North Continent Mines, Inc., capacity 20 t. daily reported in 1946: 440.
Uravan: owned and operated by U. S. Vanadium Co.: 497; capacity 240 t. daily reported in 1946: 440.
Uranium Production—
General: 459.
Carnotite: 7; ores from Colorado and Utah, 202 g. radium, 2 million lbs. U_3O_8 from 1913–1923: 415.
Uranium ore: exported to Europe: 511.
Allanite Occurrences
See under individual county names and under Index III, Thorium Occurrences—Colorado: 82, 234.
Archuleta County (partly in Colorado Plateau)
Uranium Occurrences—
Blanco Basin to West Fork: uranium claims: 514.
Oil Creek Canyon near Squaretop Mt., 15 mi. E. of Pagosa Springs: uranium ore: 520.
Asphalts, Uranium-bearing
See under individual county names and under Index III, Asphalts, Uranium-bearing—Colorado: 34.
Autunite Occurrences
See under individual county names and under Index III, Autunite Occurrences—Colorado: 234, 504.
Betafite Occurrences
See under individual county names and under Index III, Betafite Occurrences—Colorado: 70.
Bibliographies
Thorium Occurrences: 9.
Uranium Occurrences: 9, 10, 424.
Black Slate, Uranium-bearing
See under individual county names and under Index III, Black Slate, Uranium-bearing—Colorado: 53.
Boulder County (Colorado Front Range)
Autunite Occurrences—
Jamestown: uraniferous fluorite breccia zones with pitchblende, uraninite, torbernite in fluorite-sulfide deposit: 504.
Fluorites, Uranium-bearing—
Jamestown: uraniferous fluorite breccia zones with pitchblende, uraninite, autunite, torbernite in fluorite-sulfide deposit: 504.
Blue Jay mine: uranothorite in fluorite breccias: 474, 475.
Burlington mine: uraniferous fluorite breccia zones worked to depths of 600 ft.: 504.
Nations Treasure mine: torbernite on fractures in fluorite in fluorite-sulfide deposit: 504.
Pitchblende Occurrences—
Front Range Mineral Belt—
Grand Island Mining District
*Caribou mine owned by Consolidated Caribou Silver Mines, Inc., and located on Caribou Hill about 15 mi. SW of Jamestown and 5 mi. NW of Nederland: 53,102; in silver fissure veins in shear zones in quartz-monzonite stock: 484; in veins of the quartz-sulfide-carbonate type, with a little cobalt and some hematite-stained veins: 455; Geiger Mueller survey: 484; geology: 484; mineralization: 484; mineralogical examinations: 484; mineralogy: 484; ore zones vary from a few inches to 15 ft. in width and include silver, lead, zinc, and iron minerals with pitchblende: 484; results of Geiger-Mueller counter studies showed no radioactivity on the surface despite presence of pitchblende at the 1040 ft. level and its corresponding radioactivity: 484.
Caribou vein: analyses of samples from 1040 ft. level showed more pitchblende in parts rich in copper, lead, and silver than in those rich in zinc: 455.
Radium vein: in form of sooty black powder or solid lenticular masses with uranium content from 0.001 to 1.45% U_3O_8: 453; occurs as both the soft, sooty type formed later at lower temperatures and the hard, botryoidal type formed earlier at higher temperatures: 468; ore in tension fracture of interconnecting vein system at vertical

* Hereafter cited as Caribou mine.

COLORADO (contd.)
depths between 187 and 1075 ft.: 468; ore mineralization includes silver, lead, and zinc minerals but no nickel or cobalt: 468.
Jamestown: in veins of the fluorite-sulfide-quartz type, occasionally with torbernite: 455; uraniferous fluorite breccia zones with uraninite, autunite, torbernite in fluorite-sulfide deposit: 504.
Thorium Occurrences—
Blue Jay mine, Jamestown: uranothorite in fluorite breccias: 474, 475.
Boulder: allanite: 82.
Torbernite Occurrences—
Jamestown: uraniferous fluorite breccia zones with pitchblende, uraninite, autunite in fluorite-sulfide deposit: 504.
Nations Treasure mine: on fractures in fluorite in fluorite-sulfide deposit: 504.
Uraninite Occurrences—
Front Range Mineral Belt
Grand Island Mining District
Caribou mine: 250; age determination by lead isotopes: 250; chemical analysis showed 40.77% U_3O_8 and no thorium: 250; mineralogical studies of specimens: 445.
Radium vein: at 920 and 1040 ft. levels: 507; comparison with uraninite at Theano Point, Ontario: 506; in vein deposits: 506;
samples studied for data on:
distribution of uranium in wall rock: 506;
paragenesis and spatial relations of vein minerals: 506;
physical and structural characters of uraninite: 506;
wall rock alteration: 506;
chemical analyses of wall rock: 506;
Differential thermal and X-ray analysis of altered wall rock: 506;
microscopic data: 506;
spectrographic analyses of wall rock: 506.
two types, a hard, dense, lustrous, black material and soft fine-grained, dull porous material: 506.
Jamestown: uraniferous fluorite breccia zones with pitchblende, autunite, torbernite in fluorite-sulfide deposit: 504.
Uranium Exploration—
Front Range Mineral Belt—
Grand Island Mining District—
Caribou mine: Geiger-Mueller counter survey of surface and underground workings showing no radioactivity at surface despite presence of pitchblende at 1040 ft. level: 484.
Uranium Occurrences—
Front Range Mineral Belt—
Grand Island Mining District—
Caribou mine:
pitchblende: 53, 102; pitchblende in a mesothermal carbonate vein with silver, lead, and zinc minerals: 468; pitchblende in silver fissure veins in shear zones in quartz-monzonite stock: 484; pitchblende in veins of the quartz-sulfide-carbonate type, with a little cobalt and some hematite-stained veins: 455; uraninite: 250; uraninite, chemical analysis showed 40.77% U_3O_8 and no thorium: 250; uraninite, age determination by lead isotopes: 250; uranium: 411, 516; uranium, silver: 515; deposit unique since host rock is Tertiary monzonite: 468; geology: 484; Geiger-Mueller survey: 484; results of Geiger-Mueller counter studies showed no radioactivity on the surface despite presence of pitchblende at the 1040 ft. level and its corresponding radioactivity: 484; mineralogy: 484; mineralization: 484; mineralogical examinations: 484; ore zones vary from a few inches to 15 ft. in width and include silver, lead, zinc, and iron minerals with pitchblende: 484.
Caribou vein:
analyses of samples from 1040 ft. level showed more pitchblende in parts rich in copper, lead, and silver than in those rich in zinc: 455.
Radium vein: pitchblende contained 0.001–1.45% U_3O_8 453; pitchblende in form of sooty black powder mixed with fine-grained or black clay-like gouge and of solid, lenticular masses up to a foot long: 453; analyses of pitchblende samples: 453; colloform banding: 507; geology: 453; mineralization: 453; paragenesis of vein filling: mineralization in two stages, with uraninite deposited in the later stage: 507; structure: 453; uraninite in vein deposits: 506; uraninite, comparison with uraninite at Theano Point, Ontario: 506; uraninite, two types of: hard dense, lustrous, black material and soft, fine-grained, dull, porous material: 506;
uraninite samples studied for data on:
distribution of uranium in wall rock: 506;
paragenesis and spatial relations of vein minerals: 506;
physical and structural characters of uraninite: 506;
wall rock alteration:
chemical analyses of wall rock: 506;
differential thermal and X-ray analysis of altered wall rock: 506;
microscopic data: 506;
spectrographic analyses of wall rock: 506.
Jamestown: pitchblende in veins of the fluorite-sulfide-quartz type, occasionally with torbernite: 455; uraniferous fluorite breccia zones with pitchblende, uraninite, autunite, torbernite in fluorite-sulfide deposit: 504.
Blue Jay mine: uranothorite in fluorite breccias: 474, 475.

Burlington mine: uraniferous fluorite breccia zones worked to depths of 600 ft: 504.
Nations Treasure mine: torbernite on fractures in fluorite in fluorite-sulfide deposit: 504.
Uranothorite Occurrences—
Blue Jay mine, Jamestown: in fluorite breccias: 474, 475; hydrothermal origin: 474, 475.
Carbonaceous Deposits, Uranium-bearing
See under individual county names and under Index III, Carbonaceous Deposits, Uranium-bearing—Colorado: 469.
Carbonaceous Shales, Uranium-bearing
See under individual county names and under Index III, Carbonaceous Shales, Uranium-bearing—Colorado: 402, 509.
Carnotite Mineralogy
See under individual county names and under Index III, Carnotite Mineralogy—Colorado: 473.
Carnotite Occurrences
See under individual county names and under Index III, Carnotite Occurrences—Colorado: 1, 7, 20, 22, 34, 41, 46, 53, 63, 78, 82, 86, 104, 241, 395, 402, 407, 415, 416, 417, 418, 419, 422, 423, 431, 434, 435, 439, 440, 443, 457, 459, 464, 470, 471, 472, 473, 476, 501, 505, 509, 511.
Carnotite Processes
See under individual county names and under Index III, Carnotite Processes—Colorado 140, 407, 533, 534, 557.
Carnotite Production
See under individual county names and under Index III, Carnotite Production—Colorado: 407, 417, 457.
Chaffee County
Allanite Occurrences—
*Clora May mine owned by M & S, Inc., of Denver, E of Buena Vista near Trout Creek Pass: in pegmatite with euxenite: 234.
**Crystal No. 8 mine owned by M & S, Inc., of Denver, E of Buena Vista near Trout Creek Pass: in pegmatite with euxenite: 234.
Euxenite Occurrences—
Clora May mine: in pegmatite with allanite: 234.
Crystal No. 8 mine: in pegmatite with allanite: 234.
Trout Creek Pass: in pegmatite: 70; analysis: 68.
***Yard mine owned by Robert Yard of Canon City, NE of Buena Vista near Trout Creek Pass: in pegmatite with monazite: 234.
Monazite Occurrences—
Buena Vista: 11, 82; in black sands: 78.
Yard mine: in pegmatites with euxenite: 234.
Samarskite Occurrences—
Salida, 20 mi. from: in pegmatite: 414.
Turret District: 539.
Thorium Occurrences—
Buena Vista: monazite: 82; monazite in black sands: 78; monazite, 20 lbs. per ton: 11.
Clora May mine: pegmatites with allanite, euxenite: 234.
Crystal No. 8 mine: pegmatites with allanite, euxenite: 234.
Salida, 20 mi. from: samarskite in pegmatite: 414.
Trout Creek Pass: euxenite, analysis: 68; euxenite in pegmatite: 70.
Turret district: samarskite: 539.
Yard mine: pegmatites with euxenite, monazite: 234.
Uranium Occurrences—
Salida, 20 mi. from: samarskite in pegmatite: 414.
Trout Creek Pass: euxenite, analysis: 68; euxenite in pegmatite: 70.
Turret district: samarskite: 539.
Clays
See under individual county names and under Index III, Clays—Colorado: 500.
Clear Creek County (Colorado Front Range)
Monazite Occurrences—
*Grover mine owned by Joe Grover of Park City, Utah, SW of Golden on N side of Beaver Brook Valley: in pegmatites with beryl: 234.
Pitchblende Occurrences—
Idaho Springs area—
Lawson-Dumont Mining District—
Bellevue Hudson mine, near Empire and Lawson: 517.
**Golconda mine owned by Henry de Linde and located on SW side of Fall River 2.5 mi. above junction with Clear Creek: in No. 4 vein, assaying 0.183% U_3O_8; also secondary uranium mineralization on Golconda tunnel walls: 487.
Jo Reynolds area: in a lead-zinc-silver ore body: 432.
Jo Reynolds mine near Lawson: 78, 82; in lead-zinc-silver deposit: 432; in vein deposits with gold and silver ore: 398; 8 t. high grade ore shipped from mine in 1919; sold in France for $80,000: 432; main deposits in vein in Elida tunnel: 432.
Lawson: in veins of the quartz-sulfide-carbonate type; secondary uranium minerals not in same vein: 455.
Lincoln Mining District—
***Almaden mine owned by Helen McAnulty Tabor (Mrs. S. E.) and located on S side of Fall River 100 yds. NW of mouth of Golconda tunnel: in small veinlet in Blazing Star vein and assaying 0.90% U_3O_8: 487.
Pitchblende Production—
Idaho Springs area—
Lawson-Dumont Mining District—
Jo Reynolds mine: 8 t. assaying 72% U_3O_8 produced in 1919: 432.

* Hereafter cited as Clora May mine.
** Hereafter cited as Crystal No. 8 mine.
*** Hereafter cited as Yard mine.

* Hereafter cited as Grover mine.
** Hereafter cited as Golconda mine.
*** Hereafter cited as Almaden mine.

COLORADO (contd.)
Radioactive Occurrences—
Pennsylvania tunnel near Fall River: small amount of slightly radioactive light yellow to blue-green precipitate, probably goslarite, on walls and in backs of workings: 487.
Spring Gulch, small prospect tunnel on north fork of: gave Geiger-counter reading of over twice background but source of radioactivity not determined: 487.
Standard tunnel near Fall River: small amount of slightly radioactive light-yellow to blue-green precipitate, probably goslarite, on walls and in backs of workings: 487.
Thorium Occurrences—
Grover mine: pegmatites with monazite, beryl: 234.
Torbernite Occurrences—
Idaho Springs area—
*George Peabody claim, one of the Robineau claims, owned by L. G. Robineau and J. H. Harris: with unidentified radioactive mineral associated with hydrous iron oxide on fracture surfaces in pre-Cambrian granite and pegmatite: 454.
Uraninite Occurrences—
Idaho Springs area—
Lawson-Dumont Mining District—
Bellevue-Rochester mine one mi. W of Lawson: in form of soft, sooty black mineral: 446; alteration sequence of minerals from center of veins to unaltered biotite gneiss: 446; geology: 446; mineralization: 446; mineralogy: differential thermal analysis: 446; X-ray diffraction pattern: 446; X-ray fluorescence: 446; partial chemical analysis: 446; studies of specimens: 445.
Uranium Development—
Front Range Mineral Belt—
Idaho Springs area—
Lawson Mining District: 77.
Uranium Occurrences—
Idaho Springs area—
George Peabody claim: composite sample from George Peabody dump contained 0.013% U_3O_8: 454; geology: 454; radiometric reconnaissance: 454; torbernite and unidentified radioactive mineral associated with hydrous iron oxide on fracture surfaces in pre-Cambrian granite and pegmatite: 454.
Lawson-Dumont Mining District—
Bellevue Hudson mine, near Empire and Lawson: pitchblende: 517.
Bellevue-Rochester mine one mi. W. of Lawson: soft, sooty black radioactive mineral a form of uraninite in the center of veins in biotite gneiss: 446; alteration sequence of minerals from center of veins to unaltered biotite gneiss: 446; geology: 446; mineralization: 446; mineralogy of deposit: 446; mineralogical studies of uraninite specimens: 445; uranium: 53.
Golconda mine: pitchblende assaying 0.183% U_3O_8 and secondary uranium mineralization on tunnel walls in No 4 vein: 487; geology: 487; radioactivity in other veins in mine: 487.
Jo Reynolds area: pitchblende in a lead-zinc-silver orebody: 432.
Jo Reynolds mine near Lawson: pitchblende: 78, 82; pitchblende in lead-zinc-silver deposit: 432; pitchblende in vein deposits with gold and silver ore: 398; pitchblende, 8 t. shipped from mine in 1919; sold in France for $80,000: 432; pitchblende, main deposits in vein in Elida tunnel: 432; economic geology: 432; geology: 432; geology: 432; structure: 432; structure and mineralization: 398; uranium: 53.
Lawson: pitchblende in veins of the quartz-sulfide-carbonate type; secondary uranium minerals not in same vein: 455.
Lawson-Dust deposits: uranium: 53.
Robineau group: uranium: 53.
Lincoln Mining District—
Almaden mine: sample of oxidized siliceous pyritic rock from dump at Blazing Star vein assayed 2.4% U_3O_8: 487; siliceous oxidized zone 360 ft. from portal in Blazing Star vein assayed 0.14% U_3O_8: 487; geology: 487; pitchblende assaying 0.90% U_3O_8 in small veinlet in Blazing Star vein with secondary uranium minerals on pitchblende surface and vein walls: 487.
Seven Forty tunnel near Fall River: selected sample from dump assayed 0.008% U_3O_8 but tunnel is inaccessible: 487.
Uranium Production—
Jo Reynolds mine: pitchblende, 8 t., assaying 72% U_3O_8 in 1919: 432.
Coal, Uranium-bearing
See under individual county names and under Index III, Coal, Uranium-bearing—Colorado: 505.
Colorado Front Range
Carnotite Occurrences—
Colorado Front Range, rocks bordering: 20.
Pitchblende Occurrences—
General: in more than 20 vein deposits: 455.
Front Range Mineral Belt: distribution related to pattern of hypogene zoning: 458; distribution of deposits apparently restricted to an intermediate or transitional zone between central areas of pyritic gold veins and peripheral areas of silver-lead-zinc veins: 458; no indication as to whether pitchblende is more common in inner or outer part of intermediate zone: 458; significance of some geologic factors can be evaluated: 458; zonal distribution of pitchblende deposits influenced by at least seven geologic factors:
bostonite intrusives: 458; correlation of pitchblende with copper sulfides (and sulfosalts?): 458; differences between paragenetic sequence and position of minerals in successive zones: 458; effective depth of mineralization: 458; fault patterns: 458; multiple stages of uranium mineralization: 458; scale and

* Hereafter cited as George Peabody claim.

complexity of zoning in plan and in section: 458.
Zonal Distribution: Front Range Mineral Belt: 458.
Boulder County—
Caribou mine: 53, 102, 453, 455, 458, 468, 484.
Uranium Development—
Clear Creek County—
Lawson Mining District: 77.
Gilpin County—
Old Quartz Hill area: 77.
Larimer County—
Copper King property N of Fort Collins: 77.
Uranium Occurrences—
General: pitchblende in more than 20 vein deposits: 455.
Colorado Front Range, rocks bordering: carnotite: 20.
Front Range Mineral Belt: pitchblende deposits with hypogene zonal distribution: 458.
Boulder County—
Caribou mine: pitchblende: 53, 102, 453, 454, 458, 468, 484.
(See also Colorado–Boulder, Clear Creek, Gilpin, Jefferson, Larimer, and Park Cos.)
Colorado Mineral Belt
Uranium Occurrences—
Lake County—
Leadville Mining District: uranium as coatings on fracture surfaces or disseminations in country rock: 477.
St. Kevin Mining District: uranium associated with base and precious-metal veins; pitchblende present; also as coatings on fracture surfaces and disseminations in country rock: torbernite and sooty pitchblende present, probably alteration products of primary pitchblende: 477.
Ouray County—
General: pitchblende present, probably hypogene: 477.
Lower Uncompahgre Mining District: uranium with base and precious-metal veins: 477.
Red Mountain Mining District: uranium with pyritic veins and copper-lead-silver volcanic breccia pipes: 477.
Upper Uncompahgre Mining District: uranium as coatings on fracture surfaces or disseminations in country rock: 477.
Park County—
Alma Mining District: uranium with base and precious-metal veins; pitchblende present: 477.
Colorado Plateau
Carnotite Occurrences—
General: 63; deposits in Morrison formation stratigraphically controlled: 443; deposits in Salt Wash member of Morrison formation, scattered erratically over Arizona, Colorado, New Mexico, and Utah: 431; small, widely scattered deposits; U_3O_8 content 0.1 to 0.3%: 457; origin: 431.
Uranium Occurrences—
Bedded uranium deposits in Morrison formation: map showing: 486.
Bedded uranium deposits in Navajo sandstone or San Rafael group: map showing: 486.
Bedded uranium deposits in pre-Navajo formations: map showing: 486.
Carnotite: 63; in small widely scattered deposits; U_3O_8 content 0.1 to 0.3%: 457; deposits stratigraphically controlled in Morrison formation: 443; deposits in Salt Wash member of Morrison formation, scattered erratically over Arizona, Colorado, New Mexico, and Utah: 431.
Geology: 431.
Government operations: 431.
Historical development of mining program: 431.
Metalliferous vein deposits of uranium: map showing: 486.
Mining methods and operations: 431.
Origin of deposits: 431.
Work of small scale operators: 431.
Costilla County
Monazite Occurrences—
San Lina Valley: 11.
San Luis Valley: 11, 78, 82.
Thorium Occurrences—
San Lina Valley: monazite, 30 lbs. per ton: 11.
San Luis Valley: monazite: 78, 82; monazite, trace: 11.
Uranium Mining—
Radium Group of mines near Dove Creek, operated by Dulaney Mining Co.: uranium ore seams as thin as 1½ to 2 ft. and mined after removal of 15 ft. of barren overburden: 456; good example of group operation of small mines: 456; equipment: 456; mining methods: 456.
Uranium Occurrences—
Dove Creek, La Veta Pass, 22 mi. W. of Walsenburg: uranium: 411.
Radium Group of mines near Dove Creek, operated by Dulaney Mining Co.: uranium ore seams as thin as 1½ to 2 ft. and mined after removal of 15 ft. of barren overburden: 456.
Custer County
Radioactive Areas—
Haputa Ranch near Westcliffe: radioactive veins, possibly carrying thorium or rare earths: 53.
Dolores County (Colorado Plateau)
Carnotite Occurrences—
General: 41, 470.
Rio Dolores: 78, 82.
Uranium Occurrences—
Carnotite: 41; carrying 3–4% uranium oxide: 470.
Rio Dolores: carnotite: 78, 82.
Douglas County
Allanite Occurrences—
Devils Head: 82.
Monazite Occurrences—
Newlin (not Newlands) Gulch district 20 mi. S of Denver: 252.
Platte Canyon: 252.
Thorium Occurrences—
Devils Head: allanite: 82.
Newlin (not Newlands) Gulch district 20 mi. S of Denver: monazite: 252.
Platte Canyon: monazite: 252.

COLORADO (contd.)
Eagle County
Carnotite Occurrences—
Brush Creek, 7 mi. SE of Eagle: 34, 82; in sandstone: 78.
Horse Mountain: silver-copper-carnotite deposit: 46.
Radioactive Areas—
Eagle mine, Gilman area: galena and sphalerite ores, sulphides: 45.
Unnamed location: granites: 45.
Radioactive Galena Ores—
Eagle mine, Gilman area: 45.
Uranium Occurrences—
Brush Creek, 7 mi. SE of Eagle: carnotite: 34, 82; carnotite in sandstone: 78.
Horse Mountain: silver-copper-carnotite deposit: 46.
El Paso County
Carbonaceous Shales, Uranium-bearing—
*Mike Doyle prospect 10 mi. S of Colorado Springs and just W of Colorado State Highway 115: uranium-bearing material in carbonaceous shale underlying sandstone: 402.
Carnotite Occurrences—
Mike Doyle prospect: in Morrison sandstone as coating on fracture surfaces and on carbonized wood fragments: 402.
Fluorites, Uranium-bearing—
St. Peters Dome: kasolite in fluorite-quartz-sulfide deposit: 504.
Kasolite Occurrences—
St. Peters Dome: in fluorite-quartz-sulfide deposit: 504.
Uranium Occurrences—
Mike Doyle prospect: carnotite in Morrison sandstone as coating on fracture surfaces and on carbonized wood fragments: 402; geology: 402; structure: 402; three samples of carnotite showed respectively 0.09% U, 0.22% U_3O_8, and 0.27% U_3O_8: 402; uranium-bearing material in carbonaceous shale underlying the sandstone: 402; uranium deposits in Morrison formation controlled by fractures and related faults: 509.
St. Peters Dome: kasolite in fluorite-quartz-sulfide deposit: 504.
Uranium Purchases—
Colorado Springs: uranium ore-buying station: Nevada pitchblende ore purchased: 188.
Euxenite Occurrences
See under individual county names and under Index III, Euxenite Occurrences—Colorado: 68, 70, 234.
Fluorites, Uranium-bearing
See under individual county names and under Index III, Fluorites, Uranium-bearing—Colorado: 95, 474, 475, 504.
Fremont County (Colorado Front Range)
Allanite Occurrences—
Mica Lode Mine operated by Colorado Feldspar Co., on a conical knob in south central part of Eight Mile Park: in pegmatite with thorite, triplite: 234.
Monazite Occurrences—
Rowe's South Prospect, Micanite Mining District, E of Mac Gulch: in pegmatite: 234.
Thorite Occurrences—
Mica Lode mine operated by Colorado Feldspar Co., on a conical knob in south central part of Eight Mile Park: in pegmatite with allanite, triplite: 234.
School Section mine operated by Colorado Feldspar Co., SW part of Eight Mile Park: in pegmatite (may be triplite): 234.
Thorium Occurrences—
Mica Lode mine operated by Colorado Feldspar Co., located on a conical knob in south central part of Eight Mile Park: pegmatite with allanite, thorite, triplite: 234.
Rowe's South Prospect, Micanite Mining District, E of Mac Gulch: pegmatite with monazite: 234.
School Section mine, operated by Colorado Feldspar Co., SW part of Eight Mile Park pegmatite with thorite or triplite: 234.
Torbernite Occurrences—
Jesus lode: or autunite and uraniferous carbonized wood in Cretaceous Dakota sandstone: 509.
Uranium Occurrences—
Jesus lode: torbernite or autunite and uraniferous carbonized wood in Cretaceous Dakota sandstone: 509.
See also under Fremont-Park Cos.: 403.
Fremont-Park Counties (Colorado Front Range)
Monazite Occurrences—
Guffey-Micanite region: with uranothorite (?) in granite pegmatites: 403.
Thorium Occurrences—
Guffey-Micanite region: monazite, uranothorite (?) in granitic pegmatites: 403; petrology: 403.
Uranium Occurrences—
Guffey-Micanite region: monazite, uranothorite (?) in granitic pegmatites: 403; petrology: 403.
Uranothorite Occurrences—
Guffey-Micanite region: questionable occurrences with monazite in granitic pegmatites: 403.
See also Fremont Co. and under Park Co.: 403.
Gadolinite Occurrences
See under individual county names and under Index III, Thorium Occurrences—Colorado: 234, 395.
Garfield County (Colorado Plateau)
Carnotite Occurrences—
General: 82.
East Rifle Creek: 34.
Rifle: 459; with roscoelite in Entrada formation: 509.
Rifle mine of U. S. Vanadium Corp. (now Co.) on East Rifle Creek 12 mi. NW of Rifle: small amounts in vanadium-bearing Entrada sandstone: 415.
Radium Occurrences—
East Rifle Creek, Rifle: radium-bearing silts: 503.
Sediments, Radium-bearing—
East Rifle Creek, Rifle: 503.
Uranium Occurrences—
General: carnotite: 82.
East Rifle Creek: carnotite: 34.

* Hereafter cited as Mike Doyle prospect.

Rifle: carnotite: 459; carnotite and roscoelite in Entrada formation: 509.
Rifle mine of U. S. Vanadium Corp. (now Co.) on East Rifle Creek 12 mi. NE of Rifle: geology: 415; small amounts of carnotite in vanadium-bearing Entrada sandstone: 415.
Uranium Processes—
Qualified Uranium Mills—
Rifle: U. S. Vanadium Co. mill: 413, 431, 497, 519; capacity of 200 t. daily reported in 1946: 440.
Uranium Production—
Rifle: U. S. Vanadium Co. mill in operation: 519.
Geophysical Exploration
See under individual county names and under Index III, Geophysical Exploration (Airborne)—Colorado: 494, and (Ground)—Colorado: 498.
Gilpin County (Colorado Front Range)
Johannite Occurrences—
Central City: 493.
Monazite Occurrences—
Central City: 11.
Pitchblende Occurrences—
Front Range Mineral Belt—
Central City Mining District—
Quartz Hill: 511; in seven mines (not named): 399; mined in commercial quantities from four gold- and silver-bearing pyrite-sphalerite-galena veins on the south side: 467; massive and sooty pitchblende in veins of quartz-sulfide type: 455.
Alps mine: in vein deposits with gold and silver ore: 398, 460.
Belcher mine: 78, 82, 330; in vein deposits with gold and silver ore: 398, 460.
Calhoun mine: 78, 82, 397; in vein deposits with gold and silver ore: 398, 460.
East Calhoun mine owned by Realty Co. of Denver: 53; not found in mineable quantities although some was produced from 1897–1914: 467.
West Calhoun mine owned by Realty Co. of Denver: production believed small since only available figures show 240 lbs. with 37.5% U_3O_8 mined in 1912: 467.
German lode: 473.
German mine: 78, 82, 330; in vein deposits with gold and silver ore: 398, 460.
German-Belcher mine: 53.
Kirk mine: 53, 78, 82, 330, 473; in vein deposits with gold and silver ore: 398, 460; in veins found from surface through 400 ft. depth: 455.
Leavenworth mine: with gold and silver ore: 460.
Mitchell mine: in vein deposits with gold and silver ore: 398, 460.
Pewabic mine in Russell Gulch: in vein deposits with gold and silver ore: 398, 460.
Russell Gulch: analysis: 68.
Wood mine near head of Leavenworth Gulch: 53, 78, 82, 397, 473; analysis: 68; discovered in 1871: 455; in vein deposits with gold and silver ore: 398, 460; under lease to and operated by Realty Co. of Denver: assays of pitchblende ranged from .023 to 14.5% eU and from .008 to 14.27% U: 467; in vein deposits: 452.
Wood vein: assays of pitchblende ranged from .023 to 14.5% eU and from .008 to 14.27% U: 467.
Wood and Kirk mines: ore averages 0.2% U_3O_8: 394.
Wyandotte mine: with gold and silver ore: 460.
Pitchblende Production—
Front Range Mineral Belt—
Central City Mining District—
Calhoun vein in East Calhoun mine: in commercial quantities from gold- and silver-bearing vein: 467.
German Belcher vein in German and Belcher mines: in commercial quantities from gold- and silver-bearing vein: 467.
Kirk vein in Kirk mine: in commercial quantities from gold- and silver-bearing vein: 467.
West Calhoun mine: only record of production in 1912: 467.
Wood vein in Wood mine: in commercial quantities from gold- and silver-bearing vein: 467.
Radioactive Occurrences—
Front Range Mineral Belt—
Central City Mining District—
Ayres Leavenworth mine: general: 467.
Belcher mine: general: 467.
Calhoun mine: general: 467.
Eldorado mine: general: 467.
German mine: general: 467.
Gold Rock mine: general: 467.
Harsh mine: general: 467.
Iron mine: general: 467.
Kirk mine: general: 467.
Pyrenees mine: general: 467.
Taylor Leavenworth mine: general: 467.
Waterloo mine: general: 467.
West Russell mine: general: 467.
Wood mine: general: 467.
Thorium Occurrences—
Front Range Mineral Belt—
Central City Mining District—
Central City: monazite, trace: 11.
Russell Gulch: pitchblende, analysis: 68.
Wood mine, Central City: pitchblende, analysis: 68.
Uraconite Occurrences—
Front Range Mineral Belt—
Central City Mining District—
Central City: on mine faces: 493.
Uraninite Occurrences—
Front Range Mineral Belt—
Central City Mining District—
Quartz Hill: mineralogical studies of specimens from mines and dumps in area: 445; samples collected from mines and dumps in area; polished surfaces studied: 506.
Belcher mine: 7.
Black Hawk mine: 104.

COLORADO (contd.)
Calhoun mine: 7.
German mine: 7.
Kirk mine: 7, 104.
Pyrenees mine: uraninite-bearing ore from dump; polished surface studied showing rather abundant uraninite: 506.
Springdale mine: uraninite-bearing ore from dump; polished surface studied showing rather abundant uraninite: 506.
Wood mine: 7, 104.
Uranium Development—
Front Range Mineral Belt—
Central City Mining District—
Quartz Hill area: 77.
Uranium Exploration—
Front Range Mineral Belt—
Central City Mining District—
Wood mine at Quartz Hill: reconnaissance investigations in 1950: 452.
Uranium Occurrences—
Front Range Mineral Belt—
Central City Mining District—
Central City: uraconite on mine faces: johannite: 493.
Quartz Hill: pitchblende: 511; in seven mines (not named): pitchblende: 399; pitchblende mined in commercial quantities from four gold- and silver-bearing pyrite-sphalerite-galena veins on the south side: 467; massive and sooty pitchblende in veins of quartz sulfide type: 455; mineralogical studies of uraninite specimens from mine and dumps in area: 445; 98% of its uranium production from Wood and Kirk mines: 394; general geology: 400; geology: 394; mineralization: 394; other ore mineralization in area: 400; principal domestic source of pitchblende, a recorded 110,757 lbs. of U_3O_8 produced there: 394; structure: 394; uraninite-bearing ore collected from mines and dumps in area, polished surfaces studied: 506; uranium ores, believed to be phase of gold-silver ores of area: 400.
Alps mine: pitchblende in vein deposits with gold and silver ore: 398, 460; pitchblende contemporaneous with or earlier than pyritic veins: 460; structure and mineralization: 398.
Belcher mine: pitchblende: 78, 82; pitchblende in vein deposits with gold and silver ore; assays of uranium ores and concentrates given: 398; pitchblende with gold and silver ore: 460; pitchblende contemporaneous with or earlier than pyritic veins: 460; pitchblende, production: 330; mineralogy of deposit: 7; structure and mineralization: 398; uraninite: 7.
Black Hawk mine: uraninite: 104.
Calhoun mine: pitchblende: 78, 82, 397; pitchblende contemporaneous with or earlier than pyritic veins: 460; pitchblende with gold and silver ore: 460; pitchblende in vein deposits with gold and silver ore; assays of uranium ore: 398; structure and mineralization: 398; mineralogy of deposit: 7; uraninite: 7.
Calhoun properties: uranium ore found above water level and on dumps: 420.
East Calhoun mine owned by Realty Co. of Denver: pitchblende: 53.
Calhoun vein: geology: 467; mineralogy: 467; orebodies: 467; pitchblende in mineable quantities not known from this mine: 467; pitchblende produced from it from 1897–1914; no figures on amount: 467.
West Calhoun mine owned by Realty Co. of Denver: geology: 467; pitchblende production believed small since only available production figures show 240 lbs. with 37.5% U_3O_8 mined in 1912: 467.
Duponts' exploring small area: 420.
European syndicate working large area: 420.
German lode: pitchblende: 473.
German mine: pitchblende: 78, 82; pitchblende contemporaneous with or earlier than pyritic veins: 460; pitchblende in vein deposits with gold and silver ore; assays of uranium ores and concentrates given: 398; pitchblende with gold and silver ore: 460; pitchblende, production: 330; mineralogy of deposit: 7; structure and mineralization: 398; uraninite: 7;
German-Belcher mine: pitchblende: 53.
Iron operations: uranium: 53.
Kirk mine: pitchblende: 53, 78, 82, 473; pitchblende contemporaneous with or earlier than pyritic veins: 460; pitchblende in vein deposits with gold and silver ore; assays of uranium ore: 398; pitchblende veins found from surface through 400 ft. depth: 455; pitchblende with gold and silver ore: 460; pitchblende, production: 330; mineralogy of deposit: 7; structure and mineralization: 398; uraninite: 7,104.
Leavenworth mine: pitchblende contemporaneous with or earlier than pyritic veins: 460; pitchblende with gold and silver ore: 460.
Mitchell mine: pitchblende contemporaneous with or earlier than pyritic veins: 460; pitchblende in vein deposits with gold and silver ore: 398, 460; structure and mineralization: 398.
Pewabic mine in Russell Gulch: pitchblende in vein deposits with gold and silver ore: 398, 460; pitchblende contemporaneous with or earlier than pyritic veins: 460; structure and mineralization: 398; operations: 53.

Pyrenees mine: uraninite-bearing ore from dump; polished surface studied showing rather abundant uraninite: 506.
Russell Gulch: pitchblende, analysis: 68.
Springdale mine: uraninite-bearing ore from dump; polished surface studied showing rather abundant uraninite: 506.
Wood mine near head of Leavenworth Gulch: mineralization and structure: 398; mineralogy of deposit: 7; pitchblende: 53, 78, 82, 397, 473; pitchblende, analysis: 68; pitchblende in vein deposits with gold and silver ore; assays of uranium ore: 398; pitchblende contemporaneous with or earlier than pyritic veins: 460; pitchblende with gold and silver ore: 460; pitchblende discovered in 1871: 455; uraninite: 7, 104; under lease to and operated by Realty Co. of Denver: dump samples show wide discrepancy between radioactivity and uranium content with three samples showing ranges of 1.03–0.002%e U, 0.055—0.002% eU, and 0.005–0.001% eU: 452; geology: 452; high radioactivity on dump and in uppermost workings: 452; pitchblende in vein deposits: 452; reconnaissance investigations in 1950: 452.
Wood vein:
assays of pitchblende samples ranged in uranium content from 0.23 to 14.5% eU and from .008 to 14.27% U: 467; geology: 467; history; pitchblende first discovered on dump there in 1871: 467; mineralogy: 467; orebodies: 467; production figures given for uranium ore produced from this mine; total about 102,600 t. ore with 30,040 lbs. U_3O_8: 467; suggestions for further exploration: 467.
Wyandotte mine: pitchblende contemporaneous with or earlier than pyritic veins: 460; pitchblende with gold and silver ore: 460.
Uranium Production—
Front Range Mineral Belt—
Central City Mining District—
Quartz Hill: principal domestic source of pitchblende, a recorded 110,757 lbs. of U_3O_8 produced there: 394.
Belcher mine: pitchblende: 330.
Calhoun vein in East Calhoun mine: pitchblende produced in commercial quantities from gold- and silver-bearing vein (no figures available): 467.
West Calhoun mine: only available figures show 240 lbs. with 37.5% U_3O_8 mined in 1912: 467.
German mine: German Gold and Uranium Co. at Central City mined a few hundred lbs. of pitchblende; used for experimental work: 330.
German and Belcher mines: pitchblende with over 70% U_3O_8, 240 lbs. ore produced between 1911 and 1913, and also 1 ton with 2% U_3O_8: 460.
German-Belcher vein in German and Belcher mines: pitchblende produced in commercial quantities from gold- and silver-bearing vein: 467.
Kirk mine: pitchblende: 330.
Kirk vein: pitchblende mined in commercial quantities from gold- and silver-bearing vein: 467.
Wood and Kirk mines: average ore grade 0.2% U_3O_8: 394; producers of over 98% of U_3O_8 in area: 394.
Wood vein in Wood mine: pitchblende produced in commercial quantities from gold- and silver-bearing vein: 467; production figures for U ore from this mine total about 102,600 t. ore with 30,040 lbs. U_3O_8: 467.
Gummite Occurrences
See under individual county names and under Index III, Gummite Occurrences—Colorado: 234.
Gunnison County
Betafite Occurrences—
Brown Derby: with microlite in pegmatite: 70.
Microlite Occurrences—
*Bazooka spodumene prospect, owned by Leonard Nesbit of Parlin, head of Wood Gulch near Doyle: in pegmatite: 234.
Brown Derby: with betafite in pegmatite: 70.
**Brown Derby mine of Hayden Mining Co., 17 mi. E. of Gunnison, dikes on E. wall of Quartz Creek valley: in pegmatite with monazite; chemical analysis shows U but no Th: 234.
***Brown Derby No. 5 prospect of Hayden Mining Co., in small gulch on side of Brown Derby ridge: in pegmatite: 234.
****Opportunity No. 1 prospect E side of Quartz Creek near Doyle: in pegmatite: 234.
*****White Spar No. 1 prospect of the Colorado Feldspar Co., N side of Tollgate Gulch near Brown Derby mine: in pegmatite: 234.
Monazite Occurrences—
Brown Derby mine: in pegmatite with microlite: 234.
Gold Brick Mining District—
Beryllium Mining Co., Inc., operations on mountains bordering Willow Creek: with samarskite, rare earth minerals, in pegmatite dike: 502.

*Hereafter cited as Bazooka spodumene prospect.
**Hereafter cited as Brown Derby mine.
***Hereafter cited as Brown Derby No. 5 prospect.
****Hereafter cited as Opportunity No. 1 prospect.
*****Hereafter cited as White Spar No. 1 prospect.

COLORADO (contd.)
Samarskite Occurrences—
Gold Brick Mining District—
Beryllium Mining Co., Inc., operations on mountains bordering Willow Creek: with monazite, rare earth minerals, in pegmatite dike: 502.
Gold Creek near Gunnison: 535, 536.
Thorium Occurrences—
Bazooka spodumene prospect: pegmatite with microlite: 234.
Brown Derby: betafite, microlite in pegmatite: 70.
Brown Derby mine: pegmatite with microlite and monazite: chemical analysis of microlite, 1.69% UO_2, 2.40% UO_3, no Th.: 234.
Brown Derby No. 5 prospect: pegmatite with microlite: 234.
Gold Brick Mining District—
Beryllium Mining Co., Inc., operations on mountains bordering Willow Creek: samarskite, monazite, rare earth minerals, in pegmatite dike: 502.
Gold Creek near Gunnison: samarskite: 535, 536.
Opportunity No. 1 prospect: pegmatite with microlite: 234.
White Spar No. 1 prospect: pegmatite with microlite: 234.
Uranium Occurrences—
Bazooka spodumene prospect: pegmatite with microlite: 234.
Brown Derby: betafite, microlite in pegmatite: 70.
Brown Derby mine: pegmatite with microlite and monazite; chemical analysis of microlite, 1.69% UO_2, 2.40% UO_3, no Th.: 234.
Brown Derby No. 5 prospect: pegmatite with microlite: 234.
Gold Brick Mining District—
Beryllium Mining Co., Inc., operations on mountains bordering Willow Creek: samarskite, monazite, rare earth minerals in pegmatite dike: 502.
Gold Creek near Gunnison: samarskite: 535; samarskite, radioactive minerals: 536.
Opportunity No. 1 prospect: pegmatite with microlite: 234.
White Spar No. 1 prospect: pegmatite with microlite: 234.
Huerfano County
Carnotite Occurrences—
McIntire prospect, Huerfano Park: with carbonized wood and radioactive iron oxide as uranium-bearing materials in copper-uranium deposit in Triassic Shinarump conglomerate: 509.
Uranium Occurrences—
McIntire prospect, Huerfano Park: carnotite, carbonized wood, and radioactive iron oxide as uranium-bearing materials in copper-uranium deposit in Triassic Shinarump conglomerate: 509.
Jefferson County (Colorado Front Range)
Carnotite Occurrences—
Denver, 12 mi. from, in center of S. 28, R. 70 W., T. 2 S., Sixth Principal Meridian: in Laramie coal formation: 505.
Golden, N of: in lignites: 53.
Coal, Uranium-bearing—
Denver, 12 mi. from, in center of S. 28, R. 70 W., T. 2 S., Sixth Principal Meridian: carnotite in Laramie coal formation: 505.
Gadolinite Occurrences—
*Roscoe beryl prospect in wall of Clear Creek Canyon 8 mi. W of Golden: in pegmatite with monazite, previously reported but not found in 1943: 234.
Lignites, Uranium-bearing—
Golden, N of: carnotite: 53.
Limestones, Uranium-bearing—
Leyden coal mine: uranium minerals in limestone of Laramie formation of Cretaceous age: 509.
Monazite Occurrences—
**Bigger mica mine owned by D. N. Biggers of Littleton, on northern ridge of Bald Mountain at divide between South Turkey and Deer Creeks: in pegmatite with uraninite: 234.
***Centennial Cone beryl-monazite prospect on ranch owned by Frank Termantozzi, 7 mi. W of Golden: in pegmatite: 234.
Roscoe beryl prospect: in pegmatite with gadolinite, previously reported but not found in 1943: 234.
Pitchblende Occurrences—
Ralston Creek: massive and sooty pitchblende in veins of quartz-sulfide type: 455.
Several mines (not named): 82.
Thorium Occurrences—
Bigger mica mine: pegmatite with monazite, uraninite: 234.
Centennial Cone beryl-monazite prospect: pegmatite with monazite: 234.
Roscoe beryl prospect: pegmatite with gadolinite and monazite previously reported but not found in 1943: 234.
Uraninite Occurrences—
Bigger mica mine: in pegmatite with monazite: 234.
Uranium Occurrences—
Bigger mica mine: pegmatite with monazite, uraninite: 234.
Denver, 12 mi. from, in center of S. 28, R. 70 W., T. 2 S., Sixth Principal Meridian: carnotite in Laramie coal formation; readily accessible for mining and shipping by railroad: 505.
Golden, N of: carnotite in lignites: 53.
Golden Gate Canyon: uranium: 53.
Leyden coal mine: uranium minerals in limestone of Laramie formation of Cretaceous age: 509.
Ralston Creek: massive and sooty pitchblende in veins of quartz-sulfide type: 455; uranium: 53.
Several mines (not named): pitchblende: 82.
Johannite Occurrences
See under individual county names and under Index III, Johannite Occurrences—Colorado: 493.
Kasolite Occurrences
See under individual county names and under

*Hereafter cited as Roscoe beryl prospect.
**Hereafter cited as Bigger mica mine.
***Hereafter cited as Centennial Cone beryl-monazite prospect.

Index III, Kasolite Occurrences—Colorado: 504.
Lake County
Pitchblende Occurrences—
Colorado Mineral Belt—
Leadville Mining District: 477.
St. Kevin Mining District: questionable occurrence, with torbernite: 477.
Torbernite Occurrences—
Colorado Mineral Belt—
St. Kevin Mining District: with questionable occurrence of pitchblende: 477.
Uranium Occurrences—
Colorado Mineral Belt—
Leadville Mining District: uranium as coatings on fracture surfaces or disseminations in country rock: 477.
St. Kevin Mining District: uranium associated with base and precious-metal veins; pitchblende present; also as coatings on fracture surfaces and disseminations in country rock: torbernite and sooty pitchblende present, probably alteration products of primary pitchblende: 477.
Land Withdrawals
See under individual county names and under Index III, Land Withdrawals-Colorado: 90, 555.
La Plata County (Colorado Plateau)
Carnotite Processes—
Qualified Uranium Mills—
Durango: V.C.A. mill to treat carnotite ore from Navajo Indian Reservation: 140.
Uranium Processes—
Qualified Uranium Mills—
Durango:
V.C.A. mill (owned by U.S.A.E.C.): 140, 144, 413, 431, 497, 538, 557.
V.C.A. mill to treat Navajo Indian Reservation carnotite ore: 140.
Mill formerly operated by U.S. Vanadium Co. for Metals Reserve Co., capacity 100 t. daily reported in 1946: 440.
Uranium Production—
Durango: V.C.A. mill: 538; capacity increased: 558.
Larimer County (Colorado Front Range)
Autunite Occurrences—
Crystal Mountain District—
Crystal Mt. District 18 mi. SW of Fort Collins: in Big Boulder pegmatite with uranium minerals: 234; in Double Opening pegmatite with uranium minerals: 234.
*Big Boulder prospect owned by Mountain States Mineral Production Co. and worked by United Beryllium Ores and Metals Corp., 2 mi. SE of Crystal Mountain: in Big Boulder pegmatite with gummite: 234.
**Double Opening prospect of United Beryllium Ores and Metals Corp., SW of Fort Collins: in Double Opening pegmatite with gummite, torbernite, uraninite: 234.
*Hyatt beryl mine leased to United Beryllium Ores and Metals Corp., 1 mi. N. of North Fork Big Thompson River and 1½ mi. NNW of Drake: in pegmatite with torbernite, uraninite: 234.
Gummite Occurrences—
Crystal Mountain District—
Crystal Mt. District 18 mi. SW of Fort Collins: in Big Boulder pegmatite with uranium minerals: 234; in Double Opening pegmatite with uranium minerals: 234.
Big Boulder prospect: in Big Boulder pegmatite with autunite: 234.
Double Opening prospect: in Double Opening pegmatite with autunite, torbernite, uraninite: 234.
Pitchblende Occurrences—
Copper King mine, 45 mi. NW of Fort Collins: 53, 543.
Prairie Divide: massive and sooty pitchblende in veins of quartz-sulfide type: 455.
Thorium Occurrences—
Copper King mine, 45 mi. NW of Fort Collins: pitchblende: 543.
Torbernite Occurrences—
Crystal Mountain District—
Crystal Mt. District 18 mi. SW of Fort Collins: in Big Boulder pegmatite with uranium minerals: 234; in Double Opening pegmatite with uranium minerals: 234.
Double Opening prospect: in Double Opening pegmatite with autunite, gummite, uraninite: 234.
Hyatt beryl mine: pegmatite with autunite, uraninite: 234.
Uraninite Occurrences—
Crystal Mountain,District—
Double Opening prospect: in Double Opening pegmatite with autunite, gummite, torbernite: 234.
Hyatt: in beryl pegmatite: 70.
Hyatt beryl mine: in pegmatite with autunite, torbernite: 234.
Uranium Development—
Copper King mine, 45 mi. NW of Fort Collins: 77.
Uranium Occurrences—
Buckhorn mine, 17 mi. SW of Fort Collins: in pegmatite: 491.
Copper King mine, 45 mi. NW of Fort Collins: pitchblende: 53, 543.
Crystal Mountain District—
Crystal Mt. District 18 mi. SW of Fort Collins: Big Boulder pegmatite with uranium minerals: 234; Double Opening pegmatite with uranium minerals: 234.
Big Boulder prospect: Big Boulder pegmatite with autunite, gummite: 234.
Double Opening prospect: Double Opening pegmatite with autunite, gummite, torbernite, and uraninite: 234.
Hyatt: uraninite in beryl pegmatite: 70.
Hyatt beryl mine: pegmatite with autunite, torbernite, uraninite: 234.
Prairie Divide: massive and sooty pitchblende in veins of quartz-sulfide type: 455.
Treasure Hill area 20 mi. NW of Fort Col-

*Hereafter cited as Big Boulder prospect.
**Hereafter cited as Double Opening prospect.
*Hereafter cited as Hyatt beryl mine.

COLORADO (contd.)
lins: 15 samples tested with Geiger counter showed a range of 0.0000–0.003% eU and an average of 0.001% eU: 508; geology: 508.
Casey lease, leased from Mrs. Ruth Casey: one sample from dump pit showed 1.0 tested with counter at scale 0.2 and 0.000% eU: 508; geology: 508.
Treasure Hill Nos. 1–6 claims owned by Mrs. Mildred Davis and Orville and Clifford Woodhams: ten samples showed a range of 1.0–2.0 tested with counter at scale 0.2 and 0.000–0.002% eU: 508; geology: 508.
West Point claim owned by Mrs. Mildred Davis and Orville and Clifford Woodhams: four samples showed a range of 0.5–2.5 tested with counter at scale 0.2 and 0.0000–0.003% eU: 508; geology: 508.
Lignites, Uranium-bearing
See under individual county names and under Index III, Lignites, Uranium-bearing—Colorado: 53.
Limestones, Uranium-bearing
See under individual county names and under Index III, Limestones, Uranium-bearing—Colorado: 509.
Mesa County (Colorado Plateau)
Carnotite Occurrences—
East Gateway area—
Calamity Group:
Calamity group, Calamity Mesa: drilling in U.S.G.S. drilling program yielding geologic logs for study and resulting formulation of geologic guides to carnotite deposits: 501.
Calamity Nos. 1 and 3 and Triangle claims: carnotite in fossil trees, irregular elongate rolls, and blanket bodies parallel to bedding of sediments of lower Morrison formation exposed on three sides, drilled by U.S.B.M. and showing from none or less than 0.05 to 1.81% U_3O_8: 440.
Calamity Nos. 7, 8, 9, and 23, and Crackerjack claims: carnotite in elongate rolls and fossil trees, drilled by U.S.B.M., and showing from less than 0.05 to 1.04% U_3O_8; and one blanket type deposit: 440.
Calamity Nos. 13, 17, and 18 claims: carnotite and uranium-vanadium minerals in fossil logs, which when close together are connected by blanket-like layers of ore, drilled by U.S.B.M., and showing from less than 0.05 to 1.70% U_3O_8: 440.
Calamity Nos. 20, 27, and 3, and Dixie claims: carnotite in fossil logs, small rolls, and two zones in some cases, drilled by U.S.B.M., and showing from less than 0.05 to 1.57% U_3O_8 with no ore revealed in Dixie claim by drilling: 440.
Calamity Mesa, Uravan Mineral belt: carnotite deposits in small patches of favorable ground: 417.
Maverick Group:
Hidden Treasure claim: carnotite in crescent-shaped ore deposit, drilled by U.S.B.M. showing from less than 0.05 to 0.11% U_3O_8 mined from two zones 15 ft. apart: 440.
Hummer and Great Hesper claims: carnotite in small rolls in elongate, crescent-shaped cluster drilled by U.S.B.M. and showing from less than 0.05 to 0.63% U_3O_8: 440.
Hummer mine worked by U.S. Vanadium Co.: carnotite; even fines collected: 456.
Outlaw Mesa area, Uravan Mineral belt: carnotite deposits in several patches of favorable ground from one to several thousand feet wide and over a mile long: 417.
Rio Dolores around Gateway area: in sandstone along river: 78, 82.
Carnotite Processes—
Climax Uranium Co. mill, Grand Junction: acid-leaching process mill: 533, 534.
Clays—
Mineralogical Studies—
Base-exchange determination: Calamity Mesa samples: 500.
Chemical analyses: Calamity Mesa samples: 500.
Differential thermal analysis: Calamity Mesa samples: 500.
Electron microscope study: Calamity Mesa samples: 500.
Petrographic microscope study: Calamity Mesa samples: 500.
X-ray powder patterns: Calamity Mesa samples: 500.
Mineralogical Studies—
Clays—
Base-exchange determination: Calamity Mesa samples: 500.
Chemical analyses: Calamity Mesa samples: 500.
Differential thermal analysis: Calamity Mesa samples: 500.
Electron microscope study: Calamity Mesa samples: 500.
Petrographic microscope study: Calamity Mesa samples: 500.
X-ray powder patterns: Calamity Mesa samples: 500.
Tyuyamunite Mineralogy—
Calamity Creek specimen: 438.
Tyuyamunite Occurrences—
Calamity Creek: 438.
Uranium Exploration—
Calamity group, Calamity Mesa: U.S.G.S. drilling program gave geologic logs: 501; study of logs led to formulation of geologic guides to carnotite deposits: 501; numerical evaluation of individual guides: 501.
Calamity Mesa: diamond drilling: 154.
Outlaw Mesa: diamond drilling: 154.
Uranium Mining—
Hummer mine worked by U.S. Vanadium Co.: equipment: 456; good example of advantages of clean mining; even fines of carnotite collected for recovery value: 456; mining methods: 456; uranium orebody mined from below: 456.
Outlaw Mesa, Climax Uranium Co. operations: equipment; similar equipment

operated by Minerals Engineering Co. at Temple Mountain, Utah: 456; good example of modern mechanized mining: 456; mining methods: 456; uranium ore in lenses: 456.
Uranium Occurrences—
Arrowhead group, Calamity area: Minerals Engineering Co. operating mine: 413.
Calamity Creek: tyuyamunite: 438; uranium mineral: 434.
East Gateway area—
Calamity Group:
Calamity group, Calamity Mesa: carnotite deposits, drilled in U.S.G.S. drilling program, yielding geologic log for study and resulting formulation of geologic guides: 501.
Calamity Nos. 1 and 3 and Triangle claims: carnotite in fossil trees, irregular elongate rolls, and blanket bodies parallel to bedding of sediments of lower Morrison formation exposed on three sides, drilled by U.S. B.M., and showing from none or less than 0.05 to 1.81% U_3O_8: 440.
Calamity Nos. 7, 8, 9, and 23, and Crackerjack claims: carnotite in elongate rolls and fossil trees, drilled by U.S.B.M., and showing from less than 0.05 to 1.04% U_3O_8; and one blanket type deposit: 440.
Calamity Nos. 13, 17, and 18 claims: carnotite and uranium-vanadium minerals in fossil logs, which when close together are connected by blanket-like layers of ore, drilled by U.S.B.M., and showing from less than 0.05 to 1.70% U_3O_8: 440.
Calamity Nos. 20, 27 and 3, and Dixie claims: carnotite in fossil logs, small rolls, and two zones in some cases, drilled by U.S.B.M., and showing from less than 0.05 to 1.57% U_3O_8 with no ore revealed in Dixie claim by drilling: 440.
Calamity Mesa, Uravan Mineral Belt: 411; analyses gave average uranium content of 0.0014% in gray clay and 0.0017% in red clay: 500; carnotite deposits in small patches of favorable ground: 417; mineralogical studies made on clays: 500; radiometric studies showed an average count of 0.0022% eU for gray clay and 0.0018% eU for red clay: 500; 21 samples of clays tested: 500; uranium in sandstone in Morrison formation underlain by red and gray clays at varying depths: 500.
Maverick Group:
Hidden Treasure claim: carnotite in crescent-shaped ore deposit, drilled by U.S.B.M., showing from less than 0.05 to 0.11% U_3O_8, mined from two zones 15 ft. apart: 440.
Hummer and Great Hesper claims: carnotite in small rolls in elongate, crescent-shaped cluster, drilled by U.S.B.M. and showing from less than 0.05 to 0.63% U_3O_8: 440.
Gateway: 411.
Hummer mine worked by U.S. Vanadium Co.: carnotite; even fines collected: 456.
Outlaw Mesa area, Uravan Mineral Belt: carnotite deposits in several patches of favorable ground from one to several thousand feet wide and over a mile long: 417.
Climax Uranium Co. operations: 456.
Rio Dolores around Gateway area: carnotite in sandstone along river: 78, 82.
Uranium Ore Guides—
Clays underlying Morrison formation: Calamity Mesa: 500.
Geologic Guides to Carnotite Deposits:
Calamity group, Calamity Mesa: altered mudstone associated with ore-bearing sandstone: 501; numerical evaluation of individual guides: 501; presence of abundant carbonaceous material in ore-bearing sandstone: 501; thickness and color of ore-bearing sandstone: 501.
Uranium Processes—
Climax Uranium Co. mill, Grand Junction: acid-leaching process for carnotite: 533; first mill to acid-leach carnotite: 534; mill operations: 73, 431, 497, 557.
Gateway: inactive uranium mill, formerly operated by Gateway Alloys under contract with Metals Reserve Co.; capacity 15 t. daily reported in 1946: 440.
Grand Junction: new uranium processing mill may be built by Vitro Manufacturing Co.: 513, 521.
Uranium Production—
Grand Junction: Climax Uranium Co. mill in operation: 73, 431, 497, 557; new uranium processing mill may be built by Vitro Manufacturing Co.: 513, 521.
Mesa-Montrose-San Miguel Counties (Colorado Plateau)
Carnotite Occurrences—
Uravan mineral belt: deposits in Morrison formation: 417; ore averages 0.25% U_3O_8 and 2% V_2O_5: 417; orebodies, irregular tabular layers, parallel to sandstone bedding, ranging in width from a few to several hundred feet, with an average thickness of 2–4 ft. and an ore content of a few to several thousand tons: 417; origin probably from groundwater solutions migrating through ore-bearing beds soon after sand accumulated, with precipitation resulting from slight changes in chemical composition of solutions, perhaps in presence of decaying organic material: 417.
Carnotite Production—
Uravan mineral belt: 565,000 t. carnotite ore produced from 1936–1943 or 78% of entire production from Colorado and Utah main producing region: 417.
Uranium Occurrences—
Uravan mineral belt: carnotite deposits in Morrison formation: 417; carnotite ore averages 0.25% U_3O_8 and 2% V_2O_5: 417; orebodies, irregular tabular layers, parallel to sandstone bedding, ranging in width from a few to several hundred feet, with an average thickness of 2–4 ft. and ore content of a few to several thousand tons: 417; origin probably from groundwater

COLORADO (contd.)
solutions migrating through ore-bearing beds soon after sand accumulated, with precipitation resulting from slight changes in chemical composition of solutions, perhaps in presence of decaying organic material: 417.
Uranium Ore Guides—
Uravan mineral belt: geologic guides and their application: 417.
Uranium Production—
Uravan mineral belt: 565,000 t. carnotite ore produced from 1936–1943 or 78% of entire production from Colorado and Utah main producing region: 417.
Microlite Occurrences
See under individual county names and under Index III, Microlite Occurrences—Colorado: 70, 234.
Mineral County (partly Colorado Plateau)
Uranium Occurrences—
Blanco Basin to West Fork: uranium claims: 514.
Mineralogical Studies
See under individual county names and under Index III, Mineralogical Studies—Colorado: 500.
Moffat County (Colorado Plateau)
Carbonaceous Shales, Uranium-bearing—
Skull Creek: carnotite and volborthite associated with uraniferous carbonaceous shale and carbonized plant fossils in shale and sandstone in upper part of Jurassic Navajo sandstone and in sandstone of Permian and Pennsylvanian Maroon formation: 509.
Carnotite Occurrences—
Blue Mountain: 34.
Blue Mountain near Skull Creek: 78, 82.
Blue Mountain, 2 mi. W. of Skull Creek: 422.
Blue Mountain Mining District: 241.
Skull Creek: 511; with volborthite associated with uraniferous carbonaceous shale and carbonized plant fossils in shale and sandstone in upper part of Jurassic Navajo sandstone and in sandstone of Permian and Pennsylvanian Maroon formation: 509.
Skull Creek Mining District: 241.
Uranium Occurrences—
Blue Mountain: carnotite: 34.
Blue Mountain near Skull Creek: carnotite: 78, 82.
Blue Mountain, 2 mi. W. of Skull Creek: carnotite: 422.
Blue Mountain Mining District: carnotite: 241.
Skull Creek: carnotite: 511; carnotite and volborthite associated with uraniferous carbonaceous shale and carbonized plant fossils in shale and sandstone in upper part of Jurassic Navajo sandstone and in sandstones of Permian and Pennsylvanian Maroon formation: 509.
Skull Creek Mining District: carnotite: 241.
Monazite Occurrences
See under individual county names and under Index III, Thorium Occurrences—Colorado: 11, 78, 82, 234, 252, 403, 457, 502.
Monazite Production
See under individual county names and under Index III, Monazite Production—Colorado: 457, 537.
Montezuma County (Colorado Plateau)
Carnotite Occurrences—
General: 41, 470.
Uranium Occurrences—
General: carnotite: 41; carnotite carrying 3–4% uranium oxide: 470.
Montrose County (Colorado Plateau)
Carnotite Mineralogy—
Analyses of specimens: 473.
Carnotite Occurrences—
General: 41, 470, 471, 476; radium extraction: 476.
Bull Canyon: in Morrison formation: 415.
Club Camp at Naturita: 34; group of claims in Morrison formation: 415.
Club Mesa, Uravan mineral belt: carnotite deposits in patches of favorable ground in en echelon arrangement: 417.
Cracker Jack claim, Calamity Gulch: 34; in large petrified logs in Morrison formation: 415.
Dolores Camp claims, N side of San Miguel River: 34; in two large petrified logs in Morrison formation: 415.
Gypsum Valley District—
Gyp, Gyp No. 1, and Aztec mines: carnotite in rolls, land owned by V.C.A., drilled by U.S.B.M., and showing 0.25% U_3O_8 only in Gyp mine, with Gyp No. 1 and Aztec mines blank: 440.
Raven and adjoining claims: carnotite in rolls, land owned by V.C.A., drilled by U.S.B.M., and showing from less than 0.05 to 3.44% U_3O_8: 440.
Roosevelt mine: carnotite in thin layers, land owned by V.C.A., drilled by U.S.B.M., and showing less than 0.005% U_3O_8 in one drill hole, other was blank: 440.
Hydraulic Mining District: 241.
La Sal Creek: 439; analysis of specimen: 472; in sandstone: 7, 82.
Yellow Boy claim: 473.
La Sal Creek 6 mi. from Cashin: 104.
La Sal Mining District: 241.
La Sal Valley: 459.
Mesa Creek: in Morrison formation: 415.
Naturita Mining District: 241.
Paradox Valley: 1, 7, 439, 459, 464.
Cripple Creek claim, Long Park: 34.
Hieroglyphic camp between Long Park and San Miguel River: camp left idle after exhaustion of exposed carnotite ore-bodies: 407.
Jack Rabbit camp between Long Park and San Miguel River: camp left idle after exhaustion of exposed carnotite ore-bodies: 407.
Jo Dandy camp owned and operated by Standard Chemical Co.: carnotite claims on faulted segment of carnotite strata: 407; carnotite occurrences in McElmo formation worked under 140 ft. of cover in some cases: 407; mined earlier by General Vanadium Co. and declared exhausted: 407.
Jo Dandy claim: 434.
Julian camp between Long Park and San Miguel River: camp left idle after ex-

haustion of exposed carnotite ore-bodies: 407.
Long Park: camps of Radium Co. of Colorado and Radium Luminous Materials Corp.: 407; carnotite mining carried out in open cuts, tunnels, and inclines: 407; carnotite ore production about 5 t. per day: 407; total shipping production of about 4200 t. carnotite ore averaging 2% U_3O_8 in McElmo formation: 407; Uravan mineral belt: carnotite deposits in patches of favorable ground in en echelon arrangement: 417.
Maggie C claim, Long Park: 34.
Monogram Camp owned and operated by Standard Chemical Co.: carnotite claims on faulted segment of carnotite strata 407; in Morrison formation: 415; mining operations were carried on by hand: 407; three adits worked and several carnotite ore-bodies present: 407.
Outlaw camp between Long Park and San Miguel River: camp left idle after exhaustion of exposed carnotite ore-bodies: 407.
Paradox Creek: in sandstone: 78, 82.
Saucer Basin camp between Long Park and San Miguel River: camp left idle after exhaustion of exposed carnotite orebodies: 407.
Shamrock group including Shamrock and Old Salt Lick claims, owned by U.S. Vanadium Co.: carnotite in sandstone lenses, drilled by U.S.B.M., and showing from less than 0.05 to 1.43% U_3O_8: 440.
Roc Creek: 439; in sandstone: 78, 82.
Copper Prince claim: 473.
Roc Creek Mining District: 241.
Sinbad Valley: 435, 439, 459.
Uravan: deposits in Morrison formation: 417.
Vixen Mining District: 241.
Carnotite Processes—
General: carnotite ore formerly processed in mills at Denver or in the East: 407.
Standard Chemical Co.: formerly operated 50-ton mill on lower San Miguel River for treating carnotite ore: 407.
Uravan: expansion at U.S. Vanadium Co. mill; process for treating high-lime ores described: 557.
Clays—
Mineralogical Studies—
Base-exchange determination: Bitter Creek samples: 500.
Chemical analyses: Bitter Creek samples: 500.
Differential thermal analysis: Bitter Creek samples: 500.
Electron microscope study: Bitter Creek samples: 500.
Petrographic microscope study: Bitter Creek samples: 500.
X-ray powder patterns: Bitter Creek samples: 500.
Geophysical Exploration (Airborne)—
Club Mesa: first low-altitude operation; done by Texas Co. in 1950: 494.
Long Park: first low-altitude operation; done by Texas Co. in 1950: 494.
Geophysical Exploration (Ground)—
Bull Canyon: geophysical exploration work including 43 resistivity depth measurements and 13 sets of Potential-Drop-Ratio measurements: 498; majority of measurements made at Area D and at Newton and Zebra claims: 498; tables and graphs of results of the two types of measurements: 498.
Land Withdrawals—
Public Land Order 779: land withdrawn for U.S.A.E.C. use in uranium exploration: 555.
Mineralogical Studies—
Clays—
Base-exchange determination: Bitter Creek samples: 500.
Chemical analyses: Bitter Creek samples: 500.
Differential thermal analysis: Bitter Creek samples: 500.
Electron microscope study: Bitter Creek samples: 500.
Petrographic microscope study: Bitter Creek samples: 500.
X-ray powder patterns: Bitter Creek samples: 500.
Pitchblende Occurrences—
Paradox Valley: 464.
Tyuyamunite Mineralogy—
Paradox Valley specimen: 438.
Tyuyamunite Occurrences—
Paradox Valley: 438.
Uraninite Occurrences—
Paradox Valley, E slope: 104.
Uranium Exploration—
Drilling—
Club Mesa: diamond drilling: 154.
Long Park: diamond drilling: 154.
Geophysical Exploration (Airborne)—
Club Mesa: first low-altitude operation; done by Texas Co. in 1950: 494.
Long Park: first low-altitude operation; done by Texas Co. in 1950: 494.
Geophysical Exploration (Ground)—
Bull Canyon: 498.
Land Withdrawals—
Public Land Order 779: land withdrawn for U.S.A.E.C. use: 555.
Uranium Occurrences—
General: carnotite: 41, 471, 476; carnotite carrying 3–4% uranium oxide: 470.
Bitter Creek Group:
Dynamite mine: analyses gave average uranium content of 0.0014% in gray clay and 0.0017% in red clay: 500; mineralogical studies made on clays: 500; radiometric studies showed an average count of 0.0022% eU for gray clay and 0.0018% eU for red clay: 500; uranium in sandstone in Morrison formation underlain by red and gray clays with an irregular boundary between them: 500.
Bull Canyon: carnotite in Morrison formation: 415; geology: 498; geophysical exploration: 498; three or more operating uranium mines: 498.
Club Camp at Naturita: carnotite: 34; group of claims, carnotite in Morrison formation: 415.

COLORADO (contd.)
Club Camp of the Standard Chemical Co. on W rim of San Miguel canyon 4 mi. above junction with Dolores River: carnotite deposits in McElmo formation: fully equipped camp: 407.
Club Mesa, Uravan mineral belt: carnotite deposits in patches of favorable ground in en echelon arrangement: 417.
Cracker Jack claim, Calamity Gulch: carnotite: 34; carnotite in large petrified logs in Morrison formation: 415.
Dolores Camp claims, N side of San Miguel River: carnotite: 34; carnotite in two large petrified logs in Morrison formation: 415.
Dolores Camp: uranium minerals: 434.
Dolores Camp of Standard Chemical Co. on E. rim of San Miguel canyon at junction of Dolores and San Miguel Rivers: carnotite deposits in McElmo formation did yield about 3 t. ore per day: 407.
Gypsum Valley District—
Gyp, Gyp No. 1, and Aztec mines: carnotite in rolls, land owned by V.C.A., drilled by U.S.B.M., and showing 0.25% U_3O_8 only in Gyp mine, with Gyp No. 1 and Aztec mines blank: 440.
Raven and adjoining claims: carnotite in rolls, land owned by V.C.A., drilled by U.S.B.M., and showing from less than 0.05 to 3.44% U_3O_8: 440.
Roosevelt mine: carnotite in thin layers, land owned by V.C.A., drilled by U.S.B.M., and showing less than 0.005% U_3O_8 in one drill hole, other was blank: 440.
Hydraulic Mining District: carnotite: 241.
La Sal Creek: carnotite: 439; carnotite in sandstone: 78, 82; carnotite, specimen analyzed: 472.
Yellow Boy claim: carnotite: 473.
La Sal Creek 6 mi. from Cashin: carnotite: 104.
La Sal Mining District: carnotite: 241.
La Sal Valley: carnotite: 459.
Mesa Creek: carnotite in Morrison formation: 415.
Naturita Mining District: carnotite: 241.
Paradox Valley: carnotite: 1, 7, 439, 459, carnotite, pitchblende: 464; tyuyamunite: 438; uranium production: 118.
Paradox Valley, E slope: uraninite: 104.
Cripple Creek claim, Long Park: carnotite: 34.
Hieroglyphic camp between Long Park and San Miguel River: camp left idle after exhaustion of exposed carnotite orebodies: 407.
Jack Rabbit camp between Long Park and San Miguel River: camp left idle after exhaustion of exposed carnotite orebodies: 407.
Jo Dandy camp owned and operated by Standard Chemical Co.: carnotite claims on faulted segment of carnotite strata: 407; carnotite occurrences in McElmo formation worked under 140 ft. of cover in some cases: 407; mined earlier by General Vanadium Co. and declared exhausted: 407.
Jo Dandy claim: carnotite: 434.
Julian camp between Long Park and San Miguel River: camp left idle after exhaustion of exposed carnotite orebodies: 407.
Long Park: carnotite mining carried out in open cuts, tunnels, and inclines: 407; carnotite ore production about 5 t. per day: 407; total shipping production of about 4200 t. carnotite ore averaging 2% U_3O_8 in McElmo formation: 407; camps of Radium Co. of Colorado and Radium Luminous Materials Corp.: 407; Uravan mineral belt: carnotite deposits in patches of favorable ground in en echelon arrangement: 417.
Maggie C claim, Long Park: carnotite: 34.
Monogram camp owned and operated by Standard Chemical Co.: carnotite claims on faulted segment of carnotite strata: 407; carnotite in Morrison formation: 415; mining operations were carried on by hand: 407; three adits worked and several carnotite orebodies present: 407.
Outlaw camp between Long Park and San Miguel River: camp left idle after exhaustion of exposed carnotite orebodies: 407.
Paradox Creek: carnotite in sandstone: 78, 82.
Saucer Basin camp between Long Park and San Miguel River: camp left idle after exhaustion of exposed carnotite orebodies: 407.
Shamrock group including Shamrock and Old Salt Lick claims, owned by U.S. Vanadium Co.: carnotite in sandstone lenses, drilled by U.S.B.M., and showing from less than 0.05 to 1.43% U_3O_8: 440.
Roc Creek: carnotite: 439; carnotite in sandstone: 78, 82; uranium minerals: 416.
Copper Prince claim: carnotite: 473.
Roc Creek Mining District: carnotite: 241.
Sinbad Valley: carnotite: 435, 439, 459.
Uravan: carnotite deposits in Morrison formation: 417.
Vixen Mining District: carnotite: 241.
Uranium Ore Guides—
Clays underlying Morrison formation: Dynamite mine: 500.
Uranium Processes—
General:
Carnotite ore formerly processed in mills at Denver or in the East: 407.
Standard Chemical Co.: formerly operated a 50-ton mill on lower San Miguel River for treating carnotite ore: 407.
Qualified Uranium Mills—
Naturita: V.C.A. uranium mill: 144, 413, 431, 497, 538, 557; capacity of 100 t. daily reported in 1946: 440.
Uravan: U.S. Vanadium Co. uranium mill: 144, 148, 413, 431, 497, 519; capacity of 240 t. daily reported in 1946: 440; expansion at mill for carnotite ores; process for treating high-lime ores described: 557.

Uranium Production—
Naturita: V.C.A. uranium mill: 144, 413, 431, 440, 497, 538, 557.
Paradox Valley: 118.
Uravan: U.S. Vanadium Co. uranium mill: 144, 148, 413, 431, 440, 497, 519, 557.
Origin of Carnotite Occurrences:
See under individual county names and under Index III, Origin—Carnotite Occurrences—Colorado: 13, 22, 415, 417, 431.
Origin of Uranium Occurrences
See under individual county names and under Index III, Origin—Uranium Occurrences—Colorado: 13, 22, 415, 417, 431, 449, 474, 475, 499.
Origin of Uranothorite Occurrences
See under individual county names and under Index III, Origin—Uranothorite Occurrences—Colorado: 474, 475.
Ouray County
Black Slate, Uranium-bearing—
Uncompahgre Canyon S of Ouray: 53.
Pitchblende Occurrences—
Colorado Mineral Belt—
Lower Uncompahgre Mining District: 477.
Red Mountain Mining District: 477.
Upper Uncompahgre Mining District: 477.
Uranium Occurrences—
Colorado Mineral Belt—
Lower Uncompahgre Mining District: uranium with base and precious-metal veins: 477.
Pitchblende deposits present, probably hypogene: 477.
Red Mountain Mining District: uranium with pyritic veins and copper-lead-silver volcanic breccia pipes: 477.
Red Mountain Mining District, San Juan area: uranium: 551.
Uncompahgre Canyon S of Ouray: uranium in black slate: 53.
Uncompahgre Canyon, San Juan area: uranium: 551.
Upper Uncompahgre Mining District: uranium as coatings on fracture surfaces or disseminations in country rock: 477.
Park County (Colorado Front Range)
Carbonaceous Shales, Uranium-bearing—
Garo: carnotite and volborthite associated with uraniferous carbonaceous shale and carbonized plant fossils in shale and sandstone in upper part of Jurassic Navajo sandstone and in sandstone of Permian and Pennsylvanian Maroon formation: 509.
Garo: with volborthite, associated with uraniferous carbonaceous shale and carbonized plant fossils, in shale and sandstone in upper part of Jurassic Navajo sandstone and in sandstone of Permian and Pennsylvanian Maroon formation: 509.
Pitchblende Occurrences—
Colorado Mineral Belt—
Alma Mining District: 477.
Uranium Occurrences—
Colorado Mineral Belt—
Alma Mining District: uranium with base and precious-metal veins; pitchblende present: 477.
Fairplay area: carnotite in Upper Morrison formation: 53.
Garo: carnotite and volborthite associated with uraniferous carbonaceous shale and carbonized plant fossils, in shale and sandstone in upper part of Jurassic Navajo sandstone and in sandstone of Permian and Pennsylvanian Maroon formation: 509.
Hartsel, 8 mi. N of: uranium: 512.
See also under Fremont-Park Cos.: 403.
Pitchblende Occurrences
See under individual county names and under Index III, Pitchblende Occurrences—Colorado: 53, 68, 78, 82, 102, 330, 394, 397, 398, 399, 432, 452, 453, 455, 458, 460, 464, 467, 468, 472, 473, 477, 484, 487, 496, 504, 511, 517, 543.
Pitchblende Production
See under individual county names and under Index III, Pitchblende Production—Colorado: 432, 467.
Radioactive Areas
See under individual county names and under Index III, Radioactive Areas—Colorado: 45, 53.
Radioactive Galena Ores
See under individual county names and under Index III, Radioactive Galena Ores—Colorado: 45.
Radioactive Occurrences
See under individual county names and under Index III, Radioactive Occurrences—Colorado: 467, 487, 503.
Radium Occurrences
See under individual county names and under Index III, Uranium Occurrences—Colorado: 503.
Radium Production
See under individual county names and under Index III, Radium Production—Colorado: 7, 415.
Rio Blanco County (Colorado Plateau)
Carnotite Occurrences—
Coal Creek: 34, 422.
Coal Creek, 14 mi. NE of Meeker: 78, 82.
Caywood claims: 423.
Coal Creek Mining District: 241.
J. Mackay mine No. 2 specimens: concentration process results: 418; mineralogy: 418.
Meeker: 511; in Morrison formation: 509.
Uranium Occurrences—
Coal Creek: carnotite: 34, 422.
Coal Creek 14 mi. NE of Meeker: carnotite: 78, 82.
Caywood Claims: carnotite: 423.
Coal Creek anticline: uranium in isolated orebodies on large anticlines and domes: 481.
Coal Creek Mining District: carnotite: 241.
J. Mackay mine No. 2: carnotite: 418; carnotite concentration process results: 418; carnotite mineralogy: 418.
Meeker: carnotite: 511; carnotite in Morrison formation: 509.
Uranium Ore Guides—
Proximity to major tectonic structures: second type of geologic structure includes large anticlines and domes on which igneous rocks are not exposed, except for a

COLORADO (contd.)
few dikes and volcanic plugs, and ore occurs as isolated orebodies at irregular intervals from crest of structure outward to base of its flanks, as in Coal Creek anticline: 481.
Routt County
Carnotite Occurrences—
General: 82.
Monazite Occurrences—
Hahns Peak: 11.
Timber Lake: 11, 78, 82.
Thorium Occurrences—
Hahns Peak: monazite, trace: 11.
Timber Lake: monazite: 78, 82; monazite, 416 and 520 lbs. per ton: 11.
Uranium Occurrences—
General: carnotite: 82.
Samarskite Occurrences
See under individual county names and under Index III, Samarskite Occurrences—Colorado: 414, 502, 535, 536, 539.
San Miguel County (Colorado Plateau, all except Placerville area deposits)
Asphalts, Uranium-bearing—
Placerville: 34.
Carbonaceous Deposits, Uranium-bearing—
Black King No. 5 prospect near Placerville in S. 27, T. 44 N., R. 11 W., owned by Hugh D., H. B., and Guy E. Weatherly (formerly called Evans property): thucholite, uraninite of commercial grade: 469.
White Spar prospect, 2000 ft. E of Placerville post office in S. 35, T. 44 N., R. 11 W., owned by Boyd Robinson: thucholite, uraninite of commercial grade: 469.
Carnotite Occurrences—
General: 41.
Cedar Mining District: 241.
Disappointment Creek near Cedar: 78, 82.
Egnar-Slick Rock District—
Buckhorn and Cone claims: carnotite in rolls and a log, drilled by U.S.B.M., and showing from less than 0.05 to 1.74% U_3O_8: 440.
Hawk Nos. 1 and 2 and Frankie No. 1 claims: carnotite in rolls, drilled by U.S.B.M., and showing from none or less than 0.05 to 2.62% U_3O_8: 440.
Hogback and Marie claims in Bishop and Summit Canyons: carnotite in layers in sandstone, drilled by U.S.B.M., and showing less than 0.05% U_3O_8: 440.
Radium No. 2 and adjoining claims: carnotite in large orebodies, drilled by U.S.B.M., and showing from less than 0.05 to 7.55% U_3O_8: 440.
Radium No. 4 claim: produced 325 t. ore with 1.75% V_2O_5 but U.S.B.M. drilling gave blank holes; ore in rolls: 440.
Radium No. 6 claim: carnotite in layers in sandstone, drilled by U.S.B.M., and showing from less than 0.05 to 7.00% U_3O_8: 440.
Uncle Sam and Mucho Grande claims: carnotite in lenticular orebodies, drilled by U.S.B.M., and showing from less than 0.05 to 0.30% U_3O_8: 440.
Charles T Group:
Fraction No. 1 and Summit claims: carnotite in sandstone, land owned by North Continent Mines, Inc., drilled by U.S.B.M., and showing from less than 0.05 to 2.13% U_3O_8: 440.
Legin Group:
Frenchy, King, King No. 2, May, and Sam claims: carnotite in elongate rolls, land owned by North Continent Mines, Inc., drilled by U.S.B.M., and showing from less than 0.05 to 1.92% U_3O_8: 440.
Lower Group:
Cougar, Last Chance, Little Mariel, and Rainbow claims: carnotite in large elongate rolls, land owned by North Continent Mines, Inc., drilled by U.S. B.M., and showing from less than 0.05 to 1.80% U_3O_8: 440.
Gypsum Valley District—
Gypsum Valley: 416.
Gypsum Valley, Disappointment District: 439.
Jack Knife claim: carnotite in a roll, drilled by U.S.B.M., and showing less than 0.05% U_3O_8: 440.
Lost claim: carnotite in thin layers, drilled by U.S.B.M., and showing from less than 0.05 to 0.25% U_3O_8: 440.
Main Street claim: carnotite in layers and small rolls, drilled by U.S.B.M., and showing less than 0.05% U_3O_8 in one hole and blanks in two others: 440.
Pay Day claim: carnotite in two blanket-like layers of ore, drilled by U.S.B.M., and showing less than 0.05% U_3O_8: 440.
Pitchfork claim: carnotite in layers, drilled by U.S.B.M., and showing from less than 0.05 to 0.10% U_3O_8: 440.
Riverview claim: carnotite in rolls, drilled by U.S.B.M., and showing from less than 0.05 to 0.33% U_3O_8: 440.
McIntyre District: in Morrison formation: 415.
Placerville: 78, 82, 435, 439, 459; with roscoelite in Entrada formation: 509.
Snyderville Mining District: 241.
Pitchblende Occurrences—
General: in vein deposits: 455.
Thucholite Occurrences—
Black King prospect near Placerville: containing minute specks of uraninite: 449; mineralogical studies: 449.
Black King No. 5 prospect near Placerville in S. 27, T. 44 N., R. 11 W., owned by Hugh D., H.B., and Guy E. Weatherly (formerly called Evans property): with uraninite: 469.
Uraninite Occurrences—
Black King prospect near Placerville: as minute specks in thucholite: 449; mineralogical studies of specimens: 445.
Black King No. 5 prospect near Placerville in S. 27, T. 44 N., R. 11 W., owned by Hugh D., H.B., and Guy E. Weatherly (formerly called Evans property): with thucholite: 469.
Disappointment Creek, at joining with Dolores River, 80 mi. W of Dolores: 104.
Uranium Exploration—
Egnar-Slick Rock area: diamond drilling: 154.

Gypsum Valley: diamond drilling: 154.
Uranium Occurrences—
General: carnotite: 41; pitchblende in vein deposits: 455.
Asphalts, Uranium-bearing—
Placerville: 34.
Black King prospect near Placerville: geology: 449; mineralization including copper, iron, and lead minerals and some chromian mica: 449; mineralogical studies of uraninite specimens: 445; origin, probably precipitation from hydrothermal solution: 449; roscoelite-type uranium-vanadium deposits in Entrada sandstone: origin: 449; thucholite containing minute specks of uraninite along a fault and a fissure: 449.
Black King No. 5 prospect near Placerville in S. 27, T. 44 N., R. 11 W., owned by Hugh D., H.B., and Guy E. Weatherly (formerly called Evans property): chemical analyses: 469; geology: 469; mineralization: 469; radiometric analyses: 469; structure: 469; uraninite, thucholite ore of commercial grade: 469.
Cedar Mining District: carnotite: 241.
Disappointment Creek, at joining with Dolores River and 80 mi. W of Dolores: uraninite: 104.
Disappointment Creek near Cedar: carnotite: 78, 82.
Egnar-Slick Rock District—
Buckhorn and Cone claims: carnotite in rolls and a log, drilled by U.S.B.M., and showing from less than 0.05 to 1.74% U_3O_8: 440.
Hawk Nos. 1 and 2 and Frankie No. 1 claims: carnotite in rolls, drilled by U.S.B.M., and showing from none or less than 0.05 to 2.62% U_3O_8: 440.
Hogback and Marie claims in Bishop and Summit Canyons: carnotite in layers in sandstone, drilled by U.S.B.M., and showing less than 0.05% U_3O_8: 440.
Radium-Sitton area W of Egnar: F. A. Sitton operation: 413.
Radium No. 2 and adjoining claims: carnotite in large orebodies, drilled by U.S. B.M., and showing from less than 0.05 to 7.55% U_3O_8: 440.
Radium No. 4 claim: produced 325 t. ore with 1.75% V_2O_5 but U.S.B.M. drilling gave blank holes; ore in rolls: 440.
Radium No. 6 claim: carnotite in layers in sandstone, drilled by U.S.B.M., and showing from less than 0.05 to 7.00% U_3O_8: 440.
Slick Rock: geology: 431; history: 431; largest mine of group, Incline No. 1 mine, producing 300 t. uranium ore per month: 431; mechanized equipment used at Incline Nos. 3 and 4 mines: 431; mining methods: 431; mining problems: 431; production of 500 to 600 t., average grade uranium ore per month: 431; typical small uranium operation: 431.
Uncle Sam and Mucho Grande claims: carnotite in lenticular orebodies, drilled by U.S.B.M., and showing from less than 0.05 to 0.30% U_3O_8: 440.
Charles T Group:
Fraction No. 1 and Summit claims: carnotite in sandstone, land owned by North Continent Mines, Inc., drilled by U.S.B.M., and showing from less than 0.05 to 2.13% U_3O_8: 440.
Legin Group: Minerals Engineering Co. operations: 413.
Frenchy, King, King No. 2, May, and Sam claims: carnotite in elongate rolls, land owned by North Continent Mines, Inc., drilled by U.S.B.M., and showing from less than 0.05 to 1.92% U_3O_8: 440.
Lower Group:
Cougar, Last Chance, Little Mariel, and Rainbow claims: carnotite in large elongate rolls, land owned by North Continent Mines, Inc., drilled by U.S.B.M., and showing from less than 0.05 to 1.80% U_3O_8: 440.
Gypsum Valley District—
Gypsum Valley: carnotite: 416.
Gypsum Valley, Disappointment District: carnotite: 439.
Jack Knife claim: carnotite in a roll, drilled by U.S.B.M., and showing less than 0.05% U_3O_8: 440.
Lost claim: carnotite in thin layers, drilled by U.S.B.M., and showing from less than 0.05 to 0.25% U_3O_8: 440.
Main Street claim: carnotite in layers and small rolls, drilled by U.S.B.M., and showing less than 0.05% U_3O_8 in one hole and blanks in two others: 440.
Pay Day claim: carnotite in two blanket-like layers of ore, drilled by U.S.B.M., and showing less than 0.05% U_3O_8: 440.
Pitchfork claim: carnotite in layers, drilled by U.S.B.M., and showing from less than 0.05 to 0.10% U_3O_8: 440.
Riverview claim: carnotite in rolls, drilled by U.S.B.M., and showing from less than 0.05 to 0.33% U_3O_8: 440.
McIntyre District: carnotite in Morrison formation: 415.
Placerville: carnotite: 78, 82, 435, 439; carnotite, roscoelite: 459; carnotite, roscoelite in Entrada formation: 509; uranium with asphalt: 34.
Snyderville Mining District: carnotite: 241.
White Spar prospect, 2000 ft. E of Placerville post office, in S. 35, T. 44 N., R. 11 W., owned by Boyd Robinson: chemical analyses: 469; geology: 469; radiometric analyses: 469; thucholite, uraninite ore of commercial grade: 469.
Uranium Ore Guides—
Geobotanical Guides—
Slick Rock: general indicator plant, *Purshia tridentata*: 409; selenium-indicator plants: 409; sulphur-indicator plants: 409.
Uranium Processes—
Slick Rock: inactive uranium mill, formerly owned by North Continent Mines, Inc., capacity of 20 t. daily reported in 1946: 440.

COLORADO (contd.)
Uranium Production—
Slick Rock: production of 500 to 600 t. average grade uranium ore per month with Incline No. 1 mine producing 300 t.: 431.
Sediments, Radium-bearing
See under individual county names and under Index III, Sediments, Radium-bearing—Colorado: 503.
Southwest Part
Carnotite Production—
General: total production including 1919, approximately 29,000 t. carnotite ore with 1.9% U_3O_8 and 5.8% V_2O_5: 407.
Uranium Occurrences—
Dulaney property: produces 60% of U.S. uranium: 518.
Uranium Production—
General: total production including 1919, approximately 29,000 t. carnotite ore with 1.9% U_3O_8 and 5.8% V_2O_5: 407.
Dulaney property: produces 60% of U.S. uranium: 518.
Former producers; Radium Co. of Colorado, Radium Luminous Materials Corp., and Standard Chemical Co.: 407.
Thorite Occurrences
See under individual county names and under Index III, Thorite Occurrences—Colorado: 234.
Thorium Occurrences
See under individual county names and under Index III, Thorium Occurrences—Colorado: 11, 12, 25, 68, 70, 78, 82, 234, 252, 395, 403, 414, 457, 474, 475, 502, 535, 536, 539, 543.
Bibliography: 9.
Thorium Production
See under individual county names and under Index III, Thorium Production—Colorado: 537.
Thucholite Occurrences
See under individual county names and under Index III, Thucholite Occurrences—Colorado: 449, 469.
Torbernite Occurrences
See under individual county names and under Index III, Torbernite Occurrences—Colorado: 234, 454, 477, 504, 509.
Tyuyamunite Mineralogy
See under individual county names and under Index III, Tyuyamunite Mineralogy—Colorado: 438.
Tyuyamunite Occurrences
See under individual county names and under Index III, Tyuyamunite Occurrences—Colorado: 438.
Uraconite Occurrences
See under individual county names and under Index III, Uraconite Occurrences—Colorado: 493.
Uraninite Occurrences
See under individual county names and under Index III, Uraninite Occurrences—Colorado: 7, 70, 104, 234, 250, 445, 446, 449, 469, 504, 506, 507.
Uranium Development
See under individual county names and under Index III, Uranium Development—Colorado: 77.
Uranium Exploration
See under individual county names and under Index III, Uranium Exploration—Colorado: 18, 90, 124, 154, 409, 413, 452, 484, 494, 498, 501, 555.
Uranium Mining
See under individual county names and under Index III, Uranium Mining-Colorado: 456.
Uranium Occurrences
See under individual county names and under Index III, Uranium Occurrences—Colorado: 1, 7, 12, 13, 20, 22, 25, 34, 41, 46, 48, 53, 62, 63, 68, 70, 78, 82, 86, 95, 102, 104, 115, 118, 234, 241, 250, 330, 394, 395, 397, 398, 399, 400, 402, 403, 407, 411, 413, 414, 415, 416, 417, 418, 419, 420, 422, 423, 424, 426, 431, 432, 434, 435, 438, 439, 440, 443, 445, 446, 449, 452, 453, 454, 455, 457, 458, 459, 460, 464, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 481, 484, 486, 487, 491, 493, 496, 498, 499, 500, 501, 502, 504, 505, 506, 507, 508, 509, 511, 512, 514, 515, 516, 517, 518, 520, 535, 536, 539, 543, 551.
Bibliography: 9, 10, 424.
Uranium Ore Guides
See under individual county names and under Index III, Uranium Ore Guides—Colorado: 409, 417, 481, 500, 501.
Uranium Processes
See under individual county names and under Index III, Uranium Processes—Colorado: 53, 73, 140, 144, 148, 407, 413, 431, 440, 497, 513, 519, 521, 533, 534, 538, 557.
Uranium Production
See under individual county names and under Index III, Uranium Production—Colorado: 7, 73, 118, 144, 148, 330, 394, 407, 413, 415, 417, 431, 432, 459, 460, 467, 497, 511, 513, 518, 519, 521, 538, 557, 558.
Uranium Prospecting
See Uranium Exploration under individual county names and under Index III, Uranium Exploration—Colorado.
Uranium Purchases
See under individual county names and under Index III, Uranium Purchases—Colorado: 188.
Uranothorite Occurrences
See under individual county names and under Index III, Uranothorite Occurrences—Colorado: 403, 474, 475.
(For additional general information on Colorado and adjacent areas see COLORADO FRONT RANGE, COLORADO MINERAL BELT, and COLORADO PLATEAU)

COLORADO FRONT RANGE

(For specific localities see also under COLORADO—Boulder, Clear Creek, Gilpin, Jefferson, Larimer, and Park Cos.)
General
Pitchblende Occurrences—
General: 53, 496; age determinations: published age of 60 million years for Laramide pitchblende of Colorado Front Range confirmed by study: 492.
Uraninite Occurrences—
General: 53.
Uranium Occurrences—
General: 267: age determinations: published age of 60 million years for Laramide

pitchblende of Colorado Front Range, confirmed by study: 492; mineralogy of deposits: 496; pitchblende, uraninite: 53, 496.
Reconnaissance work in 1949: 496.
Colorado
Pitchblende Occurrences—
General: in more than 20 vein deposits: 455.
Front Range Mineral Belt: distribution of deposits apparently restricted to an intermediate or transitional zone between central areas of pyritic gold veins and peripheral areas of silver-lead-zinc veins: 458; distribution related to pattern of hypogene zoning: 458; no indication as to whether pitchblende is more common in inner or outer part of intermediate zone: 458; significance of some geologic factors can be evaluated: 458; zonal distribution of pitchblende deposits influenced by at least seven geologic factors:
bostonite intrusives: 458; correlation of pitchblende with copper sulfides (and sulfosalts?): 458; differences between paragenetic sequence and position of minerals in successive zones: 458; effective depth of mineralization: 458; fault patterns: 458; multiple stages of uranium mineralization: 458; scale and complexity of zoning in plan and in section: 458.
Zonal Distribution:
Front Range Mineral Belt: 458.
Boulder County—
Grand Island Mining District—
Caribou mine: 53, 102; Geiger-Mueller survey: 484; geology: 484; in silver fissure veins in shear zones in quartz-monzonite stock 484; in veins of the quartz-sulfide carbonate type, with a little cobalt: 455; mineralization: 484; mineralogical examinations: 484; mineralogy: 484; ore zones vary from a few inches to 15 ft. in width and include silver, lead, zinc, and iron minerals with pitchblende: 484; results of Geiger-Mueller counter studies showed no radioactivity on the surface despite presence of pitchblende at the 1040 ft. level and its corresponding radioactivity: 484.
Gilpin County—
Wood and Kirk mines, Quartz Hill: ore with average grade of 0.2% U_3O_8: 394.
Uraninite Occurrences—
Boulder County—
Grand Island Mining District—
Radium vein, Caribou mine: occurs at 920 and 1040 ft. levels: 507.
Uranium Exploration—
Boulder County—
Grand Island Mining District—
Caribou mine: Geiger-Mueller counter survey of surface and underground workings showing no radioactivity at surface despite presence of pitchblende at 1040 ft. level: 484.
Uranium Occurrences—
General: pitchblende in more than 20 vein deposits: 455.
Front Range Mineral Belt:
pitchblende deposits with hypogene zonal distribution: 458.
Boulder County—
Grand Island Mining District—
Caribou mine: Geiger-Mueller survey: 484; geology: 484; mineralization: 484; mineralogical examinations: 484; mineralogy: 484; ore zones vary from a few inches to 15 ft. in width and include silver, lead, zinc, and iron minerals with pitchblende: 484; pitchblende: 53, 102; pitchblende in silver fissure veins in shear zones in quartz-monzonite stock: 484; pitchblende in veins of the quartz-sulfide-carbonate type, with a little cobalt: 455; results of Geiger-Mueller counter studies showed no radioactivity on the surface despite presence of pitchblende at the 1040 ft. level and its corresponding radioactivity: 484.
Radium vein: colloform banding in ore: 507; Geiger counter survey of dumps and underground workings showed presence of uraninite: 507; paragenesis of vein filling; mineralization in two stages, with uraninite deposited in the later stage: 507.
Gilpin County—
Wood and Kirk mines, Quartz Hill: pitchblende ore with average grade of 0.2% U_3O_8: 394.
Uranium Production—
Gilpin County—
Quartz Hill: principal domestic source of pitchblende in area, a recorded 110,757 lbs. of U_3O_8 produced there with average ore grade of 0.2% U_3O_8: 394.
Wood and Kirk mines: producers of over 98% of U_3O_8 in area: 394.
Pitchblende Occurrences
See above under General and Colorado—individual county names and under Index III, Pitchblende Occurrences—Colorado Front Range: 53, 102, 394, 455, 458, 484, 492, 496.
Uraninite Occurrences
See above under General and Colorado—individual county names and under Index III, Uraninite Occurrences—Colorado Front Range: 53, 507.
Uranium Exploration
See above under General and Colorado—individual county names and under Index III, Uranium Exploration—Colorado Front Range: 484.
Uranium Occurrences
See above under General and Colorado—individual county names and under Index III, Uranium Occurrences—Colorado Front Range: 53, 102, 267, 394, 455, 458, 484, 492, 496, 507.
Uranium Production
See above under General and Colorado—individual county names and under Index III, Uranium Production—Colorado Front Range: 394.

COLORADO MINERAL BELT (Southwestern Colorado)

Central Part
Pitchblende Occurrences—
Alma Mining District: 477.
Leadville Mining District: 477.
St. Kevin Mining District: questionable occurrence, torbernite: 477.
Torbernite Occurrences—
St. Kevin Mining District: with questionable occurrence of pitchblende: 477.
Uranium Occurrences—
Alma Mining District: uranium associated with base and precious-metal veins; pitchblende present: 477.
Leadville Mining District: uranium as coatings on fracture surfaces or disseminated in country rock; pitchblende present: 477.
St. Kevin Mining District: uranium associated with base and precious-metal veins; pitchblende present; also as coatings on fracture surfaces and disseminations in country rock: torbernite and sooty pitchblende (?) present, probably alteration products of primary pitchblende: 477.
Southwest Part
Pitchblende Occurrences—
Lower Uncompahgre Mining District: 477.
Red Mountain Mining District: 477.
Upper Uncompahgre Mining District: 477.
Uranium Occurrences—
Lower Uncompahgre Mining District: uranium associated with base and precious-metal veins; pitchblende present: 477; zonal relationship since uranium is close to boundary between pyrite-gold-base metal core and outer silver-lead-zinc zone: 477.
Red Mountain Mining District: uranium associated with pyritic veins and volcanic copper-lead-silver breccia pipes; pitchblende present: 477.
Upper Uncompahgre Mining District: uranium as coatings on fracture surfaces or disseminations in country rock; pitchblende present: 477.
Pitchblende Occurrences
See above and under Index III, Pitchblende Occurrences—Colorado Mineral Belt: 477.
Torbernite Occurrences
See above and under Index III, Torbernite Occurrences—Colorado Mineral Belt: 477.
Uranium Occurrences
See above and under Index III, Uranium Occurrences—Colorado Mineral Belt: 477.

COLORADO PLATEAU

(For specific localities see also under COLORADO—Archuleta, Dolores, Garfield, La Plata, Mesa, Mineral, Moffat, Montezuma, Montrose, Rio Blanco, and San Miguel Cos.; and under UTAH—Carbon, Daggett, Emery, Garfield, Grand, Kane, San Juan, Uintah, and Wayne Cos.)
General
Biogeochemical research: 409.
Carnotite Occurrences—
General: 20, 405, 444.
Accessibility: 440.
Colorado: carnotite field in southwest part of state: 407; small, widely scattered deposits: 457; deposits in Morrison formation stratigraphically controlled: 443.
Deposits in Arizona, Colorado, New Mexico and Utah: 441; spotty, scattered, average 0.25% U_3O_8, and occur in Salt Wash member of the Morrison formation, Shinarump conglomerate, and Entrada sandstone: 501.
Deposits in Colorado, New Mexico, and Utah: 407.
Deposits in Morrison formation: 440.
Deposits in Salt Wash member of Morrison formation, scattered erratically over Arizona, Colorado, New Mexico, and Utah: 431.
Description of ore deposits: 440.
Entrada formation: 63; sandstone: 22.
Exploration by U.S.B.M.: 440.
Geology: 407, 431, 440.
Government operations: 431.
Historical development of mining program: 431.
History: 440.
Mining development work: 440.
Mining methods and operations: 431.
Morrison formation: 22; channel deposits: 22; geology: 22; ore deposits: 22; origin: 22; stratigraphically controlled deposits in Salt Wash sandstone member: 509; uranium production: 22.
Origin: 13, 22, 407, 431; deposition by solution: 444.
Physiography: 440.
Property and ownership: 440.
Salt Wash formation: 63.
Sampling and metallurgy work on drill cores: 440.
Shinarump conglomerate: 22.
U.S.G.S. drilling program produced geologic logs of which study led to formulation of geologic guides to carnotite deposits: 501.
U.S.A.E.C's buying schedule and policies for carnotite ore: 441.
Uranium mills: 407, 440.
Utah: carnotite in eastern parts: 407; small, widely scattered deposits: 457.
Work of small scale operators: 431.
Carnotite Processes—
Carnotite ore formerly processed in mills at Denver or in the East: 407.
Colorado: Standard Chemical Co. formerly operated 50-ton mill on Lower San Miguel River for treating carnotite ore: 407.
Carnotite Production—
General: 1949 production from 250 operations, of which 80% were in Colorado: 457.
Geobotanical research: 409.
Geochemical research: 409.
Geophysical Exploration (Airborne)—
Instrumentation: 494.
Operational techniques: 494.
Results of operation: rim flying best in Colorado Plateau: 494.
Specific Operations:
Arizona, Colorado, New Mexico, and Utah: 494.
Airborne surveys for Hines Uranium Co.; no details available: 494.
Anaconda Mining Co. cooperating with

Rigg Aviation Service in Red Canyon district, Utah, 1951: 494.
Excalibur Uranium Corp. in Green River desert, near Moab, and Cataract Canyon, Utah, in 1951: 494.
First low-altitude operations, Texas Co. flights over Blanding, Utah, and Long Park and Club Mesa, Colorado, in 1950: 494.
J. R. Simplot Co. in Henry Mts. and adjacent Green River desert country, Utah, in 1951: 494.
Lundberg Explorations, Ltd., of Canada airborne survey for U.S.A.E.C. of Lukachukai Carrizo district, Arizona, 1951: 494.
U.S.A.E.C., airborne reconnaissance of Grants area, New Mexico, in 1951: 494.
U.S.A.E.C., airborne survey in Monument Valley, Arizona, in 1951: 494.
U.S.A.E.C., experimental flying in Carrizo Mountain district, Arizona, in 1951: 494.
U.S.G.S., limited airborne operation throughout the area: 494.
Value as an exploration method: only useful where deposits outcrop at surface: 494.
Geophysical Exploration (Ground)
Bull Canyon, Colorado: methods: 498.
Geophysical research: 494, 498.
Origin of Uranium Occurrences—
General: 407, 444, 499; probably due to circulation of groundwaters in Salt Wash member of Morrison formation after deposition of the Salt Wash sands and shales: 431.
Pitchblende Occurrences—
General: in sedimentary rocks, usually in lower Chinle and Shinarump formations: 485; occur with sulfides of copper or in asphaltic bodies but, in both cases, associated with fossil plants or beds rich in organic debris: 485; usually replace cell walls of plants while copper sulfides fill cells: 485.
Paragenesis: deposits in asphaltite may involve polymerization by alpha particles of light hydrocarbons: 485; deposits in sedimentary rocks probably were formed contemporaneous with or shortly before associated copper sulfides: 485.
Uranium Bonuses—
U.S.A.E.C. bonus: 2 53, 90, 163, 187, 219, 411, 430, 441, 497.
Uranium Development—
General: 73.
Growth of mining activity: from about 15 operations in 1948 to 200 in 1950: 441.
Mining operations: carried out by private mining companies including U. S. Vanadium Co., V.C.A. and Climax Molybdenum Co., and many smaller operators: 441.
Processing operations: five mills, 3 rebuilt, operating at full capacity and Climax Molybdenum Co. constructing mill at Grand Junction: 441.
U.S.A.E.C. uranium development: 430; bonuses: 441; drilling program: 441; government regulations on uranium prices, allowances (subsidy), etc.: 413; prices: 441; prospectors' guides: 441; uranium exploration program: 441.
U.S.A.E.C. uranium procurement policies: 441.
U.S.A.E.C.'s buying schedule and policies for carnotite ore: 441.
Uranium Exploration—
Biogeochemical prospecting: 409.
Drilling methods: 18, 154, 413, 501.
Drilling Programs—
Diamond drilling in Arizona, Colorado, and Utah: 154.
U.S.A.E.C. drilling program: (by private contractors) methods and results: 18.
U.S.B.M. drilling program: methods and results: 18.
U.S.G.S. drilling program: methods and results: 18; geologic logs for about 2500 holes drilled in SW Colorado: 501; study of logs led to formulation of geologic guides to carnotite deposits: 501; numerical evaluation of individual guides: 501.
Geobotanical prospecting: 409.
Geochemical prospecting: 409.
Geologic Guides to Carnotite Deposits:
altered mudstone associated with ore-bearing sandstone: 501; numerical evaluation of individual guides: 501; presence of abundant carbonaceous material in ore-bearing sandstone: 501; thickness and color of ore-bearing sandstone: 501.
Geophysical Exploration (Airborne)—
Instrumentation: 494.
Operational techniques: 494.
Specific operations:
Arizona, Colorado, New Mexico, and Utah: 494.
Airborne surveys for Hines Uranium Co.; no details available: 494.
Anaconda Mining Co. cooperating with Rigg Aviation Service in Red Canyon district, Utah, 1951: 494.
Excalibur Uranium Corp. in Green River desert, near Moab, and Cataract Canyon, Utah in 1951: 494.
First low-altitude operations, Texas Co. flights over Blanding, Utah, and Long Park and Club Mesa, Colorado, in 1950: 494.
J. R. Simplot Co. in Henry Mts. and adjacent Green River desert country Utah, in 1951: 494.
Lundberg Explorations, Ltd. of Canada airborne survey for U.S.A.E.C. of Lukachukai Carrizo district, Arizona 1951: 494.
U.S.A.E.C., airborne reconnaissance of Grants area, New Mexico, in 1951: 494.
U.S.A.E.C., airborne survey in Monument Valley, Arizona, in 1951: 494.
U.S.A.E.C., experimental flying in Carrizo Mountain district, Arizona, in 1951: 494.
U.S.G.S., limited airborne operations throughout the area: 494.
Value as an exploration method: 494.
Geophysical Exploration (Ground)—
Bull Canyon, Colorado: 498.

COLORADO PLATEAU (contd.)
Potential-Drop-Ratio method: Bull Canyon, Colorado: 498.
Resistivity depth measurements method: Bull Canyon, Colorado: 498.
Uranium Mining—
Climax Uranium Co.: leases most of its mining property to small operators for working: 431.
Small operators: own or lease claims and carry on the bulk of the mining operations: 431.
U.S.A.E.C.: uranium development program: 431.
U.S.G.S.: uranium drilling program for U.S.A.E.C.: 431.
U. S. Vanadium Co.: leases most of its mining property to small operators for working: 431.
V.C.A.: leases most of its mining property to small operators for working: 431.
Uranium Occurrences—
General: 48, 267, 405, 411.
Accessibility: 440.
Age determinations:
average Pb^{206}/U^{238} age about 71 million years for 40 samples containing over 0.1% U, with average Pb^{207}/Pb^{206} age of 425 million years: 492; age discrepancy resulting from selective loss of U^{238} or addition of old radiogenic lead: 492; assuming calculated ages to be close to true ages of ore, uranium introduced into sediments, probably, in late Mesozoic or early Tertiary, contrary to earlier belief that uranium ores formed in Triassic and Jurassic sediments during or soon after deposition: 492; corrections to bring ages into agreement increase the Pb^{206}/U^{238} age to 81 million years while additions of old radiogenic lead lower it to 60 million years: 492; determinations by Pb/U and Pb/Pb/methods ratio: 492.
Bedded uranium deposits in Morrison formation: Colorado: 486; Utah: 486.
Bedded uranium deposits in post-Morrison formations: map showing: 486; Utah: 486.
Bedded uranium deposits in Navajo sandstone or San Rafael group: map showing: 486; Colorado: 486; Utah: 486.
Bedded uranium deposits in pre-Navajo formations: map showing: 486; Colorado: 486; Utah: 486.
Biogeochemical studies made for deposits in the Salt Wash sandstone member and Brushy Basin shale member of the Jurassic Morrison formation, chiefly in the Thompsons district, Utah: 409.
Bonuses to encourage mining: 163, 441, 497.
Carnotite Deposits—
General: 20, 405, 430, 444.
Arizona, Colorado, New Mexico, and Utah: 441; spotty and scattered deposits: 501.
Colorado: 22; carnotite field in southwest part of state: 407; carnotite in small, widely scattered deposits; U_3O_8 content 0.1 to 0.3%: 457.
Colorado, New Mexico, and Utah: 407.
Entrada formation: 63; sandstone: 22, 501
Morrison formation: 22, 440; stratigraphically controlled carnotite deposits in Salt Wash sandstone member: 509.
Salt Wash member of Morrison formation: 63, 267; scattered erratically over Arizona, Colorado, New Mexico, and Utah: 431; Shinarump conglomerate, and Entrada sandstone: 501.
Shinarump conglomerate: 22, 267.
Triassic and Jurassic sandstones: 409.
Utah: 22; carnotite in eastern part: 407; carnotite in small, widely scattered deposits; U_3O_8 content 0.1 to 0.3%: 457.
Companies engaged in mining activities: 497.
Description of ore deposits: 440.
Development of uranium mining program: 497.
Exploration by U.S.B.M.: 440.
General characteristics of uranium deposits: 497.
Geology: 405, 407, 431, 440, 497.
Government operations: 431.
Historical development of mining program: 431.
Historical geology: 497.
History: 440, 497.
Map: showing locations and types of uranium deposits: 443, 455, 486, 493, 509.
Metalliferous vein deposits of uranium: map showing: 486; Colorado: 486; Utah: 486.
Mineralogy: 405.
Mining development work: 440.
Mining methods and operations: 431.
Origin: 13, 22, 407, 431: deposition by solution: 444; probably due to circulation of groundwaters in Salt Wash member of Morrison formation after deposition of the Salt Wash sands and shales: 431; uranium-bearing deposits in Colorado and Utah in the Salt Wash sandstone and Brushy Basin shale members of Morrison formation, Shinarump conglomerate, and Chinle formation, which also contain volcanic debris altered to clays: 499.
Physiography: 440.
Pitchblende: generally replaces cell walls of plants while copper sulfides fill cells: 485; in sedimentary rocks usually in lower Chinle and Shinarump formations: 485; occurs with sulfides of copper or in asphaltic bodies, but, in both cases, associated with fossil plants or beds rich in organic debris: 485.
Property and ownership: 440.
Prospecting information like claim staking, equipment used, etc.: 497.
Sampling and metallurgy work on drill cores: 440.
Sandstone-type deposits: asphaltite deposits: 62; carnotite deposits: 62; copper-uranium deposits: 62; roscoelite deposits: 62.
U.S.A.E.C. mining district divisions: map showing: 486.
U.S.A.E.C. uranium development program: 430, 441.
U.S.A.E.C.'s buying schedule and policies for carnotite ore: 441.
U.S.G.S. drilling program carried out over area: produced geologic logs of about 2500 drill holes: 501.
Uranium content averaged 0.25% U_3O_8

though some of the fossil plant material is richly mineralized: 501.
Uranium mills: 407, 430, 440.
Uranium orebodies are irregular, elongate tabular masses in lenses essentially parallel to sandstone beds and occur in sandstone beds near top of Salt Wash sandstone member or in basal conglomerate of Brushy Basin shale member of Morrison formation: 409.
Uranium ore prices and bonuses: 430.
Uses of ore mined: 497.
Volcanic debris in uraniferous sandstone: uranium-bearing deposits in Colorado and Utah in the Salt Wash sandstone and Brushy Basin shale members of Morrison formation, Shinarump conglomerate, and Chinle formation, which also contain volcanic debris altered to clay minerals: 499; characteristics of deposits: 499; evidence indicates volcanism occurred during and just after the time the host rocks were accumulating but that later igneous activity was of primary importance in origin of uranium ore deposits: 499; geology of ore-bearing formations: 499. mineralogical examination of clay samples from Colorado and Utah by: microscopic examination: 499; petrographic examination: 499; X-ray examination: 499; origin of deposits: 499; petrography: 499; presence of volcanic debris altered to clays: 499; processes involved in ore deposition: 499; relation of uranium ore to clays: 499; relation of uranium ore to fossil wood: 499; structure: 499; suggestions for future work on deposits along geologic, chemical, and physical lines: 499.
Work of small scale operators: 431.
Uranium Ore Guides—
Geobotanical Guides—
General; absorption of ore elements by plants: 409; anomalous growth habits in plants: 409; effect of chemical environment on plant growth near ore deposits: 409; general indicator plants; 409; plants shown by analyses to have absorbed uranium: 409; selenium-indicator plants: 409; sulfur-indicator plants: 409.
Geologic Guides—
Bleaching of mudstone: Chinle formation overlying major deposits in Shinarump is bleached to olive-green and serves as a guide to areas in which ore bodies may be found and not to ore bodies themselves as shown at Happy Jack mine, Utah: 481; where bleached band of mudstone below Shinarump formation and Salt Wash member of Morrison formation is over one foot thick, in either drill holes or on outcrops, it may be a useful ore guide or indicate strong flows of solutions that may have formed ore deposits: 481.
Bleaching of sandstone: chemical changes cause bleaching of color of sandstone, especially in portions surrounding mineralized areas, where bleached zone forms halo around ore bodies: 481; effective ore guide in La Sal Mts., and Abajo Mts., Utah: 481; one of best guides for some areas in the Salt Wash member of the Morrison formation: 481; not a useful guide where entire formation is bleached and color changes are undetectable, as in Henry Mts., Utah, and Carrizo Mts., Arizona: 481.
Etched and corroded sand grains: this guide has little application since such grains are as difficult to locate as ore itself since they accompany the ore: 481.
Geologic guides to carnotite deposits: altered mudstone association with ore-bearing sandstone: 501; presence of abundant carbonaceous material in ore-bearing sandstone: 501; thickness and color of ore-bearing sandstone: 501; numerical evaluation of individual guides: 501.
Guides attributed to post-sedimentation processes: bleaching of mudstone adjacent to sandstone lenses: 481; bleaching of sandstone: 481; bleaching of sandstone: 481; etched and corroded sand grains: 481; presence of bleached mudstone pebbles in sandstone lenses: 481; presence of yellow iron-oxide stains: 481; proximity of ore: 481; relation to mountain masses and large folds: 481; this group more useful to prospector than guides attributed to process of sedimentation and of equal use to geologist directing exploratory drilling of uranium ores: 481.
Guides attributed to process of sedimentation: interfingering of mudstone and sandstone lenses: 481; presence of carbonaceous material: 481; presence of fossil stream channels: 481; thickening of sandstone lenses: 481; this group not as useful to prospector as guides attributed to post-sedimentation processes but of equal use to geologist directing exploratory drilling of uranium ore: 481.
Interfingering of mudstone and sandstone lenses: Salt Wash member of Morrison formation becomes muddier farther from its source in central Utah and rich Lukachukai Mts. uranium deposits in Arizona occur where facies change: 481.
Ore-bearing formations: Entrada sandstone: 481; recognition of such formations: 481; Salt Wash member of Morrison formation: 481; Shinarump formation: 481; substitute ore-bearing horizons where usual formations are absent, such as Todilto limestone for Salt Wash member of Morrison formation at Grants, New Mexico, Recapture shales for Salt Wash member of Morrison formation near Sanastee, New Mexico, and at base of Chinle formation and at horizon occupied, usually, by Shinarump formation at Seven Mile Canyon, Utah: 481.
Ore criteria: White Canyon, Utah: 401.
Presence of bleached mudstone pebbles in the sandstone lenses: if mudstone pebbles are red, area is unfavorable for ore:

COLORADO PLATEAU (contd.)
481; if mudstone pebbles are bleached, ore may or may not be present, so this is an unreliable guide to ore: 481.
Presence of carbonaceous material: uranium deposits in both Shinarump formation and in Salt Wash member of Morrison formation tend to accumulate around contained carbonaceous matter whenever the latter is present, but this guide usually is revealed only during mining progress: 481.
Presence of fossil stream channels: Shinarump formation, but not all uranium occurs in channels nor do all channels contain uranium ore: 481; uranium occurs in channels in Shinarump formation at Happy Jack mine, Utah, and in Monument Valley, Utah and Arizona, in the Monument Nos. 1 and 2, Skyline, and Whirlwind mines: 481; Salt Wash member of Morrison formation, some but not all uranium ore in channels, which are ill-defined in this formation: 481.
Presence of limonite or brown rust stains: good ore guide in vicinity of Henry Mts., Utah, and Carrizo Mts., Arizona, where limonite-stained areas may contain ore: 481; where sufficient iron is present to stain outcrops, presence of limonite flecks or pyrite crystals in drill-hole cores is good ore guide: 481.
Proximity of ore: drilling recommended where ore is exposed on opposite sides of rim of mesa: 481; drilling should be done directly behind exposure if ore is exposed only on one rim: 481; infrequent ore exposures should suggest drilling only in strip bounded by limits of ore exposures on rim of mesa: 481; where no mineralization appears on the rim of a mesa, drilling is not recommended regardless of other possibly favorable guides: 481.
Proximity to major tectonic structures: mountain masses with exposed cores of crystalline igneous rock, intruded during Tertiary, and ore deposits forming haloes around the mountain groups at distances proportional to the mass of the mountains:
Abajo Mts., Utah: 481;
Henry Mts., Utah: 481;
La Sal Mts., Utah: 481.
Second type of geologic structure includes large anticlines and domes on which igneous rocks are not exposed, except for a few dikes and volcanic plugs, and ore occurs as isolated bodies at irregular intervals from crest of structure outward to base of its flanks:
Coal Creek anticline, Colorado: 481;
Cane Creek anticline, Utah: 481;
Monument Valley uplift and Elk Ridge anticline, Utah and Arizona: 481;
San Rafael Swell, Utah: 481;
Spanish Valley anticline, NW faulted segment, Utah: 481;
Upheaval Dome, Utah: 481;
Waterpocket fold, Utah: 481.
Thickening of sandstone lenses: all large uranium ore deposits in Salt Wash member of Morrison formation occur in thicker parts of sandstone lenses: 481.
Types of uranium ores: uranium-copper ores: 481; uranium-hydrocarbon or thucholite ores: 481; uranium-vanadium ores: 481; uranium in limestone deposits: 481.
Uranium Prices—
Minimum prices: 187, 430.
U.S.A.E.C. Bonus: 2, 53, 90, 163, 187, 219, 411, 430, 441, 497.
U.S.A.E.C.'s buying schedule and policies for carnotite ore: 441.
Uranium Processes—
Carnotite ore formerly processed in mills at Denver or in the East: 407.
Climax Uranium Co. operations: Grand Junction, Colorado, uranium mill: 431, 497, 557.
Colorado: Standard Chemical Co. formerly operated 50-ton mill on Lower San Miguel River for treating carnotite ore: 407.
Galigher Co. operations (for U.S.A.E.C.): Monticello, Utah, uranium mill: 413, 431, 497, 557.
Qualified Uranium Mills—
General: uranium mills: 430.
Durango, Colorado: V.C.A. uranium mill: 413, 431, 497, 557.
Grand Junction, Colorado: Climax Uranium Co. uranium mill: 431, 497, 557.
Naturita, Colorado: V.C.A. uranium mill: 413, 431, 497, 557.
Rifle, Colorado: U. S. Vanadium Co. uranium mill: 413, 431, 497.
Uravan, Colorado: U. S. Vanadium Co. uranium mill: 413, 431, 497, 557.
Hite, Utah: V.C.A. uranium mill: 497, 557.
Monticello, Utah: Galigher Co. (for U.S.A.E.C.) uranium mill: 413, 431, 497, 557.
Salt Lake City, Utah: Vitro Chemical Co. uranium mill: 497, 557.
Thompsons, Utah: U. S. Vanadium Co. uranium ore sampling plant: 497.
U.S.A.E.C. owned operations: plants at Durango, Colorado and Monticello, Utah: 413.
U. S. Vanadium Co. operations: Rifle and Uravan, Colorado, uranium mills: 413, 431, 557; activities: owns and operates uranium mills at Rifle and Uravan, Colorado, and a sampling plant at Thompsons, Utah: 497.
Vanadium Corporation of America (V.C.A.) operations: Durango and Naturita, Colorado, and Hite, Utah, uranium mills: 413, 431, 497, 557.
Vitro Chemical Co. operations: Salt Lake City, Utah, uranium mill: 497, 557.
Uranium Production—
F. A. Sitton operations: work at Radium-Sitton area W of Egnar, Colorado: 413.
Minerals Engineering Co. operations: mine operating on Arrowhead group, Calamity area, Colorado: 413; work on Cactus Rat group, Thompsons, Utah: 413; work at

Legin group, Slick Rock area, Colorado: 413.
U.S.A.E.C. Bonus, Increased by: 163.
U.S.A.E.C. program: assistance to prospectors and mining companies: 497; bonuses: 497; road building: 497.
U. S. Vanadium Co. operations: extensive exploration program being carried out throughout entire Colorado Plateau: 497; 40 mining operations on lease to small operators: 413; 50 active agreements with mine contractors to work its property; purchases ore from 90 independent contractors: 557; owns mines in many counties in Colorado and Utah and has about 50 active agreements with mining contractors to work properties: 497.
Uranium Production—
U. S. Vanadium Co operations: owns and operates two uranium mills at Rifle and Uravan, Colorado and a uranium ore sampling plant at Thompsons, Utah: 413, 497; Rifle, Colorado uranium mill: 413; Uravan, Colorado, uranium mill: 413; Thompsons, Utah, uranium ore sampling plant: 413.
Vanadium Corporation of America (V.C.A.) operations: Durango, Colorado, uranium mill: 413; Naturita, Colorado, uranium mill: 413; Hite, Utah, small uranium mill: 413.
Colorado
Carnotite Occurrences—
General: deposits in Morrison formation stratigraphically controlled: 443.
Carnotite Production—
Southwest part—
General: total carnotite ore production, including 1919 approximately 29,000 t. averaging 1.90% U_3O_8 and 5.80% V_2O_5; 407; radium, vanadium, uranium produced in 1919 valued at over five and one-half million: 407.
Radium Co. of Colorado: formerly produced 10% of carnotite ore: 407.
Radium Luminous Materials Corp.: formerly produced 8% of carnotite ore: 407.
Standard Chemical Co.: formerly largest operator in area; produced 75% of carnotite ore: 407.
Geophysical Exploration (Airborne)—
Club Mesa, Montrose Co.: first low-altitude operation; done by Texas Co. in 1950: 494.
Long Park, Montrose Co.: first low-altitude operation: done by Texas Co. in 1950: 494.
Uranium Exploration—
Geophysical Exploration (Airborne)—
Club Mesa, Montrose Co.: first low-altitude operation; done by Texas Co. in 1950: 494.
Long Park, Montrose Co.: first low-altitude operation; done by Texas Co. in 1950: 494.
Uranium Occurrences—
General: carnotite deposits stratigraphically controlled in Morrison formation: 443.
Bedded uranium deposits in Morrison formation: map showing: 486.
Bedded uranium deposits in Navajo sandstone or San Rafael group: map showing: 486.
Bedded uranium deposits in pre-Navajo formations: map showing: 486.
Metalliferous vein deposits of uranium: map showing: 486.
Uranium Production—
Southwest part—
General: total carnotite ore production, including 1919 approximately 29,000 t. averaging 1.90% U_3O_8 and 5.80% V_2O_5: 407; radium, vanadium, uranium produced in 1919 valued at over five and one-half million: 407.
Radium Co. of Colorado: formerly produced 10% of carnotite ore: 407.
Radium Luminous Materials Corp.: formerly produced 8% of carnotite ore: 407.
Standard Chemical Co.: formerly largest operator in area; produced 75% of carnotite ore: 407.
Utah
Geophysical Exploration (Airborne)—
Blanding, San Juan County: first low-altitude operations: 494.
Cataract Canyon, San Juan County: airborne survey by Excalibur Uranium Corp.: 494.
Green River desert near Moab, Grand County: airborne survey by Excalibur Uranium Corp.: 494.
Henry Mts. and adjacent Green River desert, Garfield Co.: airborne survey by J. R. Simplot Co. in 1951: 494.
Red Canyon district, San Juan County: airborne survey by Anaconda Mining Co. cooperating with Rigg Aviation Service in 1951: 494.
Uranium Occurrences—
Bedded uranium deposits in Morrison formation: map showing: 486.
Bedded uranium deposits in Navajo sandstone or San Rafael group: map showing: 486.
Bedded uranium deposits in post-Morrison formations: map showing: 486.
Bedded uranium deposits in pre-Navajo formations: map showing: 486.
Metalliferous vein deposits of uranium: map showing: 486.
Uranium Exploration—
Geophysical Exploration (Airborne)—
Blanding, San Juan County: first low-altitude operations; done by Texas Co. in 1950: 494.
Cataract Canyon, San Juan County: airborne survey by Excalibur Uranium Corp.: 494.
Green River desert near Moab, Grand County: airborne survey by Excalibur Uranium Corp.: 494.
Henry Mts. and adjacent Green River desert, Garfield Co.: airborne survey by J. R. Simplot Co. in 1951: 494.
Red Canyon district, San Juan County: airborne survey by Anaconda Mining Co. cooperating with Rigg Aviation Service in 1951: 494.

COLORADO PLATEAU (contd.)
Carnotite Occurrences
See under General and individual state names and under Index III, Carnotite Occurrences —Colorado Plateau: 20, 22, 63, 405, 407, 431, 440, 441, 443, 444, 457, 501, 509.
Carnotite Processes
See under General and individual state names and under Index III, Carnotite Processes—Colorado Plateau: 407.
Carnotite Production
See under General and individual state names and under Index III, Carnotite Production—Colorado Plateau: 407, 457.
Geophysical Exploration
See under General and individual state names and under Index III, Geophysical Exploration (Airborne)—Colorado Plateau: 494; (Ground)—Colorado Plateau: 498.
Origin of Carnotite Occurrences
See under General and individual state names and under Index III, Origin—Carnotite Occurrences—Colorado Plateau: 13, 22, 407, 431, 444.
Origin of Uranium Occurrences
See under General and individual state names and under Index III, Origin–Uranium Occurrences—Colorado Plateau: 13, 22, 407, 431, 444, 499.
Pitchblende Occurrences
See under General and individual state names and under Index III, Pitchblende Occurrences—Colorado Plateau: 485.
Uranium Bonuses
See under General and individual state names and under Index III, Uranium Bonuses—Colorado Plateau: 2, 53, 90, 163, 187, 219, 411, 430, 441, 497.
Uranium Development
See under General and individual state names and under Index III, Uranium Development —Colorado Plateau: 73, 413, 430, 441.
Uranium Exploration
See under General and individual state names and under Index III, Uranium Exploration —Colorado Plateau: 18, 154, 394, 409, 413, 494, 498, 501.
Uranium Mining
See under General and individual state names and under Index III, Uranium Mining—Colorado Plateau: 431.
Uranium Occurrences
See under General and individual state names and under Index III, Uranium Occurrences —Colorado Plateau: 20, 22, 48, 62, 63, 267, 405, 407, 409, 411, 430, 431, 440, 441, 443, 444, 455, 457, 485, 486, 492, 493, 497, 499, 501, 509.
Uranium Ore Guides
See under General and individual state names and under Index III, Uranium Ore Guides—Colorado Plateau: 481, 501.
Uranium Prices
See under General and individual state names and under Index III, Uranium Prices—Colorado Plateau: 2, 53, 90, 163, 187, 219, 411, 430, 441, 497.
Uranium Processes
See under General and individual state names and under Index III, Uranium Processes—Colorado Plateau: 407, 413, 430, 431, 497, 557.
Uranium Production
See under General and individual state names and under Index III, Uranium Production—Colorado Plateau: 163, 407, 413, 497, 557.
Uranium Prospecting
See Uranium Exploration under General and individual state names and under Index III, Uranium Exploration—Colorado Plateau.

NAVAJO INDIAN RESERVATION
General
Uranium Exploration—
Navajo finders can claim ore: 77.
U.S.A.E.C. Training Program for Indians: 77.
Uranium Mining—
New regulations for non-Indians: 186.
Uranium Occurrences—
Arizona, New Mexico, Utah: carnotite: 161.
Utah: Navajos may reassign uranium mining rights: 178.

UNITED STATES
General
Carnotite Occurrences—
Origin: sedimentary deposits of carnotite: 459.
Sedimentary deposits of carnotite: geology: 459; origin: 459; production: 459; utilization: 459.
Carnotite Processes—
Navajo Indian Reservation ore: to be treated at White Canyon District, Utah, pilot treatment plant: 140; to be treated at Durango, Colorado, plant, rehabilitated by V.C.A.: 140.
Carnotite Production—
Carnotite: ores and concentrates shipped from U. S. mines from 1932–1941: 457.
Land Withdrawals—
Colorado: 90; land withdrawn in Montrose County for U.S.A.E.C. use: 555.
Utah: 90; 66 sq. mi. of land in Grand County withdrawn for U.S.A.E.C. use: 542.
Radium Production—
Carnotite: ores from Colorado and Utah, 202 g. radium, from 1913–1923: 415.
Colorado: carnotite ores processed in Europe: 7.
Utah: carnotite ores processed in Europe: 7.
Uranium Bonus—
U.S.A.E.C. Bonus: 2, 53, 90, 163, 187, 219, 411, 430, 441, 497.
Uranium Development—
U.S.A.E.C. uranium development program on Colorado Plateau: 441.
U.S.A.E.C. bonuses: 441.
U.S.A.E.C.'s buying schedule and policies for carnotite ore deposits: 441.
U.S.A.E.C. uranium prices: 441.
Mining operations: carried out by private mining companies including U. S. Vanadium Co., V.C.A., Climax Molybdenum Co., Jones and Laughlin Ore Co., Sunshine Mining Co., Newmont Mining Co., American Smelting and Refining Co., Golden Cycle Corp., and other smaller operators: 441.

Uranium Exploration—
Colorado Plateau: diamond drilling: 154.
Suggestions for prospecting work: 63.
U.S.A.E.C. exploration program: 267; U.S.G.S. participation: 405.
Uranium Imports—
General: for 1910: 330; for 1911: 330; figures for 1937–1946 for imports from Belgian Congo, Canada, Germany, and the United Kingdom: 457.
Uranium Occurrences—
General: 53, 90, 102, 267, 411.
Colorado Plateau: carnotite deposits: 62, 120, 430; carnotite deposits in Salt Wash and Entrada formations: 63.
Copper-uranium deposits: southwest part: 21.
Low Grade Uranium Deposits:
Black Shales: 267.
Phosphates: 267.
Maps showing locations and types of uranium deposits: 426, 443, 455, 486, 493, 504, 509.
Origin:
Sedimentary deposits of carnotite: 459.
Sedimentary uranium deposits: 34.
Sedimentary deposits of carnotite: geology: 459; origin: 459; production: 459; utilization: 459.
Sedimentary uranium deposits: geology: 34; mineralogy: 34; origin: 34.
Southwest part: copper-uranium deposits: 21.
Uranium Prices—
General: 53.
Minimum prices guaranteed: 2, 187, 219, 457.
Navajo Indian Reservation carnotite ore: percentage to Navajo owners: 140.
U.S.A.E.C. Bonus: 2, 53, 90, 163, 187, 219, 411, 430, 441, 497.
Uranium Processes—
Colorado: five qualified uranium mills: 53.
Navajo Indian Reservation carnotite ore: treated at Durango, Colorado, mill operated by V.C.A.: 140; treated at White Canyon District, Utah, pilot treatment plant: 140.
Utah: three qualified uranium mills: 53.
Uranium Production—
General: ranks second in world production: 73; for 1911: 330.
Carnotite: ores and concentrates shipped from U. S. mines from 1932–1941: 457; ores from Colorado and Utah, 2 million lbs. U_3O_8, 202 g. radium, from 1913–1923: 415.
Colorado: carnotite: 7; carnotite, pitchblende: 397.
Colorado Plateau: carnotite, tyuyamunite, produced most of 1913 tonnage: 398.
Quartz Hill, Colorado: pitchblende: 398.
U.S.A.E.C. Bonus: Utah, 3 eligible claims: 544.
U.S.A.E.C. Bonus as incentive: Colorado Plateau: 53, 163.
Utah: carnotite: 7, 397.
Uranium Utilization—
General: 457.

Carnotite Processes
See under General and individual state names and under Index III, Carnotite Processes—United States: 140.
Carnotite Production
See under General and individual state names and under Index III, Carnotite Production—United States: 457.
Land Withdrawals
See under General and individual state names and under Index III, Land Withdrawals—United States: 90, 542, 555.
Origin of Carnotite Occurrences
See under General and individual state names and under Index III, Origin—Carnotite Occurrences—United States: 459.
Origin of Uranium Occurrences
See under General and individual state names and under Index III, Origin—Uranium Occurrences—United States: 34, 459.
Radium Production
See under General and individual state names and under Index III, Radium Production—United States: 7, 415.
Uranium Bonus
See under General and individual state names and under Index III, Uranium Bonus—United States: 2, 53, 90, 163, 187, 219, 411, 430, 441, 497.
Uranium Development
See under General and individual state names and under Index III, Uranium Development—United States: 441.
Uranium Exploration
See under General and individual state names and under Index III, Uranium Exploration—United States: 63, 154, 267, 405.
Uranium Imports
See under General and individual state names and under Index III, Uranium Imports—United States: 330, 457.
Uranium Occurrences
See under General and individual state names and under Index III, Uranium Occurrences—United States: 21, 34, 53, 62, 63, 90, 102, 267, 411, 426, 430, 443, 455, 459, 486, 493, 504, 509.
Uranium Prices
See under General and individual state names and under Index III, Uranium Prices—United States: 2, 53, 90, 140, 163, 187, 219, 411, 430, 441, 457, 497.
Uranium Processes
See under General and individual state names and under Index III, Uranium Processes—United States: 53, 140.
Uranium Production
See under General and individual state names and under Index III, Uranium Production—United States: 7, 53, 73, 163, 330, 397, 398, 415, 457, 544.
Uranium Prospecting
See Uranium Exploration under General and individual state names and under Index III, Uranium Exploration—United States: 63, 154, 267, 405.
Uranium Utilization
See under General and individual state names and under Index III, Uranium Utilization—United States: 457.

UTAH

General

Asphaltites, Uranium-bearing—
General: 436.
Biogeochemical research: 409.
Carbonaceous Shales, Uranium-bearing—
Deseret limestone (black shale and phosphatic zone at base): possible uranium source: 462.
Mississippian Brazer limestone (phosphatic portion): possible uranium source: 462.
Swan Peak quartzite (phosphatic portion): possible uranium source: 462.
Carnotite Occurrences—
General: 1, 7, 86; in sandstone: 46.
Morrison formation: 22.
Origin: 13, 22; probably syngenetic in Shinarump conglomerate and at Silver Reef: 415.
Shinarump conglomerate: 22.
Specimens: results of extraction processes: 419.
Fluorite, Uranium-bearing—
General: 95.
Geobotanical research: 409.
Geochemical research: 409.
Geophysical research: 494.
Land Withdrawals—
Public Land Order 494: land at Salt Lake Meridian withdrawn for U.S.A.E.C. use: 90.
Public Land Order 565: land at Salt Lake Meridian withdrawn for U.S.A.E.C. use: 90.
Public Land Order 745: 66 sq. mi. in Grand Co. withdrawn for U.S.A.E.C. use: 542.
Limestones, Uranium-bearing—
General: 27.
Northeast part: uranium, possibly of syngenetic origin, in Uintah formation: 426.
Phosphates, Uranium-bearing—
Low grade uranium ores: 306.
Prospectors' Guides—
Uranium: 90.
Radium Production—
General: carnotite, processed in Europe: 7; 1913–1923; 415.
Thorium Occurrences—
General: 12, 25.
Uranium Exploration—
General: 90.
Biogeochemical prospecting: 409.
Drilling methods: 18, 154.
Drilling Programs:
U.S.A.E.C. (by private contractors), methods and results: 18.
U.S.B.M., methods and results: 18.
U.S.G.S., methods and results: 18.
Geobotanical prospecting: 409.
Geochemical prospecting: 409.
Geophysical exploration: airborne: 494.
Land Withdrawals:
Public Land Order 494: land at Salt Lake Meridian withdrawn for U.S.A.E.C. use: 90.
Public Land Order 565: land at Salt Lake Meridian withdrawn for U.S.A.E.C. use: 90.
Public Land Order 745: 66 sq. mi. in Grand Co. withdrawn for U.S.A.E.C. use: 542.
Uranium Occurrences—
General: 12, 13, 25, 48, 118, 395.
Carbonaceous Shales, Uranium-bearing:
Deseret limestone (black shale and phosphatic zone at base): possible uranium source: 462.
Mississippian Brazer limestone (phosphatic portion): possible uranium source: 462.
Swan Peak quartzite (phosphatic portion): possible uranium source: 462.
Carnotite: 1, 7, 86; in sandstone: 46; results of extraction processes: 419.
Colorado Plateau: 411.
Deseret limestone (black shale and phosphatic zone at base): possible uranium source: 462.
Fluorite, Uranium-bearing, Occurrences:
General: 95.
Limestones, Uranium-bearing, Occurrences—
General: 27.
Maps showing locations and types of uranium deposits: 426, 443, 455, 486, 493, 504, 509.
Mississippian Brazer limestone (phosphatic portion): possible uranium source: 462.
Morrison formation: carnotite: 22.
Northeast part: uranium, possibly of syngenetic origin, in freshwater limestone of Uintah formation: 426.
Origin: carnotite: 13, 22; carnotite in Shinarump conglomerate at Silver Reef, probably syngenetic in origin: 415; uranium-bearing deposits in the Salt Wash sandstone and Brushy Basin shale members of Morrison formation, Shinarump conglomerate, and Chinle formation, which also contain volcanic debris altered to clays: 499.
Phosphates, Uranium-bearing:
Phosphate deposits: low grade uranium ores: 306.
Shinarump conglomerate: carnotite: 22.
Swan Peak quartzite (phosphatic portion): possible uranium source: 462.
Types:
Carnotite in sandstone deposits: 62.
Copper-uranium deposits: 62.
Hydrothermal vein deposits: 62.
Volcanic Debris in Uraniferous Sandstone:
Characteristics of deposits: 499.
Evidence indicates volcanism occurred during and just after the time the host rocks were accumulating but that later igneous activity was of primary importance in origin of uranium ore deposits: 499.
Geology of ore-bearing formation: 499.
Mineralogical examination of clay samples from Colorado and Utah by: microscopic examination: 499; petrographic examination: 499; X-ray examination: 499.
Origin of deposits: 499.
Petrography: 499.
Presence of volcanic debris altered to clays: 499.
Processes involved in ore deposition: 499.
Relation of uranium ore to clays: 499.
Relation of uranium ore to fossil wood: 499.
Structure: 499.
Suggestions for future work on deposits along geologic, chemical, and physical lines: 499.

Uranium-bearing deposits in Colorado and Utah in the Salt Wash sandstone and Brushy Basin shale members of Morrison formation, Shinarump conglomerate, and Chinle formation, which also contain volcanic debris altered to clays: 499.
Uranium Ore Guides—
Geobotanical Guides—
General indicator plants: Marysvale, Temple Mt., Thompsons: 409.
Selenium-indicator plants: Marysvale, Temple Mt., Thompsons: 409.
Sulfur-selenium indicator plants: Marysvale, Temple Mt., Thompsons: 409.
Geologic Guides—
Associated black or purple fluorite: Marysvale: 451.
Bleaching of mudstone: in Chinle formation bleaching to olive-green color serves as guide to areas in which ore bodies may be found and not to ore bodies themselves, as shown at Happy Jack mine: 481.
Bleaching of sandstone: Abajo Mts.: 481; La Sal Mts.: 481; especially useful in certain areas of Salt Wash member of Morrison formation: 481.
Clay zones (argillic alteration): Marysvale: 451.
Interfingering of mudstone and sandstone lenses: Salt Wash member of Morrison formation becomes muddier farther from its source in central part of state: 481.
Iron-staining in uranium-bearing veins: Marysvale: 451.
Ore criteria: White Canyon: 401.
Presence of fossil stream channels: Happy Jack mine in Shinarump formation: 481; Monument Valley in Shinarump formation: 481; White Canyon: 401, 466.
Presence of limonite or brown rust stains: good ore guide in Henry Mts.: 481.
Proximity to major tectonic structures: mountain masses with exposed cores of crystalline igneous rock, intruded during Tertiary, and ore deposits forming haloes around the mountain groups at distances proportional to the mass of the mountains:
Abajo Mts.: 481.
Henry Mts.: 481.
La Sal Mts.: 481.
second type of geologic structure includes large anticlines and domes on which igneous rocks are not exposed, except for a few dikes and volcanic plugs, and ore occurs as isolated bodies at irregular intervals from crest of structure outward to base of its flanks:
Cane Creek anticline: 481.
Elk Ridge anticline: 481.
Monument Valley uplift: 481.
San Rafael Swell: 481.
Spanish Valley anticline, NW faulted segment: 481.
Upheaval dome: 481.
Waterpocket fold: 481.
Radioactive anomalies: Marysvale: 451.
Rock alteration: Marysvale: 451.
Uranium Processes—
General: three uranium mills in operation: 53.
Qualified Uranium Mills—
Hite: V.C.A. uranium mill: 497.
Monticello: Galigher Co. uranium mill (for U.S.A.E.C.): 497; capacity of 100 t. daily reported in 1946: 440.
Salt Lake City: Vitro Chemical Co. uranium mill: 497.
Uranium ore sampling plant at Thompsons: owned and operated by U.S. Vanadium Co.: 497.
Uranium treatment plants: Cottonwood, formerly owned by Blanding Mines Co., capacity 20 t. daily reported in 1946: 440.
Uranium Production—
General: 459.
Carnotite: 7; ores from Colorado and Utah, 202 g. radium, 2 million lbs. U_3O_8, from 1913–1923: 415.
Three claims: eligible for U.S.A.E.C. Bonus: 544.
Asphaltites, Uranium-bearing
See under individual county names and under Index III, Asphaltites, Uranium-bearing—Utah: 21, 436, 485, 509.
Asphalts, Uranium-bearing—
See under individual county names and under Index III, Asphalts, Uranium-bearing—Utah: 20, 426, 509.
Autunite Occurrences
See under individual county names and under Index III, Autunite Occurrences—Utah: 78, 82, 267, 429, 441, 442, 451, 479, 483, 493, 495, 504, 509, 510, 522, 523, 526, 532, 547, 552.
Bayleyite Occurrences
See under individual county names and under Index III, Bayleyite Occurrences—Utah: 490.
Beaver County
Autunite Occurrences—
Indian Creek: in fluorite-quartz-sulfide deposits: 504.
Newton Mining District—
*Sniffer and Mystery claims, Indian Creek, in S. 28, T. 27 S., R. 6 W., 20 mi. W. of Marysvale on W. side Tushar Mts.: questionable occurrence with meta-torbernite (?) in argillized, silicified earlier Tertiary Bullion Canyon latite: 510.
Staats mine: with uranophane in fluorite: 504.
Fluorite, Uranium-bearing—
Indian Creek: autunite in fluorite-quartz-sulfide deposits: 504.
Staats mine: autunite, uranophane in fluorite: 504.
Meta-torbernite Occurrences—
Newton Mining District—
Sniffer and Mystery claims: questionable occurrence with autunite (?) in argillized, silicified earlier Tertiary Bullion Canyon latite: 510.
Uranium Occurrences—
Newton Mining District—
Sniffer and Mystery claims: secondary uranium minerals, autunite (?), meta-torbernite (?) in argillized, silicified

* Hereafter cited as Sniffer and Mystery claims.

UTAH (contd.)
earlier Tertiary Bullion Canyon latite: 510; geology: 510; prospecting guides: 510; samples analyzed: 510.
Staats mine: autunite, uranophane in fluorite: 504.
Uranophane Occurrences—
Staats mine: with autunite in fluorite: 504.
Becquerelite Occurrences
See under individual county names and under Index III, Becquerelite Occurrences—Utah: 401.
Beta-Uranotil Occurrences
See under individual county names and under Index III, Beta-Uranotil Occurrences—Utah: 480.
Bibliographies
Thorium Occurrences: 9.
Uranium Occurrences: 9, 10.
Box Elder County
Uranium Occurrences—
Sierra Madre Mountain: uranium: 463.
Carbon County (Colorado Plateau)
Carnotite Occurrences—
Cold (may mean Coal) Creek, 20 mi. N. of Price: 404.
Uranium Occurrences—
Cold (may mean Coal) Creek, 20 mi. N. of Price: carnotite: 404.
Carbonaceous Deposits, Uranium-bearing
See under individual county names and under Index III, Carbonaceous Deposits, Uranium-bearing—Utah: 401, 406, 483.
Carbonaceous Shales, Uranium-bearing
See under individual county names and under Index III, Carbonaceous Shales, Uranium-bearing—Utah: 462.
Carnotite Mineralogy
See under individual county names and under Index III, Carnotite Mineralogy—Utah: 438.
Carnotite Occurrences
See under individual county names and under Index III, Carnotite Occurrences—Utah: 1, 7, 22, 33, 34, 41, 46, 63, 78, 82, 86, 104, 161, 241, 396, 404, 406, 410, 415, 416, 418, 419, 425, 427, 428, 431, 433, 436, 437, 438, 440, 457, 459, 464, 470, 471, 476, 480, 493, 503, 504, 509, 511, 545.
Carnotite Processes
See under individual county names and under Index III, Carnotite Processes—Utah: 140, 408, 461.
Colorado Plateau
Carnotite Occurrences—
General: 22; deposits in Salt Wash member of Morrison formation, scattered erratically over Arizona, Colorado, New Mexico, and Utah: 431; small widely scattered deposits; U_3O_8 content 0.1 to 0.3%: 457.
Uranium Occurrences—
Bedded uranium deposits in Morrison formation: map showing: 486.
Bedded uranium deposits in Navajo sandstone or San Rafael group: map showing: 486.
Bedded uranium deposits in post-Morrison formations: map showing: 486.
Bedded uranium deposits in pre-Navajo formations: map showing: 486.
Carnotite: 22, 63; deposits in Salt Wash member of Morrison formation, scattered erratically over Arizona, Colorado, New Mexico, and Utah: 431; carnotite in small, widely scattered deposits; U_3O_8 content 0.1 to 0.3%: 467.
Geology: 431.
Government Operations: 431.
Historical development of mining program: 431.
Metalliferous vein deposits of uranium: map showing: 486.
Mining methods and operations: 431.
Origin of deposits: 431.
Work of small-scale operators: 431.
Copper-Uranium Deposits
See under individual county names and under Index III, Copper-Uranium Deposits—Utah: 20, 21, 401, 478, 490, 509.
Daggett County (Colorado Plateau)
Carnotite Occurrences—
Browns Park: 34.
Red Creek: 78.
Tyuyamunite Occurrences—
Browns Park: 434.
Red Creek: 82.
Yellow Canary claims: in fractured quartzite in vein structures: 493.
Uranium Exploration—
General: government financed: 553.
Uranium Occurrences—
General: exploration government financed: 553.
Browns Park: carnotite: 34; tyuyamunite: 434.
Red Creek: carnotite: 78; tyuyamunite: 82.
Yellow Canary claims: tyuyamunite in fractured quartzite in vein structures: 493.
Emery County (Colorado Plateau)
Asphaltites, Uranium-bearing—
San Rafael Swell—
Temple Mountain: 21; pitchblende as minute grains, 1–10 microns in diameter, in ribbon or ellipsoidlike aggregates in asphaltite: 485; uraniferous asphaltite as void fillings, rounded pellets, veinlike fillings, and detrital grains in friable sandstone lenses in Shinarump conglomerate in old stream channels: 509; secondary uranium mineral coating on asphaltite grains: 509.
Asphalts, Uranium-bearing—
San Rafael Swell: highly uraniferous asphaltic sandstone in breached anticlinal structures: 426.
Lone Tree deposit: in Triassic sandstones and conglomerates of the Shinarump and Chinle formations: 509.
Red Canyon deposit: in Triassic sandstones and conglomerates of the Shinarump and Chinle formations: 509.
Temple Mountain: 20; in Triassic sandstone and conglomerates of the Shinarump and Chinle formations: 509.
Autunite Occurrences—
San Rafael Swell: scattered claims: 483.
Carbonaceous Deposits, Uranium-bearing—
San Rafael Swell: scattered claims: 483.
Carnotite Mineralogy—
San Rafael Swell—
Temple Mountain specimen: 483.

Carnotite Occurrences—
Flat Top SW of Temple Mt.: 436.
Green River: 433, 511; specimens: concentration process results: 418; specimens: mineralogy: 418.
San Rafael Swell: 41, 63, 404, 410, 425, 436, 459; 18 mi. W of Green River: 78; with tyuyamunite: 82; near Tidwell: 433.
San Rafael Mining District: 241.
Temple Mountain: 416, 425, 436, 438; as coating on asphaltite pellets: 509; derived from asphalt, which may be thucholite in this area: 509; S of Green River: 545.
Temple Rock: 34, 78, with tyuyamunite: 82.
South Temple Wash: 82.
Table Mountain: 511.
Wildhorse Canyon: 404, 433.
Copper-Uranium Deposits—
San Rafael Swell—
Green Vein group: 21.
Pay Day claim: 21.
Pitchblende Occurrences—
San Rafael Swell—
Temple Mountain: deposits as minute grains, 1–10 microns in diameter, in ribbon or ellipsoidlike aggregates in asphaltite: 485.
Torbernite Occurrences—
San Rafael Swell—
Copper Globe deposit: with uraniferous carbonized plant fragments in copper-uranium deposit: 509.
Tyuyamunite Occurrences—
San Rafael Swell 18 mi. W of Green River: with carnotite: 82.
Temple Rock: with carnotite: 82.
Uranium Mining—
San Rafael Swell—
Temple Mountain operations by Minerals Engineering Co.: equipment similar to that used by Climax Uranium Co. at Outlaw Mesa, Colorado: 456.
Uranium Occurrences—
General: uvanite, disseminated in rocks: 2.
Flat Top SW of Temple Mt.: carnotite and other uranium minerals: 436.
Green River: carnotite: 418, 433, 511; carnotite; concentration process results: 418; carnotite; mineralogy: 418.
San Rafael Swell:
carnotite: 41, 63, 404, 410, 425, 459; carnotite and other uranium minerals: 436; general: 483; geography: 483; highly uraniferous asphaltic sandstone in breached anticlinal structures: 426; mineralogy: 483; mining history: 483; regional and economic geology: 483; uranium in isolated orebodies on large anticlines and domes: 481; 18 mi. W of Green River: carnotite: 78; tyuyamunite: 82; near Tidwell: carnotite: 433.
Clifford Smith claim on NW side of mesa S of San Rafael River Bridge: moderate radioactivity: 483.
Copper Globe deposit: torbernite and uraniferous carbonized plant fragments in copper-uranium deposit: 509.
Dalton group SW of Hard Pan group: autunite and asphalt seams: 483.
Dexter group SW of Dalton group on point of mesa: uranium with asphalt pellets and carbonized twigs: 483.
Dirty Devil group, 15 claims covering butte beside Muddy River: uranium, vanadium: 483.
Dolly group, 4 claims, along N side of Family Butte: insignificant radioactivity: 483.
Gardell Snow's claim N side of small butte E of Family Butte: uranium in carbonaceous material: 483.
Green Vein group: copper-uranium deposit: 21.
Hard Pan group, adjoins Lone Tree group: uranium with carbonized wood (tree limbs): 483.
Hertz No. 1 claim along E side of mesa N of Family Butte: uranium in asphaltic sandstone: 483.
Lone Tree deposit: uraniferous asphalt in Triassic sandstones and conglomerates of the Shinarump and Chinle formations: 509.
Lone Tree group, 3 mi. SW of San Rafael River Bridge: autunite (?) seam carrying U_3O_8: 483.
Pay Day claim: copper-uranium deposit: 21.
Green Vein group, and Brown Throne group, 30 claims on a mesa 2 mi. N of Family Butte: three claims developed show uranium, vanadium, and some association with copper: 483.
Red Canyon deposit: uraniferous asphalt in Triassic sandstone and conglomerates of the Shinarump and Chinle formations: 509.
San Rafael Mining District: carnotite: 241.
South Fork group, 3 claims N side of Family Butte: no appreciable radioactivity: 483.
Temple Mountain: carnotite: 425, 438; carnotite and other uranium minerals: 436; carnotite derived from asphalt, which may be thucholite in this area: 509; carnotite, zippeite, and other secondary uranium and vanadium minerals coating asphaltite grains: 509; Consolidated Uranium Mines, Inc., claims: drilling operations: 550; uranium in Shinarump conglomerate: 550; uranium production: 550; uranium ore shipments: 550; pitchblende as minute grains, 1–10 microns in diameter, in ribbon or ellipsoidlike aggregates in asphaltites: 485; uraniferous asphaltite as void fillings, rounded pellets, veinlike fillings, and detrital grains in friable sandstone lenses in Shinarump conglomerate in old stream channels: 509; uraniferous asphalt in Triassic sandstones and conglomerates of the Shinarump and Chinle formations: 509; uranium in asphaltite: 21; uranium in large mine in Shinarump formations but not in channel deposit: 481; uranium minerals: 416, 434; uranium-bearing asphalts: 20; S of Green River: carnotite: 545.
Temple Rock: carnotite: 34, 78; tyuyamu-

UTAH (contd.)
nite: 82; uranium ore in Shinarump conglomerate: 415.
Wickiup group, 19 claims, in Block Mt.: slight radioactivity: 483.
South Temple Wash: carnotite: 82.
Table Mountain: carnotite: 511.
Wildhorse Canyon: carnotite: 404, 433.
Uranium Ore Guides—
Geobotanical Guides—
Temple Mountain: analysis of plants growing on uranium-bearing rocks and soils and showing uranium content in ppm. along with vanadium, selenium and lead content: 409; general indicator plant, *Cowania mexicana*: 409; selenium-indicator plants: 409; sulfur-indicator plants: 409.
Geologic Guides—
Proximity to major tectonic structures: second type of geologic structure includes large anticlines and domes on which igneous rocks are not exposed, except for a few dikes and volcanic plugs, and ore occurs as isolated bodies at irregular intervals from crest of structure outward to base of its flanks, as in San Rafael Swell: 481.
Uranium Production—
San Rafael Swell—
Temple Mountain, Consolidated Uranium Mines, Inc., claims: uranium ore shipments: 550.
Uvanite Occurrences—
General: 2.
Zippeite Occurrences—
San Rafael Swell—
Temple Mountain: as coating on asphaltite pellets: 509.
Fluorites, Uranium-bearing—
See under individual county names and under Index III, Fluorites, Uranium-bearing—Utah: 95, 488, 504, 522.
Garfield County (partly in Colorado Plateau)
Asphalts, Uranium-bearing—
Waterpocket fold: highly uraniferous asphaltic sandstone in breached anticlinal structures: 426.
Carbonaceous Deposits, Uranium-bearing—
Henry Mountains—
Trachyte District: carnotite-vanoxite mineralization in Salt Wash member of Morrison formation including mineralized logs and carbonaceous material: 406.
Carnotite Occurrences—
Circle Cliffs: 63; with carbonized wood and radioactive iron oxide as uranium-bearing materials in copper-uranium deposit in Triassic Shinarump conglomerate: 509.
Henry Mountains: 86, 464; E and SW flanks: 78, 82.
Crescent Creek: 78; with tyuyamunite: 82.
Trachyte Creek: 78; with tyuyamunite: 82.
Trachyte District: carnotite-vanoxite mineralization in Salt Wash member of Morrison formation: 406.
Blitz Nos. 1–7 claims owned by V.C.A.: carnotite-vanoxite mineralization in Salt Wash member of Morrison formation: 406.
June Bell Nos. 1–4 claims owned by V.C.A.: carnotite-vanoxite mineralization in Salt Wash member of Morrison formation: 406.
Minnie Pearl Nos. 1 and 2 claims: carnotite-vanoxite mineralization in Salt Wash member of Morrison formation: 406.
Straight Creek claims owned by V.C.A.: carnotite-vanoxite mineralization in Salt Wash member of Morrison formation: 406.
Trachyte Nos. 1–20 claims owned by V.C.A.: carnotite-vanoxite mineralization in Salt Wash member of Morrison formation: 406.
V.C.A. claims: carnotite-vanoxite mineralization in Salt Wash member of Morrison formation: 406.
Copper-Uranium Deposits—
Escalante-Circle Cliffs area—
Circle Cliffs: 509.
Blue Jay claim: 21.
Falling Star claims: 21.
Oak Creek prospect 17 mi. NE of Boulder: 509.
Spotted Dog claim: 509.
Geophysical Exploration (Airborne)
Green River Desert adjacent to Henry Mts.: airborne survey by J. R. Simplot Co. in 1951: 494.
Henry Mountains: airborne survey by J. R. Simplot Co. in 1951: 494.
Monazite Occurrences—
Hite: 11.
Pitchblende Occurrences—
Oak Creek prospect 17 mi. NE of Boulder: 21.
Radioactive Occurrences—
Escalante-Circle Cliffs area—
Honeybell and Farewell claims, Silver Falls Creek: slight radioactivity: 21.
Horse Creek and Hatch claims, Horse Creek: slight radioactivity: 21.
Thorium Occurrences—
Hite: monazite, trace: 11.
Torbernite Occurrences—
Oak Creek prospect: with uraniferous carbonized plant fragments in copper-uranium deposit: 509.
Spotted Dog claim: with carbonized uraniferous plant fragments in copper-uranium deposit: 509.
Tyuyamunite Occurrences—
Crescent Creek: with carnotite: 82.
Starlight claims, NE side Mt. Hillers: 434.
Trachyte Creek: with carnotite: 82.
Uranium Exploration—
Geophysical Exploration (Airborne)—
Green River desert adjacent to Henry Mts.: airborne survey by J. R. Simplot Co. in 1951: 494.
Henry Mountains: airborne survey by J. R. Simplot Co. in 1951: 494.
Uranium Occurrences—
Escalante-Circle Cliffs area—
Blue-Jay claim: copper-uranium deposit: 21.
Circle Cliffs: carnotite: 63; carnotite, carbonized wood, and radioactive iron oxide as uranium-bearing materials in

copper-uranium deposit in Triassic Shinarump conglomerate: 509; uranium leases: 528; SE of Escalante: 28 uranium claims leased by New Park Mining Co.: 529.
Dud No. 1 claim: uranium: 21.
Falling Star claims: copper-uranium deposit: 21.
Hot Shot claims: uranium: 21.
Moody claims: uranium: 21.
Waterpocket fold: highly uraniferous asphaltic sandstone in breached anticlinal structures: 426; uranium in isolated bodies on large domes and anticlines: 481.
Henry Mountains: carnotite: 86; uranium in ore deposits forming haloes around mountain masses and showing limonite and brown rust stains: 481; E and N of Henry Mts.: carnotite: 464; E and SW flanks: carnotite: 78, 82.
Crescent Creek: carnotite: 78; carnotite, tyuyamunite: 82.
Little Rockies District—
Del Monte group: good grade uranium ore but small thin pockets: 482.
Ekker mine in Shootering Canyon: good grade uranium ore: 482.
North Wash District—
S. Y. Guthrie orebody: uranium: 482.
Unnamed deposit ¾ mi.
N of Guthrie orebody: uranium: 482.
V.C.A. orebodies operated by Kay Hunt: uranium: 482.
Starlight Claims NE side of Mt. Hillers: tyuyamunite: 434.
Trachyte Creek: carnotite: 78; carnotite, tyuyamunite: 82.
Trachyte District: carnotite-vanoxite mineralization in Salt Wash member of Morrison formation: 406; mineralization localized along flanks of stream channelways: 406; ore grade of seven channel samples, mainly from underground workings, gave weighted averages of 0.245% U_3O_8 (chem.) and 1.307% V_2O_5: 406; orebodies include mineralized logs and carbonaceous material with ore also in surrounding sandstone: 406; ore exposures limited to rims surrounding topographic highs like Farmers Knob, John Hill, and West Knob: 406; part of property worked by Darys Ekker under oral lease from V.C.A.: 406; V.C.A. doing some mining, including exploratory wagon-drilling: 406.
Blitz Nos. 1–7 claims owned by V.C.A.: carnotite-vanoxite mineralization in Salt Wash member of Morrison formation: 406.
Farmers Knob: uranium ore exposures limited to rims surrounding topographic high: 406.
Group of mines 2 mi. E of pass between Mt. Hillers and Mt. Holmes: uranium ore of good grade, not worked: 482.
John Hill: uranium ore exposures limited to rims surrounding topographic high: 406.
June Bell Nos. 1–4 claims owned by V.C.A.: carnotite-vanoxite mineralization in Salt Wash member of Morrison formation: 406.
Minnie Pearl Nos. 1 and 2 claims: carnotite-vanoxite mineralization in Salt Wash member of Morrison formation: 406.
Straight Creek claims owned by V.C.A.: carnotite-vanoxite mineralization in Salt Wash member of Morrison formation: 406.
Trachyte Nos. 1–20 claims owned by V.C.A.: carnotite-vanoxite mineralization in Salt Wash member of Morrison formation: 406.
V.C.A. claims: carnotite-vanoxite mineralization in Salt Wash member of Morrison formation: 406.
V.C.A. orebody on Farmers Knob operated by Darys Ekker: high-grade uranium ore: 482.
West Knob: uranium ore exposures limited to rims surrounding topographic high: 406.
Oak Creek prospect 17 mi. NE of Boulder: pitchblende, etc.: 21; radioactive asphaltite pellets: 509; torbernite and uraniferous carbonized plant fragments in copper-uranium deposit: 509.
Poison Springs, at confluence of Green and Colorado Rivers: uranium claims bought by V.C.A.: 540.
Spotted Dog claim: torbernite and uraniferous carbonized plant fragments in copper-uranium deposit: 509.
Uranium Ore Guides—
Geologic Guides—
Presence of limonite or brown rust stains: Henry Mts.: 481.
Proximity to major tectonic structures: mountain masses with exposed cores of crystalline igneous rock, intruded during Tertiary, and ore deposits forming haloes around the mountain groups at distances proportional to the mass of the mountains, as in Henry Mts.: 481; second type of geologic structure includes large anticlines and domes on which igneous rocks are not exposed except for a few dikes and volcanic plugs, and ore occurs as isolated bodies at irregular intervals from crest of structure outward to base of its flanks, as in Waterpocket fold: 481.
Uranium Production—
Henry Mountains: from scattered claims: 482.
Geophysical Exploration (Airborne)
See under individual county names and under Index III, Geophysical Exploration (Airborne)—Utah: 494.
Grand County (Colorado Plateau)
Carnotite Occurrences—
General: 471.
Corvusite Nos. 1, 2, and 3 claims: on E slope of La Sal Mts.: carnotite in rolls, drilled by U.S.B.M., and showing from less than 0.05 to 1.12% U_3O_8: 440.
La Sal Mts. near Moab: 33; W slope: 104.
Mill Creek on Colorado (formerly Grand) River N of Moab: 404.

UTAH (contd.)
Moab: 470, 511.
Pack Creek, La Sal Mts.: 78; with tyuyamunite: 82.
Polar Mesa
Elva M. and adjoining claims: carnotite in saucer-shaped orebody, drilled by U.S.B.M., and showing from 0.05 to 0.24% U_3O_8 in the Elva M., Elva M. No. 2, and Mary No. 2 claims: 440.
Elva M. and Imp claims: 410.
Polar Nos. 2 and 3 claims: carnotite in irregular, well-defined rolls, drilled by U.S.B.M., and showing from 0.05 to 0.10% U_3O_8: 440.
Rim Rock and Rim Rock No. 2 claims: carnotite in large, thick, low grade orebody, drilled by U.S.B.M., and showing from less than 0.05 to 0.20% U_3O_8: 440.
Radium extraction: 476.
Richardson: 41, 78, 404, 410, 416, 464, 476, 511; with tyuyamunite: 82; on Colorado River: 34.
Thompsons area: 82, 511; 22 mi. SE of: 78.
Flat Top No. 1 claim: carnotite in rolls, drilling by U.S.B.M., and showing from 0.05 to 0.67% U_3O_8: 440.
Red Vanadium group: carnotite in rolls, drilled by U.S.B.M., and showing from less than 0.05 to 0.26% U_3O_8: 440.
Thompsons Springs, 10 mi. S of: 404.
Uvanco or Yellow Jacket mine: 410.
Geophysical Exploration (Airborne)—
Green River desert near Moab: airborne survey by Excalibur Uranium Corp. in 1951: 494.
Land Withdrawals—
Public Land order 745: 66 sq. mi. withdrawn for U.S.A.E.C. use: 542.
Pitchblende Occurrences—
Seven Mile Canyon: deposits replacing wood and rimming quartz and limestone pebbles: 485.
Tyuyamunite Occurrences—
Pack Creek, La Sal Mts.: with carnotite: 82.
Richardson: 434; with carnotite: 82.
Uranium Exploration—
Drilling—
Polar Mesa: diamond drilling: 154.
Thompsons area: diamond drilling: 154.
Geophysical Exploration (Airborne)—
Green River desert near Moab: airborne survey by Excalibur Uranium Corp. in 1951: 494.
Land Withdrawals:
Public Land Order 745: 66 sq. mi. for U.S.A.E.C. use: 542.
Uranium Occurrences—
General: Carnotite: 471.
Cane Creek anticline: uranium: 481.
Corvusite Nos. 1, 2, and 3 claims on E slope of La Sal Mts.: carnotite in rolls, drilled by U.S.B.M., and showing from less than 0.05 to 1.12% U_3O_8: 440.
La Sal Mts.: uranium; bleached sandstone surrounding ore-bodies: 481; near Moab: carnotite: 33; W slope: carnotite: 104.
Mill Creek on Colorado (formerly Grand) River N of Moab: carnotite: 404.
Moab: carnotite: 511; carnotite carrying 3-4% uranium oxide: 470.
Pack Creek, La Sal Mts.: carnotite: 78; carnotite, tyuyamunite: 82.
Polar Mesa: 411.
Elva M. and adjoining claims: carnotite in saucer-shaped orebody, drilled by U.S.B.M., and showing from 0.05 to 0.24% U_3O_8 in the Elva M., Elva M. No. 2, and Mary No. 2 claims: 440.
Elva M. and Imp claims: carnotite: 410.
Polar Nos. 2 and 3 claims: carnotite in irregular, well-defined rolls, drilled by U.S.B.M., and showing from 0.05 to 0.10% U_3O_8: 440.
Rim Rock and Rim Rock No. 2 claims: carnotite in large, thick, low grade orebody, drilled by U.S.B.M., and showing from less than 0.05 to 0.20% U_3O_8: 440.
Richardson: carnotite: 41, 78, 404, 410, 464, 476, 511; carnotite, tyuyamunite: 82; carnotite, etc.: 416; tyuyamunite, etc.: 434; on Colorado River: carnotite: 34.
Seven Mile Canyon: pitchblende, replacing wood and rimming quartz and limestone pebbles: 485; uranium in Shinarump formation and at base of Chinle formation: 481.
Thompsons area—
Thompsons: carnotite: 82, 511; 22 mi. SE of: carnotite: 78.
Thompsons district, 15 mi. SE of Thompsons: biogeochemical studies of deposits through study of distribution of selenium-indicator plants of *Astragalus* group: plant distribution controlled by selenium which is associated with uranium orebodies: 409; carnotite deposits in Morrison formation: 409.
Cactus Rat group, Thompsons: Minerals Engineering Co. operations: 413.
Flat Top No. 1 claim: carnotite in rolls, drilled by U.S.B.M., and showing from 0.05–0.67% U_3O_8: 440.
Red Vanadium group: carnotite in rolls, drilled by U.S.B.M., and showing from less than 0.05 to 0.26% U_3O_8: 440.
Thompsons Springs, 10 mi. S of: carnotite 404.
Uvanco or Yellow Jacket mine: carnotite: 410.
Yellow Cat District—
Eli Malich's Lucky Day claim: eligible for U.S.A.E.C. Bonus: 544; uranium oxide, production: 544.
L.A. Sutherland's Socko claim: eligible for U.S.A.E.C. Bonus: 544; uranium oxide, production: 544.
Uranium Ore Guides—
Geobotanical Guides—
Dakota sandstone, Harley Dome: analyses of plants growing on non-mineralized rocks and soils and showing uranium content in ppm. along with vanadium, selenium, molybdenum, and lead content: 409.
Mancos shale E of Thompsons: analyses of plants growing on non-mineralized rocks and soils and showing uranium content in ppm. along with vanadium, selenium, molybdenum, and lead content: 409.
McCoy-Flattop area: analyses of plants

growing on uranium-bearing rocks and soils and showing uranium content in ppm. along with vanadium, selenium, molybdenum, and lead content: 409.
Thompsons: general-indicator plants: 409; selenium-indicator plants: 409; sulfur-indicator plants: 409; special studies of distribution of selenium-indicator plants and the distribution patterns of various species: 409.
Yellow Cat area: analyses of plants growing on uranium-bearing rocks and soils and on nonmineralized rocks and soils and showing uranium content in ppm. along with vanadium, selenium, molybdenum, and lead content: 409.
Geologic Guides—
Bleaching of sandstone: La Sal Mts.: 481.
Proximity to major tectonic structures: mountain masses with exposed cores of crystalline igneous rock, intruded during Tertiary, and ore deposits forming haloes around the mountain groups at distances proportional to the mass of the mountains, as in La Sal Mts.: 481; second type of geologic structure includes large anticlines and domes on which igneous rocks are not exposed, except for a few dikes and volcanic plugs, and ore occurs as isolated bodies at irregular intervals from crest of structure outward to base of its flanks, as in Cane Creek anticline: 481.
Uranium Processes—
Thompsons: uranium ore sampling plant owned by and operated by U.S. Vanadium Co.: 413, 497, 519.
Uranium Production—
La Sal Mts. near Moab: carnotite: 33.
Thompsons: uranium ore sampling plant owned by and operated by U.S. Vanadium Co.: 413, 497, 519.
Gummite Occurrences
See under individual county names and under Index III, Gummite Occurrences—Utah: 480.
Johannite Occurrences
See under individual county names and under Index III, Johannite Occurrences—Utah: 401, 493.
Juab County
Carnotite Occurrences—
Thomas Range: in fluorite deposits in vein structures: 493; in uraniferous fluorite pipes: 504.
Fluorite, Uranium-bearing—
Honeycomb Hills: uranium minerals as coatings on fluorite in fluorite-quartz-sulfide deposits: 504.
Thomas Range: uraniferous fluorite pipes with carnotite: 504.
Bell Hill group of claims owned by Donald, Delbert, and T.E. Searle and Harold Ruthiford and leased to G.P. Spor: fluorite sample contained 0.4% uranium: 488.
Fluorine Queen property: irregular uraniferous fluorite pipe with carnotite: 504.
Fluorite (Original Spor) Group owned by G. P. Spor: less radioactive than Bell Hill and Harrisite groups but composite chip sample assayed 0.016% eU: 488.
Harrisite claims owned by E. D. and E. T. Harris: fluorite sample contained 0.25% uranium: 488.
Thursday property: uraniferous fluorite veins: 504.
Uranium Occurrences—
Fish Springs Mining District—
Honeycomb Hills: claims owned jointly by H. P. Bertelsen, Don and Stewart Sheldon, J. W. McAfee, and Owen Bauer: 489; geology: 489; mineralogy: 489; size and grade of deposits: 489; some radioactive fluorite: 489; uranium deposits in tuffs: 489; uranium minerals as coatings on fluorite in fluorite-quartz-sulfide deposits: 504; uranium-bearing minerals first discovered in tuffs in 1950 by H. P. Bertelsen: 489; uranospinite: 493.
Spider No. 1 claim about 15 mi. W of SW end of Fish Springs Mts.: ore sample with 0.17% U: 489; samples with 0.009–0.053% eU: 489; three samples from Pit No. 3 with 0.02, 0.07, and 0.19% U: 489; uranium-bearing minerals (possibly autunite, uranophane) in tuffs: 489.
Indian Creek: autunite in fluorite-quartz-sulfide deposits: 504.
Thomas Range: carnotite in fluorite deposits in vein structures: 493; uraniferous fluorite pipes with carnotite: 504.
Bell Hill group of claims owned by Donald, Delbert, and T. E. Searle and Harold Ruthiford and leased to G. P. Spor: uranium in fluorite; sample contained 0.4% uranium: 488.
Fluorine Queen property: irregular uraniferous fluorite pipe with carnotite: 504.
Fluorite (Original Spor) Group owned by G. P. Spor: uranium in fluorite; composite chip sample assayed 0.016% eU: 488.
Harrisite claims owned by E. D. and E. T. Harris: uranium in fluorite; sample contained 0.25% uranium: 488.
Thursday property: uraniferous fluorite veins: 504.
Tintic Mining District—
Centenial Eureka mine: zeunerite: 82, 421.
Uranospinite Occurrences—
Fish Springs Mining District—
Honeycomb Hills: 493.
Zeunerite Occurrences—
Tintic Mining District—
Centennial Eureka mine: 82, 421.
Kane County (partly in Colorado Plateau)
Autunite Occurrences—
Bulloch claims near Orderville: with carnotite, torbernite, and uraniferous carbonized wood disseminated or coating pebbles or fracture surfaces in sandstones of the Cretaceous Dakota or Jurassic Summerville formations: 509.
Pahreah, 9 mi. S of: with uranospinite: 78, 82.
Carnotite Occurrences—
Bulloch claims near Orderville: autunite, torbernite, and uraniferous carbonized wood, disseminated or coating pebbles or fracture surfaces in sandstones of the

UTAH (contd.)
Cretaceous Dakota or Jurassic Summerville formations: 509.
Pahreah: 511.
Torbernite Occurrences—
Bulloch claims near Orderville: with autunite, carnotite, and uraniferous carbonized wood, disseminated or coating pebbles or fracture surfaces in sandstones of the Cretaceous Dakota or Jurassic Summerville formations: 509.
Virgin River: 82.
Uranium Occurrences—
Bulloch claims near Orderville: autunite, carnotite, torbernite, and uraniferous carbonized wood, disseminated or coating pebbles and fracture surfaces in sandstones of the Cretaceous Dakota or Jurassic Summerville formations: 509.
Pahreah: carnotite: 511; 9 mi. S of: autunite, uranospinite: 78, 82.
Paria Road claims Nos. 1–6, E of Kanab: uranium: 21.
Virgin River: torbernite: 82.
Uranospinite Occurrences—
Pahreah, 9 mi. S of: with autunite: 78, 82.
Land Withdrawals
See under individual county names and under Index III, Land Withdrawals-Utah: 90, 542.
Limestones, Uranium-bearing
See under individual county names and under Index III, Limestones, Uranium-bearing—Utah: 27, 426.
Meta-torbernite Occurrences
See under individual county names and under Index III, Meta-torbernite Occurrences—Utah: 493, 495, 510.
Monazite Occurrences
See under individual county names and under Index III, Thorium Occurrences—Utah: 11, 78, 82, 217.
Opal, Uranium-bearing
See under individual county names and under Index III, Opal, Uranium-bearing—Utah: 451.
Origin of Carnotite Occurrences
See under individual county names and under Index III, Origin—Carnotite Occurrences—Utah: 13, 22, 415, 431, 480.
Origin of Copper-Uranium Deposits
See under individual county names and under Index III, Origin—Copper-Uranium Deposits—Utah: 401, 412.
Origin of Uranium Occurrences
See under individual county names and under Index III, Origin—Uranium Occurrences—Utah: 13, 22, 401, 412, 415, 431, 451, 480, 499.
Phosphates, Uranium-bearing
See under individual county names and under Index III, Phosphates, Uranium-bearing—Utah: 306.
Phosphuranylite Occurrences
See under individual county names and under Index III, Phosphuranylite Occurrences—Utah: 401.
Pitchblende Occurrences
See under individual county names and under Index III, Pitchblende Occurrences—Utah: 21, 102, 401, 412, 429, 443, 455, 479, 485, 493, 495, 509, 532.

Piute County
Autunite Occurrences—
Marysvale area: 267, 429, 522, 526, 547; at various mines in district sometimes associated with torbernite and schroeckingerite: 451; in veins with other secondary uranium minerals and pitchblende: 493; with torbernite and uraninite: 441.
Buddy claim, Bertelson's deposit: 479.
Buddy mine: with a little pitchblende: 495.
*Bullion Monarch mine on Farmer John group of claims: 451; with pitchblende, meta-torbernite, schroeckingerite, torbernite, uranophane: 495.
Bullion Monarch Mining Co.: operations: indicated reserves of 500,000 t. with U_3O_8 content ranging from 0.7–0.26% on total tonnage; ore easily milled and reduced: 526; properties: 532, 552.
East Slope No. 2 deposit: with meta-torbernite, schroeckingerite, uranophane along face of open-cut coating fractures and joints in hornfels: 493.
Farmer John open pit, Bullion-Monarch Mining Co.: with pitchblende: 479.
Freedom lease, V.C.A.: with pitchblende: 479.
Freedom No. 1 (Seegmiller) mine: with trace of pitchblende, schroeckingerite, torbernite: 495.
**Freedom No. 2 mine on W slope of Pratt's Ridge under lease by V.C.A.: 451; with schroeckingerite, torbernite, uranophane: 495.
Papsy's Hope prospect owned by J. P. Fullmer: on fracture surfaces in altered feldspar porphyry, a part of the Bullion Canyon volcanics, with samples containing from 0.013–0.030% eU: 442; overlain by uranophane-bearing zone: 451.
Prospector lease, V.C.A.: with pitchblende: 479.
Prospector mine under lease by V.C.A.: near surface: 451; with pitchblende, torbernite, uranophane, a calcium-uranium-oxide mineral (analogue of fluorite): 495.
V.C.A. claims: 523; properties: 532.
Yellow Canary prospect: with uranophane (?): 495.
Fluorite, Uranium-bearing—
Marysvale area—
Farmer John claims: uranium mineralization with fluorite; leased by Bullion Monarch Mining Co. for fluorite mining and, later, for uranium development: 522.
Meta-torbernite Occurrences—
Marysvale area—
Bullion Monarch mine: with autunite, pitchblende, schroeckingerite, torbernite, uranophane: 495.
East Slope No. 2 deposit: with autunite, schroeckingerite, uranophane along face of open-cut coating fractures and joints in hornfels: 493.

* Hereafter cited as Bullion Monarch mine.
** Hereafter cited as Freedom No. 2 mine.

Opal, Uranium-bearing—
Marysvale area—
J. and L. alunite mine: in adit; material similar to opal but unusual green fluorescence like that of some hyalite: 451.
Trinity mine: in old workings: has brilliant green fluorescence: 451.
Pitchblende Occurrences—
Marysvale area: 102; in structurally controlled veins: 443; in veins of the fluorite-sulfide-quartz type: 455; in veins with secondary uranium minerals: 493; several deposits: 429.
Buddy mine: a little with autunite: 495.
Bullion Monarch mine: with autunite, meta-torbernite, schroeckingerite, torbernite, uranophane: 495.
Farmer John open pit, Bullion Monarch Mining Co.: with autunite: 479.
Freedom lease, V.C.A.: with autunite: 479.
Freedom No. 1 (Seegmiller) mine: trace with autunite, schroeckingerite, torbernite: 495.
Prospector lease, V.C.A.: with autunite: 479.
Prospector mine under lease by V.C.A.: with autunite, torbernite, uranophane, and a calcium-uranium-oxide mineral (analogue of fluorite): 495.
V.C.A. properties: 532.
Schroeckingerite Occurrences—
Marysvale area: 267, 522; in veins with other secondary uranium minerals and pitchblende: 493.
Bullion-Monarch mine: with autunite, meta-torbernite, pitchblende, torbernite, uranophane: 495.
East Slope No. 2 deposit: with autunite, meta-torbernite, uranophane along face of open-cut coating fractures and joints in hornfels: 493.
Freedom No. 1 (Seegmiller) mine: with autunite, torbernite, trace of pitchblende: 495.
Freedom No. 2 mine: with autunite, torbernite, uranophane: 495.
Prospector mine: fluorescent mineral with properties characteristic of schroeckingerite in quartz monzonite uranium-bearing zones: 447.
Torbernite Occurrences—
Marysvale area: 267, 522; in veins with other secondary uranium minerals and pitchblende: 493; with autunite and uraninite: 411.
Bullion Monarch mine: with autunite, meta-torbernite, pitchblende, schroeckingerite, uranophane: 495.
Bullion Monarch Mining Co.: properties: 532.
Freedom No. 1 (Seegmiller) mine: with autunite, trace of pitchblende, schroeckingerite: 495.
Freedom No. 2 mine: with autunite, schroeckingerite, uranophane: 495.
Prospector mine under lease by V.C.A.: with pitchblende, a calcium-uranium-oxide mineral (analogue of fluorite), autunite, uranophane: 495.
V.C.A. properties: 532.
Uraninite Occurrences—
Marysvale area: 48, 53, 267, 547; fine grained mixed sample examined by X-ray fluorescence method giving partial chemical analysis: 448; in various mines and prospects, associated with secondary uranium minerals: 522; mineralogical studies of specimens: 445; mostly in veins in quartz monzonite or fine-grained granite: 450; with autunite and torbernite: 441.
Bullion Monarch mine: uranite in small amounts and in drill holes in vicinity: 451.
Prospector mine: in quartz monzonite, clay, and breccias: 447; sooty black uraninite mixed with fine-grained pyrite and fluorite within 60 ft. of surface: 451.
V.C.A. properties: 532.
Uranium Development—
Marysvale area: 530.
Santa Fe Railway land: 73.
Uranium Exploration—
Marysvale area: airborne radioactivity reconnaissance: 451; Geiger counter ground survey: 451; scintillometer ground survey: 451; U.S.A.E.C. office closed: 554.
Uranium Occurrences—
Marysvale area: alteration zones showing a sequence of clay minerals, silicification, alunitization, or pyritization: 450; analysis of relationship between alteration and uranium mineralization: 450; autunite: 526; autunite, processed: 548; autunite, schroeckingerite, torbernite, uraninite, etc.: 267; autunite, some uraninite; 175 t. ore shipped daily: 547; economic deposits of primary and secondary uranium minerals in altered vein structures: 493; geology: 451, 495; geology and descriptions of uranium mines: 522; mapping an aid in establishing the correlation between alteration and rock types: 450; mineralization: 451; more significant channels of alteration mapped: 450; origin of deposits: 451; pitchblende: 102; pitchblende and secondary uranium minerals in structurally controlled uranium deposits: 443; pitchblende in veins of the fluorite-sulfide-quartz type: 455; radioactivity: 451; recent ore shipments assayed 0.8% U_3O_8: 441; rock alteration: 451; structure: 451, 495; U.S.A.E.C. uranium ore purchasing depot operated by A. S. & R. Co. at Marysvale: 53, 441, 525, 526, 531; sampling methods and pricing described: 522; uraninite: 48, 53; uraninite and secondary uranium minerals in various mines and prospects: 522; uraninite, autunite, torbernite: 441; uraninite, fine grained mixed sample examined by X-ray fluorescence method giving partial chemical analysis: 448; uraninite, mineralogical studies of specimens: 445; uranium development: 530; uranium mineral deposits: 495; uranium ore purchase schedule for typical autunite-torbernite ores: 522; uranium production: 77; uranium-bearing veins with both oxidized uranium minerals and uraninite and fluorite, mostly in quartz monzonite or fine-grained granite, with some uranium in Bullion Canyon volcanic series in argillic alteration zones,

UTAH (contd.)
and migratory secondary uranium mineralization along fractures in Mt. Belknap volcanics: 450; weathering produced following zonation of uranium minerals: autunite, schroeckingerite, torbernite, and uranophane at surface, zone dominantly uranophane with abundant autunite and torbernite in lower parts, then zone with sooty pitchblende and relict masses of primary pitchblende: 493.
Antelope Range, high elevation on W slope: alteration zone in rhyolite showed no significant uranium mineralization: 447.
Buddy claim, Bertelson's deposit: autunite: 479.
Buddy mine: autunite, a little pitchblende: 495; mineralization: 495; pitchblende: 429; rock types: 495; structure: 495.
Bullion Monarch mine: mineralization: 495; pitchblende, autunite, meta-torbernite, schroeckingerite, torbernite, uranophane: 495; rock types and alteration: 495; structure: 495; uraninite in small amounts and in drill holes in vicinity, autunite: 451; uranium minerals: 429.
Bullion Monarch open pit on west side of Pratt Peak: first uranium mineralization in area found there over 60 years ago and rediscovered by Pratt Seegmiller in 1940; 522; equipment owned and operated by Atherley brothers for Bullion Monarch Mining Co.: 522; largest producer in area: 522; schroeckingerite in rhyolite and secondary uranium mineralization between rhyolite and crushed, gougey contact: 522.
Bullion Monarch Mining Co. operations: autunite ore easy to mill and reduce: 526; firm has indicated reserves of 500,000 t. autunite with U_3O_8 content on total tonnage ranging from 0.7–0.26%: 526.
Bullion Monarch Mining Co. properties: autunite, torbernite: 532; new autunite cut: 552; uranium shipments: 552.
Bullion Monarch prospect: uranium in open cuts along contact between Mt. Belknap rhyolite and quartz monzonite: 447.
Claims of D. MacIntosh and J. Henry, 1½ mi. W of Marysvale: uranium: 527.
East slope claims: autunite etc.: 429.
East Slope No. 2 deposit: autunite, meta-torbernite, schroeckingerite, and uranophane, distributed along face of open cut in two main zones about a core of hematite-alunite-quartz-kaolinite rock: 493; secondary uranium minerals associated with alunitic and clay alteration zones in veinlike structure within hornfels: 493.
Farmer John claims: owned by John Sargeant and leased by Bullion Monarch Mining Co. for fluorite mining and, later for uranium development: 522.
Farmer John claims of Bullion Monarch Mining Co. near Marysvale: uranium: 541; uranium mineralization with fluorite: 522.
Farmer John open pit, Bullion Monarch Mining Co.; autunite, pitchblende: 479.
Freedom claims located by Pratt Seegmiller in 1948: autunite with some torbernite: 522.
Freedom lease, V.C.A.: autunite, pitchblende: 479.
Freedom No. 1 (Seegmiller) mine: autunite, trace of pitchblende, schroeckingerite, torbernite: 495; mineralization: 495; rock types and alteration: 495; structure: 495.
Freedom No. 2 mine: autunite, schroeckingerite, torbernite, uranophane: 495; autunite, uranophane in fractures in rhyolite: 451; mineralization: 495; most important producer of secondary uranium ore in district: 495; rock types: 495; structure: 495; uranium minerals: 429.
Freedom prospect: hydrothermal alteration and uranium mineralization in quartz monzonite: 447.
J. and L. alunite mine: uranium-bearing material similar to opal in adit but unusual green fluorescence like that of some hyalite: 451.
Opal, Uranium-bearing—
J. and L. alunite mine: in adit: 451.
Trinity mine: in old workings: 451.
Papsy's Hope prospect owned by J. P. Fullmer: autunite on fracture surfaces in altered feldspar porphyry, a part of the Bullion Canyon volcanics: 442; autunite samples contain 0.013–0.030% eU: 442; autunite, etc.: 429; uranophane as zone forming halo overlying autunite-bearing vein and underlying leached clay: 451; geology: 442; rock alteration and silicification: 442.
Prospector group of claims located by April Smith, and L. J. and Merlin Anderson: uranium located in shear zone: 522; leased by V.C.A. for development along with Seegmiller's claims (i.e. Freedom and Freedom No. 1 mines): 522.
Prospector lease, V.C.A.: autunite, pitchblende: 479.
Prospector mine under lease by V.C.A.: alteration in quartz monzonite showing increased argillic alteration as uranium-bearing zones are approached: 447; mineralization: 495; mineralogical studies on quartz monzonite sample by thin-section, X-ray diffraction, differential thermal analysis, and electron microscope examination methods: 447; pitchblende: 429; pitchblende, a calcium-uranium-oxide mineral (analogue of fluorite), autunite, torbernite, uranophane: 495; pitchblende in black, sooty and massive form: 495; quartz monzonite has andesine, biotite, epidote, olivine, orthoclase, quartz, sphene, and zircon with secondary introduction of alunite, fluorite, pyrite, and uraninite as well as quartz, mixture of quartz and feldspar, and sericite: 447; structure:

495; rock types: 495; sooty black uraninite mixed with fine-grained pyrite and fluorite within 60 ft. of surface: 451; uraninite, disseminated with pyrite, limonite, and some schroeckingerite in quartz monzonite: 447; uranium deposits entirely in quartz monzonite in parts showing alteration effects: 447; uranium-bearing breccia covered with black sooty uraninite and associated with pyrite, fluorite, and uraninite: 447; uranium-bearing clay containing uraninite associated with pyrite and limonite and a little secondary fluorite and alunite: 447.
Sniffer claims: uranium minerals: 429.
Trinity mine: uranium-bearing opal in old workings; has brilliant green fluorescence: 451.
V.C.A. claims: autunite: 523.
V.C.A. properties: autunite, pitchblende, torbernite, uraninite: 532.
Yellow Canary prospect: autunite, uraophane (?): 495; mineralization: 495; rock types and mineralization: 495; structure: 495.
Uranium Ore Guides—
Geobotanical Guides—
Analyses of plants growing on uranium-bearing rocks and soils and showing uranium content in ppm. along with vanadium, selenium, and lead content: Marysvale: 409.
General indicator plant, *Purshia tridentata*: Marysvale: 409.
One sulphur-selenium indicator plant: Marysvale: 409.
Only three selenium-indicator plants: Marysvale: 409.
Geologic Guides—
Associated black or purple fluorite: Marysvale: 451.
Clay zones (argillic alteration): Marysvale: 451.
Iron-staining in uranium-bearing veins: Marysvale: 451.
Radioactive anomalies: Marysvale: 451.
Rock alteration: Marysvale: 451.
Uranium Processes—
Marysvale area: U.S.A.E.C. uranium ore purchasing depot and ore sampling station operated by A. S. & R. Co. at Marysvale: 53, 441, 525, 526, 531; sampling methods and pricing described: 522.
Uranium Production—
Marysvale area: 77; autunite, processed at Vitro qualified uranium mill (Kalunite plant), Salt Lake City: 548; U.S.A.E.C. uranium ore purchasing depot and ore sampling station operated by A. S. & R. Co. at Marysvale: 53, 441, 525, 526, 531; sampling methods and pricing described: 522; uranium produced in several mines and prospects: 522; 175 t. ore shipped daily: 547; uranium processing plant may be built if ore is found in sufficient quantities: 525.
Bullion Monarch Mining Co. property: shipped ore averaging over 0.2% U_3O_8: 552.
Central Mining area—
Buddy mine: 451.
Bullion Monarch mine: 451.
Freedom No. 1 (Seegmiller) mine: 451.
Freedom No. 2 mine: 451.
Prospector mine: 451.
Farmer John open pit, Bullion Monarch Mining Co.: autunite: 479.
Freedom claims, V.C.A.: autunite: 479.
Prospector lease, V.C.A.: only producer of pitchblende: 479.
Uranium Purchases—
Marysvale: U.S.A.E.C. uranium ore-buying station: 53, 441, 525, 526, 531; uranium ore purchase schedule for typical autunite-torbernite ores: 522.
Uranophane Occurrences—
Marysvale area: in veins with other secondary uranium minerals and pitchblende: 493.
Bullion Monarch mine: with pitchblende, autunite, meta-torbernite, schroeckingerite, torbernite: 495.
East Slope No. 2 deposit: with autunite, meta-torbernite, schroeckingerite along face of open-cut coating fractures and joints in hornfels: 493.
Freedom No. 2 mine: with autunite, schroeckingerite, torbernite: 495; in fractures in rhyolite NW of and in upper reaches of mine: 451.
Papsy's Hope prospect: as zone about 2 ft. thick forming halo overlying autunite-bearing vein and underlying leached clay: 451.
Prospector mine under lease by V.C.A.: with pitchblende, a calcium-uranium-oxide mineral (analogue of fluorite), autunite, torbernite: 495.
Yellow Canary prospect: questionable occurrence with autunite: 495.
Radioactive Fluorite
See under individual county names and under Index III, Radioactive Fluorite—Utah: 405.
Radioactive Occurrences
See under individual county names and under Index III, Radioactive Occurrences—Utah: 21.
Radium Occurrences
See under individual county names and under Index III, Uranium Occurrences—Utah: 503.
Radium Production
See under individual county names and under Index III, Radium Production—Utah: 7, 415.
Salt Lake County
Monazite Occurrences—
Salt Lake City: 217.
Thorium Occurrences—
Salt Lake City: monazite: 217.
Uranium Exploration—
Salt Lake City: U.S.A.E.C. office opened: 549, 554.
Uranium Processes—
Salt Lake City: qualified uranium mill (Kalunite plant) of Vitro Chemical Co.: 497, 546; processes Marysvale autunite: 548; processes 100 t. Marysvale ores daily: 547; to process Wyoming ores: 384.
Uranium Production—
Salt Lake City: qualified uranium mill (Kalunite plant) of Vitro Chemical Co.: 497, 546; processes Marysvale autunite:

UTAH (contd.)
548; processes 100 t. Marysvale ores daily: 547; to process Wyoming ores: 384.
San Juan County (Colorado Plateau)
Bayleyite Occurrences—
*Hideout No. 1 mine on Deer Flats, N side of White Canyon: with schroeckingerite in adit 100 ft. from cliff face: 490.
Becquerelite Occurrences—
White Canyon: 401.
Beta-Uranotil Occurrences—
**Grey Dawn mine, operated by Ace Turner, on small tributary of La Sal Creek near SW flank of La Sal Mts.: three pod-like occurrences with carnotite, gummite, uraninite: 480.
Carbonaceous Deposits, Uranium-bearing—
White Canyon: 401.
Carnotite Occurrences—
Abajo Mts.: 404.
Big Indian Valley, N of Monticello: 78, 82.
Browns Hole area: 396.
Cane Springs Pass S of Moab: 34.
Bridger Jack Flat: 437.
Cottonwood Canyon District—
Basin claim: ore horizon in sandstone drilled by U.S.B.M.: 440.
Big Hole mine, largest in district and owned by Blanding Mines Co.: carnotite in layers in sandstone, drilled by U.S.B.M.: 440.
Birthday, Shale, East Bank, Found No. 2, and Lost claims: carnotite in layers in sandstone, drilled by U.S.B.M., and showing from less than 0.05 to 0.30% U_3O_8: 440.
Blue Bird area, about 1½ mi. W of Cliff-house claim and owned by V.C.A.: carnotite in layers in sandstone, drilled by U.S.B.M., and showing less than 0.05% U_3O_8: 440.
Hangover Nos. 1 and 2 and Ridge Nos. 1 and 2 claims, on small tributary of Cottonwood Creek: carnotite in massive, thick, lenticular sandstone, drilled by U.S.B.M., and showing from zero to less than 0.05% U_3O_8: 440.
Dry Valley: in Morrison formation: 415.
Dry Valley, N of Monticello: 78, 82.
East Canyon: with tyuyamunite: 82.
Grey Dawn mine: with beta-uranotil, gummite, uraninite; lenticular pod-like structure, parallel to dip of Salt Wash sandstone beds: 480; structure, lenticular, irregular ore pods: 480; origin of ore, possibly alteration of hydrothermal ore deposits: 480.
La Sal Mountains: 396.
Lisbon (not Lisburne) Valley, N of Monticello: 78, 82.
Montezuma Canyon: 503.
Monument Valley: 63, 427.
Navajo Indian Reservation: 161.
White Canyon District—
White Canyon: 63; 8 mi. from Hite: 78.
Happy Jack mine: carnotite in thin seam, drilled by U.S.B.M., and showing no U_3O_8 so work was to be abandoned: 440.
Yellow Circle Group—
White Fawn and Yellow Circle claims: carnotite in sandstone lenses, drilled by U.S.B.M., and showing from zero to 5.20% U_3O_8: 440.
Carnotite Processes—
Monticello: qualified uranium mill owned by U.S.A.E.C. and operated by the Galigher Co. treats 100 t. carnotite per day: 461; leaching process: 408; treatment methods and equipment described: 461; treats four types of uranium ores, rejects from the sampling plant: low vanadium-low lime, high vanadium-low lime, low vanadium-high lime, high vanadium-high lime: 461; original processing plant operated by V.C.A. during World War II for production of uranium and vanadium: 461; uranium ore sampling plant owned by U.S.A.E.C. and operated by A. S. and R. Co. acting as its sampling and ore buying agents: 461.
White Canyon District: pilot treatment plant: 140, 538; pilot plant to treat ore from Navajo Indian Reservation: 140.
Copper-Uranium Deposits—
White Canyon District—
White Canyon: uranium and copper minerals in Shinarump conglomerate as disseminated deposits in sandstone and as veins along fractures, sometimes as replacements in logs; similar deposits of lower grade in Chinle formation and in Moenkopi formation: 401; geology: 401; grade: 401; localization of deposits by uranium ore guides: 401: chemical controls: 401, general geologic controls: 401, relation to channel fills: 401, structural controls: 401; mineralogy: 401; origin: 401; production: 401; structure: 401.
Ace of Hearts claim: copper-uranium deposit with 0.01–0.05% U: 401.
Bankrupt claim: copper-uranium deposit with 0.01–0.05% U: 401.
Bear claim: copper-uranium deposit with 0.05–0.1% U: 401.
Bell claim: copper-uranium deposit with 0.1–0.3% U: 401.
Bridges claim: copper-uranium deposit with 0.01–0.05% U: 401.
Butler's claim: copper-uranium deposit with 0.05–0.1% U: 401.
Cub claim: copper-uranium deposit with 0.05–0.1% U: 401.
Dead Buck claim: copper-uranium deposit with 0.05–0.1% U: 401.
Found claim: copper-uranium deposit with 0.1–0.3% U: 401.
Four Aces claim: copper-uranium deposit with 0.01–0.05% U: 401.
Frey Canyon No. 4 claim: copper-uranium deposit with 0.1–0.3% U: 401.
Frey claim: copper-uranium deposit with 0.05–0.1% U: 401.
Frey No. 1 claim: copper-uranium deposit with 0.01–0.05% U: 401.
Frey No. 2 claim: copper-uranium deposit with 0.05–0.1% U: 401.
Gonaway-North Point claim: copper-uranium deposit with 0.05–0.1% U: 401.
Happy Jack mine: copper-uranium deposit with more than 0.3% U: 401.

* Hereafter cited as Hideout No. 1 mine.
** Hereafter cited as Grey Dawn mine.

Hideout mine: copper-uranium deposit with 0.1–0.3% U: 401.
Hideout No. 1 mine: in Shinarump conglomerate: 490.
Jacobs Chair claim: copper-uranium deposit with 0.05–0.1% U: 401.
Jerry claim: copper-uranium deposit with 0.05–0.1% U: 401.
Markie claim: copper-uranium deposit with 0.05–0.1% U: 401.
Mossback claim: copper-uranium deposit with 0.05–0.1% U: 401.
Mossback (Old Jackpot) claim: copper-uranium deposit with 0.05–0.1% U: 401.
Notch claim: copper-uranium deposit with 0.01–0.05% U: 401.
Point claim: copper-uranium deposit with 0.05–0.1% U: 401.
Posey mine: copper-uranium deposit with more than 0.3% U: 401.
Red Canyon No. 1 claim: copper-uranium deposit with 0.05–0.1% U: 401.
Saddle claim: copper-uranium deposit with 0.01–0.05% U: 401.
Scenic No. 2 claim: copper-uranium deposit with 0.1–0.3% U: 401.
Scenic No. 4 claim: copper-uranium deposit with 0.05–0.1% U: 401.
Scotty claim: copper-uranium deposit with 0.01–0.05% U: 401.
Standard claim: copper-uranium deposit with less than 0.01% U: 401.
Sunrise claim: copper-uranium deposit with 0.01–0.05% U: 401.
Unknown claim: copper-uranium deposit with less than 0.01% U: 401.
Uracop claim: copper-uranium deposit with 0.01–0.05% U: 401.
W.G.J.N.W. claim: copper-uranium deposit with less than 0.01% U: 401.
W.N. claim: copper-uranium deposit with 0.01–0.05% U: 401.
White Canyon No. 1 claim: copper-uranium deposit with 0.1–0.3% U: 401.
Woodenshoe (?) claim: copper-uranium deposit with 0.05–0.1% U: 401.
Yellow John claim: copper-uranium deposit with more than 0.3% U: 401.
Zebra claim: copper-uranium deposit with less than 0.01%: 401.
White Canyon-Red Canyon District: 20.
Geophysical Exploration (Airborne)—
Blanding: first low-altitude operation; done by Texas Co. in 1950: 494.
Cataract Canyon: airborne survey by Excalibur Uranium Corp. in 1951: 494.
Red Canyon District: airborne survey by Anaconda Mining Co. cooperating with Rigg Aviation Service, in 1951: 494.
Gummite Occurrences—
Grey Dawn mine: three pod-like occurrences with beta-uranotil, carnotite, uraninite: 480.
Johannite Occurrences—
White Canyon District—
White Canyon: 401.
Happy Jack mine: with chalcanthite at surface: 493.
Pitchblende Occurrences—
White Canyon District—
White Canyon: deposits in sedimentary rocks replacing cell walls of fossil plants while copper sulfides fill cells: 485; dissemination associated with copper sulfides and secondary uranium minerals in sandstone in Shinarump conglomerate: 455.
Happy Jack mine: 401, 412; in copper-uranium deposit in mine workings 75 ft. underground: 509; in interior of deposit: 493.
Hideout mine: 401.
Posey mine: 401.
Phosphuranylite Occurrences—
White Canyon: 401.
Radium Occurrences—
Montezuma Canyon: uranium and radium in silts in canyon floor: 503.
Schoepite Occurrences—
White Canyon: 401.
Schroeckingerite Occurrences—
White Canyon District—
Hideout No. 1 mine: with bayleyite in adit 100 ft. from cliff face: 490.
Sediments, Radium-bearing—
Montezuma Canyon: in silts on Canyon floor: 503.
Sediments, Uranium-bearing—
Montezuma Canyon: in silts on canyon floor: 503.
Torbernite Occurrences—
La Sal Mts.: 82.
White Canyon District—
White Canyon: 401.
Happy Jack mine: with uranophane starting just below surface: 493.
Tyuyamunite Occurrences—
East Canyon: with carnotite: 82.
Uraninite Occurrences—
Grey Dawn mine: origin, possibly hydrothermal; not placer or detrital: 480; structure, lenticular, irregular ore pods: 480; three pod-like occurrences with beta-uranotil, carnotite, gummite: 480.
White Canyon District—
Happy Jack mine: 48.
Hideout mine: copper-uranium deposit with 0.1–0.3% U: 401.
Uranium Exploration—
Bowles-Heflin Mining Co. program: government grant for exploration: 556.
Blanding-Cottonwood area: diamond drilling: 154.
Geophysical Exploration (Airborne)—
Blanding: first low-altitude operations; done by Texas Co. in 1950: 494.
Cataract Canyon: airborne survey by Excalibur Uranium Corp. in 1951: 494.
Red Canyon district: airborne survey by Anaconda Mining Co. cooperating with Rigg Aviation Service, in 1951: 494.
Uranium Occurrences—
Abajo Mts.: carnotite: 404; uranium in ore deposits forming haloes around mountain masses with bleached sandstone surrounding orebodies: 481.
Abe Day's Vanadium Queen claim: uranium oxide, production: 544; eligible for U.S.A.E.C. Bonus: 544.
Big Indian Valley N of Monticello: carnotite: 78, 82.

UTAH (contd.)
Big Indian Wash—
Mi Vida mine, on Mi Vida claim and owned by Charles Steen: heavy black ore resembling pitchblende and uraninite with no carnotite found in belt 72 ft. below the surface; assay of core gave 0.34 to 5% U_3O_8: 465; Utex Exploration Co. formed, with Steen and his mother as principal stockholders, to develop mine and adjacent claims: 465; first ore shipment made Dec. 1952 and total ore shipped increased to $1,000,000's worth by Aug. 1953: 465; ore found on other parts of Mi Vida claim averaged better than 0.50% U_3O_8 with some as rich as 21% and hand-picked samples ranging up to 88%: 465; Steen stockpiling all ore above 20% in hopes of collecting A.E.C. bonus for first 20 t. of non-carnotite, non-roscoelite ore assaying at least 20% discovered in U.S.: 465; high lime content only disadvantage of Steen ore, which is being stored at Monticello mill until proper treatment facilities become available for extraction of its uranium: 465.
Other uranium claims in area near Mi Vida claim: uranium deposits being developed by owners or under leases to companies and individuals: 465.
Browns Hole area: carnotite: 396.
Bull Canyon area: uranium claims: 524.
Cane Springs Pass S of Moab: carnotite: 34.
Bridger Jack flat: carnotite: 437.
Cottonwood Canyon District—
Basin claim: ore horizon in sandstone, drilled by U.S.B.M.: 440.
Big Hole mine, largest in district and owned by Blanding Mines Co.: carnotite in layers in sandstone, drilled by U.S.B.M.: 440.
Birthday, Shale, East Bank, Found No. 2, and Lost claims: carnotite in layers in sandstone, drilled by U.S.B.M., and showing from less than 0.05 to 0.30% U_3O_8: 440.
Blue Bird area, about 1½ mi. W of Cliffhouse claim and owned by V.C.A.: carnotite in layers in sandstone, drilled by U.S.B.M., and showing less than 0.05% U_3O_8: 440.
Hangover Nos. 1 and 2 and Ridge Nos. 1 and 2 claims, on small tributary of Cottonwood Creek: carnotite in massive, thick, lenticular, sandstone, drilled by U.S.B.M., and showing from zero to less than 0.05% U_3O_8: 440.
Dry Valley: carnotite in Morrison formation 415.
Dry Valley N of Monticello: carnotite: 78, 82.
East Canyon: carnotite, tyuyamunite: 82.
Elk Ridge anticline: uranium in isolated orebodies on large anticlines and domes: 481.
Grey Dawn mine: uraninite, assaying about 64% U_3O_8: 480; uraninite, associated with carnotite ores of Salt Wash sandstone member of Morrison formation: 480; uraninite, in three pod-like occurrences: 480; uraninite with beta-uranotil, carnotite, gummite: 480.
La Sal Mountains: carnotite: 396; torbernite: 82; uranium in ore deposits forming haloes around mountain masses with bleached sandstone surrounding orebodies: 481.
Lisbon (not Lisburne) Valley N of Monticello: carnotite: 78, 82.
Monument Valley: all uranium deposits found to date occur in channels in Shinarump formation: 481; carnotite: 63, 427; uplift: uranium in isolated orebodies on large anticlines and domes: 481.
Skyline mine: uranium in channels in Shinarump formation: 481.
Whirlwind mine: uranium in channels in Shinarump formation: 481.
Montezuma Canyon: carnotite: 503; uranium and radium in silts on canyon floor: 503.
Navajo Indian Reservation: carnotite: 161; Navajos may reassign uranium mining rights: 178.
Navajo Mt.: uranium: 169.
Spanish Valley anticline, NW faulted segment: uranium in isolated orebodies on large anticlines and domes: 481.
White Canyon District—
White Canyon: 411; carnotite: 63; copper-uranium deposits in Shinarump conglomerate as disseminated deposits in sandstones and as veins along fractures, sometimes as replacements in logs; similar deposits of lower grade in Chinle formation and in Moenkopi formation: 401; geology: 401; grade: 401; localization of deposits by uranium ore guides: 401: chemical controls: 401, geologic controls: 401, relation to channel fills: 401, structural controls: 401; mineralization, pitchblende, secondary uranium minerals including johannite, phosphuranylite, schoepite-becquerelite, torbernite, uranophane, and zippeite, and uranium in carbonized wood, iron and manganese oxides, and veinlets of hydrocarbon: 401; mineralogy: 401;
Ore Criteria—
Features apparently unrelated to ore deposits: conglomerate: 401; freckled limonite: 401; hydrous mica: 401; massive sandstone: 401; these have served as prospecting guides in other areas but have not been useful in White Canyon and are considered unimportant in finding concealed deposits: 401.
Features found only in mineralized areas: alunite (?): 401; hydrocarbons: 401; secondary copper sulfates and carbonates: 401; sulfide minerals: 401; visible uranium minerals: 401.
Features found in unmineralized as well as mineralized areas: association of several features may indicate favorable prospecting areas: 401; bleaching and alteration of Moenkopi formation: 401; carbonized wood fragments and vegetal material: 401; channel filling: 401; facies change within Shinarump conglomerate: 401; fracturing: 401;

iron and manganese staining: 401; jarosite (?): 401;
origin: 401; pitchblende disseminated in Shinarump conglomerate and associated with copper sulfides, a little cobalt, and secondary uranium minerals in sandstone: 455; pitchblende in sedimentary rocks, replacing cell walls of fossil plants while copper sulfides fill cells: 485; production: 401; structure: 401; 8 mi. from Hite: carnotite: 78.
Ace of Hearts claim: copper-uranium deposit with 0.01–0.05% U: 401.
Bankrupt claim: copper-uranium deposit with 0.01–0.05% U: 401.
Bear claim: copper-uranium deposit with 0.05–0.1% U: 401.
Bell claim: copper-uranium deposit with 0.1–0.3% U: 401.
Bridges claim: copper-uranium deposit with 0.01–0.05% U: 401.
Butler's claim: copper-uranium deposit with 0.05–0.1% U: 401.
Cub claim: copper-uranium deposit with 0.05–0.1% U: 401.
Dead Buck claim: copper-uranium deposit with 0.05–0.1% U: 401.
Found claim: copper-uranium deposit with 0.1–0.3% U: 401.
Four Aces claim: copper-uranium deposit with 0.01–0.05% U: 401.
Four Aces mine in White Canyon: radioactive asphaltite pellets: 509.
Frey Canyon No. 4 claim: copper-uranium deposit with 0.1–0.3% U: 401.
Frey claim: copper-uranium deposit with 0.05–0.1% U: 401.
Frey No. 1 claim: copper-uranium deposit with 0.01–0.05% U: 401.
Frey No. 2 claim: copper-uranium deposit with 0.05–0.1% U: 401.
Gonaway-North Point claim: copper-uranium deposit with 0.05–0.1% U: 401.
Happy Jack mine: carnotite in thin seam, drilled by U.S.B.M., and showing no U_3O_8, so work was to be abandoned: 440; channel structure: 412; copper-uranium deposit grading laterally from secondary uranium carbonates and sulfates at exposed cliff face to sulfides and pitchblende at mine workings 75 ft. underground: 509; copper-uranium deposit with more than 0.3% U: 401; geology: 412; horizontal bedding-plane control for pitchblende: 466; johannite associated with a large suite of secondary uranium minerals: 493; mineralogy: 412; no evidence of vertical control of primary ore: 466; origin: 412; pitchblende etc.: 412; sequence of secondary uranium minerals from leached outcrop shows johannite and chalcanthite at surface, uranophane and torbernite a short distance in, and pitchblende, pyrite, chalcopyrite, chalcocite, and gersdorffite in interior: 493; stratigraphy: 412; uraninite: 48; uranium in channels in Shinarump formation and with bleached mudstone in Chinle formation: 481; uranium ore usually in porous carbonaceous sandstone above Shinarump siltstone: 466; uranium: ore deposition controlled by channels in Shinarump formation with carbonaceous matter and lithologic changes as intrachannel controls: 466; uranium production: 412.
Hideout mine: copper-uranium deposit with 0.1–0.3% U: 401.
Hideout No. 1 mine: bayleyite, schroeckingerite, in adit 100 ft. from cliff face: 490; copper-uranium deposit in Shinarump conglomerate: 490.
Jacob's Chair claim: copper-uranium deposit with 0.05–0.1% U: 401.
Jerry claim: copper-uranium deposit with 0.05–0.1% U: 401.
Markie claim: copper-uranium deposit with 0.05–0.1% U: 401.
Mossback claim: copper-uranium deposit with 0.05–0.1% U: 401.
Mossback (Old Jackpot) claim: copper-uranium deposit with 0.05–0.1% U: 401.
Notch claim: copper-uranium deposit with 0.01–0.05% U: 401.
Point claim: copper-uranium deposit with 0.05–0.1% U: 401.
Posey mine: copper-uranium deposit with more than 0.3% U: 401.
Red Canyon No. 1 claim: copper-uranium deposit with 0.05–0.1% U: 401.
Saddle claim: copper-uranium deposit with 0.01–0.05% U: 401.
Scenic No. 2 claim: copper-uranium deposit with 0.1–0.3% U: 401.
Scenic No. 4 claim: copper-uranium deposit with 0.05–0.1% U: 401.
Scotty claim: copper-uranium deposit with 0.01–0.05% U: 401.
Standard claim: copper-uranium deposit with less than 0.01% U: 401.
Sunrise claim: copper-uranium deposit with 0.01–0.05% U: 401.
Sunrise and Gonaway claims: uranium ore deposition controlled by channels in Shinarump formation with carbonaceous matter and lithologic changes as intrachannel controls: 466; uranium ore usually in porous carbonaceous sandstone above Shinarump siltstone: 466.
Unknown claim: copper-uranium deposit with less than 0.01% U: 401.
Uracop claim: copper-uranium deposit with 0.01–0.05% U: 401.
W.G.J.N.W. claim: copper-uranium deposit with less than 0.01% U: 401.
W.N. claim: copper-uranium deposit with 0.01–0.05% U: 401.
White Canyon No. 1 claims: copper-uranium deposit with 0.1–0.3% U: 401.
Woodenshoe (?) claim: copper-uranium deposit with 0.05–0.1% U: 401.
Yellow John claim: copper-uranium deposit with more than 0.3% U: 401.
Zebra claim: copper-uranium deposit with less than 0.01% U: 401.
White Canyon-Red Canyon District: copper-uranium deposit: 20.
Yellow Circle Group—
White Fawn and Yellow Circle claims: carnotite in sandstone lenses, drilled by

UTAH (contd.)
U.S.B.M., and showing from zero to 5.20% U_3O_8: 440.
Uranium Ore Guides—
Geologic Guides—
Bleaching of sandstone: Abajo and La Sal Mts.: 481.
Presence of fossil stream channels: Monument Valley in Shinarump formation: 481.
Proximity to major tectonic structures: mountain masses with exposed cores of crystalline igneous rock, intruded during Tertiary, and ore deposits forming haloes around the mountain groups at distances proportional to the mass of the mountains: Abajo Mts.: 481; La Sal Mts.: 481; second type of geologic structure includes large anticlines and domes on which igneous rocks are not exposed, except for a few dikes and volcanic plugs, and ore occurs as isolated bodies at irregular intervals from crest of structure outward to base of its flanks: Elk Ridge anticline: 481; Monument Valley uplift: 481; Spanish Valley anticline NW faulted segment: 481.
Thickness of ore-bearing sandstone: Blanding District: 465.
White Canyon District—
Bleaching of mudstone: Chinle formation at Happy Jack mine, White Canyon: 481.
Channels in Shinarump formation: White Canyon, Utah: 466; channels first mapped here in 1951 by outcrop mapping alone: 466; three channels explored and extended by drilling (Happy Jack, Sunrise, and Gonaway): 466; with carbonaceous matter and lithologic changes as intrachannel controls: 466.
Chemical Controls: White Canyon: 401.
Geologic Controls: White Canyon: 401.
Ore Criteria, features apparently unrelated to ore deposits: conglomerate: 401; freckled limonite: 401; hydrous mica: 401; massive sandstone: 401; these have served as prospecting guides in other areas but have not been useful in White Canyon and are considered unimportant in finding concealed uranium deposits: 401.
Ore Criteria, features found only in mineralized areas: alunite (?): 401; hydrocarbons: 401; secondary copper sulfates and carbonates: 401; sulfide minerals: 401; visible uranium minerals: 401.
Ore Criteria, features found in unmineralized as well as mineralized areas: bleaching and alteration of Moenkopi formation: 401; carbonized wood fragments and vegetal material: 401; channel filling: 401; facies change within Shinarump conglomerate: 401; fracturing: 401; favorable prospecting areas may be indicated by association of several features: 401; iron and manganese staining: 401; jarosite (?): 401.
Presence of fossil stream channels: Happy Jack mine in Shinarump formation: 481.
Relation to channel fills: White Canyon: 401.
Structural controls: White Canyon: 401.
Uranium ore usually found in porous carbonaceous sandstone on top of Shinarump siltstone: White Canyon: 466.
Uranium Processes—
Cottonwood: uranium treatment plant formerly owned by Blanding Mines Co., capacity 20 t. daily reported in 1946: 440.
Hite: qualified uranium mill operated by V.C.A.: 144, 413, 497, 547.
Monticello: qualified uranium mill owned by U.S.A.E.C. and operated by the Galigher Co. treats 100 t. carnotite per day: 144, 413, 431, 461, 497, 547, 557; uranium ore sampling plant owned by U.S.A.E.C. and operated by A.S. & R. Co. acting as its sampling and ore buying agents: 461.
White Canyon District: pilot treatment plant: 140, 538; to treat Navajo Indian Reservation carnotite ore: 140.
Uranium Production—
Hite: qualified uranium mill operated by V.C.A.: 144, 413, 497, 547.
Monticello: qualified uranium mill owned by U.S.A.E.C. and operated by the Galigher Co. treats 100 t. carnotite per day: 144, 413, 431, 461, 497, 547, 557; uranium ore sampling plant owned by U.S.A.E.C. and operated by A.S. & R. Co. acting as its sampling and ore buying agents: 53, 461.
White Canyon District: pilot treatment plant: 140, 538.
Uranium Purchases—
Monticello: uranium ore-buying station: 53, 461.
Uranophane Occurrences—
White Canyon District—
White Canyon: 401.
Happy Jack mine: with torbernite starting just below surface: 493.
Zippeite Occurrences—
White Canyon: 401.
San Pete County
Torbernite Occurrences—
RAJ prospect: or autunite and uraniferous carbonized wood in the Eocene Green River formation: 509.
Uranium Occurrences—
RAJ prospect: torbernite or autunite and uraniferous carbonized wood in the Eocene Green River formation: 509.
Schoepite Occurrences
See under individual county names and under Index III, Schoepite Occurrences—Utah: 401.
Schroeckingerite Occurrences
See under individual county names and under Index III, Schroeckingerite Occurrences—Utah: 267, 447, 490, 493, 495, 522.
Sediments, Radium-bearing
See under individual county names and under Index III, Sediments, Radium-bearing—Utah: 503.
Sediments, Uranium-bearing
See under individual county names and under

Index III, Sediments, Uranium-bearing—Utah: 503.
Sevier County
Uranium Exploration—
Richfield: U.S.A.E.C. branch office opened: 554.
Uranium Occurrences—
Wooley prospect: uranium minerals in Tertiary tuffs: 509.
Thorium Occurrences
See under individual county names and under Index III, Thorium Occurrences —Utah: 11, 12, 25, 78, 82, 217.
Bibliography: 9.
Tooele County
Radioactive Fluorite—
Sheeprock Mountains: radioactive fluorite-quartz-sulfide deposits: 504.
Torbernite Occurrences
See under individual county names and under Index III, Torbernite Occurrences—Utah: 82, 267, 401, 441, 493, 495, 509, 522, 532.
Tyuyamunite Occurrences
See under individual county names and under Index III, Tyuyamunite Occurrences—Utah: 82, 434, 493.
Uintah County (Colorado Plateau)
Carnotite Occurrences—
Vernal on Ashley's Fork: 464.
Copper-Uranium Deposits—
Uinta Basin: 509.
Monazite Occurrences—
Green River, Jensen District: 11, 78, 82.
Thorium Occurrences—
Green River, Jensen District: monazite: 78, 82; monazite, 2 to 25.4 lbs. per ton: 11.
Torbernite Occurrences—
Snow claims: or autunite and uraniferous carbonized wood in Cretaceous Mesa Verde sandstone: 509.
Uinta Basin: with uraniferous carbonized plant fragments in copper-uranium deposit: 509.
Uranium Occurrences—
Snow claims: torbernite or autunite and uraniferous carbonized wood in Cretaceous Mesa Verde sandstone: 509.
Uinta Basin: torbernite and uraniferous carbonized plant fragments in copper-uranium deposit: 509.
Vernal on Ashley's Fork: carnotite: 464.
Uraninite Occurrences
See under individual county names and under Index III, Uraninite Occurrences—Utah: 48, 53, 82, 267, 401, 441, 445, 447, 448, 450, 451, 480, 522, 532, 547.
Uranium Development
See under individual county names and under Index III, Uranium Development—Utah: 73, 530.
Uranium Exploration
See under individual county names and under Index III, Uranium Exploration—Utah: 18, 90, 154, 409, 451, 494, 542, 549, 553, 554, 556.
Uranium Mining
See under individual county names and under Index III, Uranium Mining—Utah: 456.
Uranium Occurrences
See under individual county names and under Index III, Uranium Occurrences—Utah: 1, 2, 7, 12, 13, 20, 21, 22, 25, 27, 33, 34, 41, 46, 48, 53, 62, 63, 77, 78, 82, 86, 95, 102, 104, 118, 161, 169, 178, 241, 267, 306, 395, 396, 401, 404, 406, 409, 410, 411, 412, 413, 415, 416, 418, 419, 421, 425, 426, 427, 428, 429, 431, 433, 434, 436, 437, 438, 440, 441, 442, 443, 445, 447, 448, 450, 451, 455, 457, 459, 462, 463, 464, 465, 466, 470, 471, 476, 478, 479, 480, 481, 482, 483, 485, 486, 488, 489, 490, 493, 495, 499, 503, 504, 509, 510, 511, 522, 523, 524, 526, 527, 528, 529, 530, 532, 540, 541, 544, 545, 547, 548, 550, 552, 553.
Bibliography: 9, 10.
Uranium Ore Guides
See under individual county names and under Index III, Uranium Ore Guides—Utah: 401, 409, 451, 466, 481.
Uranium Processes
See under individual county names and under Index III, Uranium Processes—Utah: 53, 140, 144, 384, 408, 413, 431, 440, 441, 461, 497, 519, 522, 525, 526, 531, 538, 546, 547, 548, 557.
Uranium Production
See under individual county names and under Index III, Uranium Production—Utah: 7, 33, 77, 140, 144, 408, 413, 415, 431, 440, 441, 451, 459, 461, 479, 482, 497, 519, 522, 525, 526, 531, 538, 544, 546, 547, 548, 550, 552, 557.
Uranium Prospecting
See Uranium Exploration under individual county names and under Index III, Uranium Exploration—Utah.
Uranium Purchases
See under individual county names and under Index III, Uranium Purchases—Utah: 53, 441, 461, 522, 525, 526, 531.
Uranophane Occurrences
See under individual county names and under Index III, Uranophane Occurrences—Utah: 401, 451, 493, 495, 504.
Uranospinite Occurrences
See under individual county names and under Index III, Uranospinite Occurrences—Utah: 78, 82, 493.
Uvanite Occurrences
See under individual county names and under Index III, Uvanite Occurrences—Utah: 2.
Washington County
Autunite Occurrences—
Silver Reef Mining District—
Silver Reef: with carnotite: 82.
Carnotite Occurrences—
Silver Reef Mining District—
Silver Reef: a little above the water table in White and Buckeye "reefs" (sandstone beds): 415; in copper-uranium-vanadium deposit in irregular lenses of sandstone with clay pellets, a part of Chinle formation of Triassic age: 509; in mines on reef: 464; with autunite: 82.
Washington: 464.
Copper-Uranium Deposits—
Silver Reef Mining District: 20, 478.
Fort Pierce 13 mi. S of Hurricane: 21.
Silver Reef: 509.
Uranium Occurrences—
Silver Reef Mining District: copper-uranium deposit: 20; copper-uranium deposit with silver in Silver Reef sandstone member of Chinle formation: 478; mineralization:

UTAH (contd.)
478; origin: precipitation from solution in circulating groundwater of primary deposits in tuffs: 478, secondary enrichment: 478.
Chloride Chief claim: uranium: 21.
Duffin mine: uranium: 21.
Eloise claims: uranium: 21.
Fort Pierce 13 mi. S of Hurricane: copper-uranium deposit: 21.
Rough Rider No. 2 claim: uranium: 21.
Silver Reef: autunite, carnotite: 82; carnotite, volborthite, and an unidentified uranium mineral, associated with cerargyrite, carbonized plant remains, and copper carbonates with abundant selenium: 509; copper-uranium-vanadium deposit in irregular lenses of sandstone with clay pellets, a part of Chinle formation of Triassic age: 509; some carnotite above the water table in White and Buckeye "reefs" (sandstone beds): 415; mines on: carnotite: 464.
Tecumseh mine: uranium: 21.
Washington: carnotite: 464.
Wayne County (Colorado Plateau)
Carnotite Occurrences—
Capitol Reef Monument—
Capitol Reef: 63; region: 428.
Hanksville, 10 mi. N of: 404.
Henry Mts., N end: 78, 82.
Copper-Uranium Deposits—
Capitol Reef Monument—
Oyler mine: 509; (called here Oiler tunnel, Blue Bird claims): 21.
Northern part: 21.
Torbernite Occurrences—
Capitol Reef Monument—
Oyler mine near Fruita: with zippeite and other secondary uranium minerals and highly uraniferous carbonized wood and hydrocarbons, associated with copper sulfates and carbonates in podlike lenses at base of Shinarump conglomerate as copper-uranium deposit: 509.
Uranium Occurrences—
General: zippeite, crystalline powder in asphaltic sandstone: 2.
Capitol Reef Monument—
Capitol Reef: carnotite: 63; region: carnotite: 428.
Oyler mine near Fruita: high grade ore bodies at base of Shinarump conglomerate in old stream channels: 509; radioactive asphaltite pellets: 509; uranium samples from mine workings showed 1.5 to 4% eU and .33 to 1.22% U: 509; zippeite as coatings on mine walls, carbonized wood, and gypsum: 493; zippeite, torbernite and other secondary uranium minerals with highly uraniferous carbonized wood and hydrocarbons, associated with copper sulfates and carbonates in podlike lenses at the base of the Shinarump conglomerate as copper-uranium deposit: 509.
Oyler mine (called here Oiler tunnel, Blue Bird claims): copper-uranium deposit: 21.
Waterpocket fold: uranium in isolated ore-bodies on large domes and anticlines: 481.
Fruita: 433; uranium minerals: 436; uranium sulphate: 78, 82; zippeite: 434.
Hanksville, 10 mi. N of: carnotite: 404.
Henry Mts.: uranium in ore deposits forming haloes around mountain masses and showing limonite and brown rust stains: 481; N end: carnotite: 78, 82.
Northern part: copper-uranium deposit: 21.
Poison Springs, at confluence of Green and Colorado Rivers: uranium claims bought by V.C.A.: 540.
Upheaval dome: uranium in isolated ore-bodies on large domes and anticlines: 481.
Uranium Ore Guides—
Geologic Guides—
Presence of limonite and brown rust stains: Henry Mts.: 481.
Proximity to major tectonic structures: mountain masses with exposed cores of crystalline igneous rocks, intruded during Tertiary, and ore deposits forming haloes around the mountain groups at distances proportional to the mass of the mountains, as in Henry Mts.: 481; second type of geologic structure includes large anticlines and domes on which igneous rocks are not exposed, except for a few dikes and volcanic plugs, and ore occurs as isolated bodies at irregular intervals from crest of structure outward to base of its flanks: Upheaval dome: 481; Waterpocket fold: 481.
Zippeite Occurrences—
General: 2.
Capitol Reef Monument—
Oyler mine near Fruita: as coatings on mine walls, carbonized wood, and gypsum: 493; with torbernite and other secondary uranium minerals, with highly uraniferous carbonized wood and hydrocarbons, associated with copper sulfates and carbonates in podlike lenses at base of Shinarump conglomerate as copper-uranium deposit: 509.
Fruita: 434.
Weber County
Uraninite Occurrences—
Ogden Canyon: 82.
Uranium Occurrences—
Ogden Canyon: uraninite: 82.
Zeunerite Occurrences
See under individual county names and under Index III, Zeunerite Occurrences—Utah: 82, 421.
Zippeite Occurrences
See under individual county names and under Index III, Zippeite Occurrences—Utah: 2, 401, 434, 493, 509.

INDEX III
SUBJECT INDEX FOR COLORADO AND UTAH

(Numbers refer to References Listed in Author Section of Bibliography)

A

ALLANITE OCCURRENCES

Colorado
See Thorium Occurrences—Colorado: 82, 234.

ASPHALTITES, URANIUM—BEARING

Utah
General: 436.
Emery County—
San Rafael Swell—
Temple Mountain: 20, 21; pitchblende as minute grains, 1–10 microns in diameter, in ribbon or ellipsoidlike aggregates in asphaltite: 485; secondary uranium mineral coatings on asphaltite grains: 509; uraniferous asphaltite as void fillings, rounded pellets, veinlike fillings, and detrital grains in friable sandstone lenses in Shinarump conglomerate in old stream channels: 509.

ASPHALTS, URANIUM-BEARING

Colorado
San Miguel County—
Placerville: 34.
Utah
Emery County—
San Rafael Swell: highly uraniferous asphaltic sandstone in breached anticlinal structures: 426.
Lone Tree deposit: in Triassic sandstones and conglomerates of the Shinarump and Chinle formations: 509.
Red Canyon deposit: in Triassic sandstones and conglomerates of the Shinarump and Chinle formations: 509.
Temple Mountain: in Triassic sandstones and conglomerates of the Shinarump and Chinle formations: 509.
Garfield County—
Waterpocket fold: highly uraniferous asphaltic sandstone in breached anticlinal structures: 426.

AUTUNITE OCCURRENCES

Colorado
Boulder County—
Jamestown: uraniferous fluorite breccia zones with pitchblende, uraninite, torbernite in fluorite-sulfide deposit: 504.
Larimer County—
Crystal Mountain District 18 mi. SW of Fort Collins: in Big Boulder pegmatite with uranium minerals: 234; in Double Opening pegmatite with uranium minerals: 234.
Big Boulder prospect: in Big Boulder pegmatite with gummite: 234.
Double Opening prospect: in Double Opening pegmatite with gummite, torbernite, uraninite: 234.
Hyatt beryl mine: pegmatite with torbernite, uraninite: 234.
Utah
Beaver County—
Indian Creek: in fluorite-quartz-sulfide deposits: 504.
Newton Mining District—
Sniffer and Mystery claims: questionable occurrences with meta-torbernite (?) in argillized, silicified earlier Bullion Canyon latite: 510.
Staats mine: with uranophane in fluorite: 504.
Emery County—
San Rafael Swell: scattered claims: 483.
Kane County—
Bulloch claims near Orderville: with carnotite, torbernite, and uraniferous carbonized wood, disseminated or coating pebbles or fracture surfaces in sandstones of the Cretaceous Dakota or Jurassic Summerville formations: 509.
Pahreah, 9 mi. S of: with uranospinite: 78, 82.
Piute County—
Marysvale area: 429, 522, 526, 547; at various mines in district sometimes associated with torbernite and schroeckingerite: 451; in veins with secondary uranium minerals and pitchblende: 493; with torbernite and uraninite: 441.
Buddy claim, Bertelson's deposit: 479.
Buddy mine: with a little pitchblende: 495.
Bullion Monarch mine: 451; with pitchblende, meta-torbernite, schroeckingerite, torbernite, uranophane: 495.
Bullion Monarch Mining Co. operations: indicated reserves of 500,000 t. with U_3O_8 content ranging from 0.7–0.26% on total tonnage: ore easily milled and reduced: 526.
Bullion Monarch Mining Co. properties: 532, 552.
East Slope No. 2 deposit: with meta-torbernite, schroeckingerite, uranophane along face of open-cut coating fractures and joints in hornfels: 493.
Farmer John open pit, Bullion-Monarhc Mining Co.: with pitchblende: 479.
Freedom lease, V.C.A.: with pitchblende: 479.
Freedom No. 1 (Seegmiller) mine: with trace of pitchblende, schroeckingerite torbernite: 495.
Freedom No. 2 mine: 451; with schroeckingerite, torbernite, uranophane: 495.
Papsy's Hope prospect owned by J. P. Fullmer: on fracture surfaces in altered feldspar porphyry, a part of the Bullion Canyon volcanics, with samples containing from 0.013–0.030% eU: 442; overlain by uranophane-bearing zone: 451.
Prospector lease, V.C.A.: with pitchblende: 479.
Prospector mine under lease by V.C.A.: near surface: 451; with pitchblende, torbernite uranophane, a calcium-uranium-oxide mineral (analogue of fluorite): 495.
V.C.A. claims at Marysvale: 523.
V.C.A. properties: 532.
Yellow Canary prospect: with uranophane (?): 495.
Washington County—
Silver Reef: with carnotite: 82.

B

BAYLEYITE MINERALOGY
General
Optical Properties—
Utah specimen: 490.
Physical Properties—
Utah specimen: 490.
Spectrographic Analyses—
Utah specimen: 490.

BAYLEYITE OCCURRENCES
Utah
San Juan County—
Hideout No. 1 mine: with schroeckingerite in adit 100 ft. from cliff face: 490.

BECQUERELITE OCCURRENCES
Utah
San Juan County—
White Canyon: 401.

BETAFITE OCCURRENCES
Colorado
Gunnison County—
Brown Derby: with microlite in pegmatite: 70.

BETA-URANOTIL OCCURRENCES
Utah
San Juan County—
Grey Dawn mine: three pod-like occurrences with carnotite, gummite, uraninite: 480.

BIBLIOGRAPHIES
Colorado
Thorium Occurrences: 9.
Uranium Occurrences: 9, 10, 424.
Thorium Occurrences—
Colorado: 9.
Utah: 9.
Uranium Occurrences
General: 424.
Colorado: 9, 10, 424.
Utah: 9, 10.
Utah
Thorium Occurrences: 9.
Uranium Occurrences: 9, 10.

BIOGEOCHEMICAL PROSPECTING
General
Colorado: 409.
Colorado Plateau: 409.
Geobotanical methods: 409.
Utah: 409.
See also: Uranium Exploration; Uranium Ore Guides-Geobotanical Guides.

BIOGEOCHEMICAL RESEARCH
General
Colorado: 409.
Colorado Plateau: 409.
Geobotanical methods: 409.
Utah: 409.
See also: Uranium Exploration; Uranium Ore Guides-Geobotanical Guides.

BLACK SLATE, URANIUM-BEARING
Colorado
Ouray County—
Uncompahgre Canyon S of Ouray: 53.

C

CARBONACEOUS DEPOSITS, URANIUM-BEARING
Colorado
San Miguel County—
Black King No. 5 prospect near Placerville in S. 27, T. 44 N., R. 11 W., owned by Hugh D., H. B., and Guy E. Weatherly (formerly called Evans property): thucholite, uraninite ore of commercial grade: 469.
White Spar prospect, 2000 ft. E of Placerville post office in S. 35, T. 44 N., R. 11 W., owned by Boyd Robinson: thucholite, uraninite of commercial grade: 469.
Utah
Emery County—
San Rafael Swell: scattered claims: 483.
Garfield County—
Henry Mountains—
Trachyte District: carnotite-vanoxite mineralization in Salt Wash member of Morrison formation including mineralized logs and carbonaceous material: 406.
San Juan County—
White Canyon: 401.

CARBONACEOUS SHALES, URANIUM-BEARING
Colorado
El Paso County—
Mike Doyle prospect: uranium-bearing material in carbonaceous shale underlying sandstone: 402.
Moffat County—
Skull Creek: carnotite and volborthite associated with uraniferous carbonaceous shale and carbonized plant fossils in shale and sandstone in upper part of Jurassic Navajo sandstone and in sandstone of Permian and Pennsylvanian Maroon formation: 509.
Park County—
Garo: carnotite and volborthite associated with uraniferous carbonaceous shale and carbonized plant fossils in shale and sandstone in upper part of Jurassic Navajo sandstone and in sandstone of Permian and Pennsylvanian Maroon formation: 509.
Utah
General—
Deseret limestone (black shale and phosphatic zone at base): possible uranium source: 462.
Mississippian Brazer limestone (phosphatic portion): possible uranium source: 462.
Swan Peak quartzite (phosphatic portion): possible uranium source: 462.

CARNOTITE MINERALOGY
General
General: 418.
Analyses—
Colorado deposits: 439, 473.
Colorado—
Analyses: Colorado deposits: 439; Montrose County specimens: 473.

Utah—
Temple Mountain specimen, Emery Co.: 438.
Utah specimen: 437.

CARNOTITE OCCURRENCES

General
General: 473.
Geology: 444.
Origin: 444.
Colorado
General: 86, 395, 511; in sandstone: 46; results of extraction processes on specimens: 419.
Entrada sandstone: 22.
Morrison formation: 22.
Origin: 13, 22; probably syngenetic in Morrison and Entrada formations: 415.
Colorado Front Range, rocks bordering: 20.
Colorado Plateau—
General: 63; deposits in Morrison formation stratigraphically controlled: 443; deposits in Salt Wash member of Morrison formation, scattered erratically over Arizona, Colorado, New Mexico, and Utah: 431; small, widely scattered deposits; U_3O_8 content 0.1 to 0.3%: 457; origin: 431.
Dolores County—
General: 41, 470.
Rio Dolores: 78, 82.
Eagle County—
Brush Creek, 7 mi. SE of Eagle: 34, 82; in sandstone: 78.
Horse Mountain: silver-copper-carnotite deposit: 46.
El Paso County—
Mike Doyle prospect: in Morrison sandstone as coating on fracture surfaces and on carbonized wood fragments: 402.
Garfield County—
General: 82.
East Rifle Creek: 34.
Rifle: 459; with roscoelite in Entrada formation: 509.
Rifle mine of U. S. Vanadium Corp. (now Co.) on East Rifle Creek 12 mi. NW of Rifle: small amounts in vanadium-bearing Entrada sandstone: 415.
Huerfano County—
McIntire prospect, Huerfano Park: with carbonized wood and radioactive iron oxide as uranium-bearing materials in copper-uranium deposit in Triassic Shinarump conglomerate: 509.
Jefferson County—
Denver, 12 mi. from, in center of S. 28, R. 70 W., T. 2 S., Sixth Principal Meridian: in Laramie coal formation: 505.
Golden, N of: in lignites: 53.
Mesa County—
East Gateway area—
Calamity Group—
Calamity group, Calamity Mesa: drilling in U.S.G.S. drilling program yielding geologic logs for study and resulting formulation of geologic guides to carnotite deposits: 501.
Calamity Nos. 1 and 3 and Triangle claims: carnotite in fossil trees, irregular elongate rolls and blanket bodies parallel to bedding of sediments of lower Morrison formation exposed on three sides, drilled by U.S.B.M. and showing from none or less than 0.05 to 1.81% U_3O_8: 440.
Calamity Nos. 7, 8, 9, and 23, and Crackerjack claims: carnotite in elongate rolls and fossil trees, drilled by U.S.B.M., and showing from less than 0.05 to 1.04% U_3O_8; and one blanket type deposit: 440.
Calamity Nos. 13, 17, and 18 claims: carnotite and uranium-vanadium minerals in fossil logs, which when close together are connected by blanket-like layers of ore, drilled by U.S.B.M., and showing from less than 0.05 to 1.70% U_3O_8: 440.
Calamity Nos. 20, 27, and 3, and Dixie claims: carnotite in fossil logs, small rolls, and two zones in some cases, drilled by U.S.B.M., and showing from less than 0.05 to 1.57% U_3O_8 with no ore revealed in Dixie claim by drilling: 440.
Calamity Mesa, Uravan Mineral belt: carnotite deposits in small patches of favorable ground: 417.
Maverick Group—
Hidden Treasure claim: carnotite in crescent-shaped ore deposit, drilled by U.S.B.M., showing from less than 0.05 to 0.11% U_3O_8 mined from two zones 15 ft. apart: 440.
Hummer and Great Hesper claims: carnotite in small rolls in elongate, crescent-shaped cluster drilled by U.S.B.M. showing from less than 0.05 to 0.63% U_3O_8: 440.
Hummer mine worked by U.S. Vanadium Co.: carnotite; even fines collected: 456.
Outlaw Mesa area, Uravan Mineral belt: carnotite deposits in several patches of favorable ground from one to several thousand feet wide and over a mile long: 417.
Rio Dolores around Gateway area: in sandstone along river: 78, 82.
Mesa-Montrose-San Miguel Cos.—
Uravan mineral belt: deposits in Morrison formation: 417; ore averages 0.25% U_3O_8 and 2% V_2O_5: 417; orebodies, irregular tabular layers, parallel to sandstone bedding, ranging in width from a few to several hundred feet, with an average thickness of 2–4 ft. and an ore content of a few to several thousand tons: 417; origin probably from ground-water solutions migrating through ore-bearing beds soon after sand accumulated with precipitation resulting from slight changes in chemical composition of solutions, perhaps in presence of decaying organic material: 417; 565,000 t. carnotite ore produced from 1936–1943 or 78% of entire production from Colorado and Utah main producing region: 417.
Moffat County—
Blue Mountain: 34.
Blue Mountain near Skull Creek: 78, 82.
Blue Mountain, 2 mi. W of Skull Creek: 422.
Blue Mountain Mining District: 241.
Skull Creek: 511; with volborthite associated with uraniferous carbonaceous shale and

CARNOTITE OCCURRENCES (contd.)
carbonized plant fossils in shale and sandstone in upper part of Jurassic Navajo sandstone and in sandstone of Permian and Pennsylvanian Maroon formation: 509.
Skull Creek Mining District: 241.
Montezuma County—
General: 41, 470.
Montrose County—
General: 41, 470, 471, 476; radium extraction: 476.
Bull Canyon: in Morrison formation: 415.
Club Camp at Naturita: 34; group of claims in Morrison formation: 415.
Club Mesa, Uravan mineral belt: carnotite deposits in patches of favorable ground in en echelon arrangement: 417.
Cracker Jack claim, Calamity Gulch: 34; in large petrified logs in Morrison formation: 415.
Dolores Camp claims, N side of San Miguel River: 34; in two large petrified logs in Morrison formation: 415.
Gypsum Valley District—
Gyp, Gyp No. 1, and Aztec mines: carnotite in rolls, land owned by V.C.A., drilled by U.S.B.M., and showing 0.25% U_3O_8 only in Gyp mine, with Gyp No. 1 and Aztec mines blank: 440.
Raven and adjoining claims: carnotite in rolls, land owned by V.C.A., drilled by U.S.B.M., and showing from less than 0.05 to 3.44% U_3O_8: 440.
Roosevelt mine: carnotite in thin layers, land owned by V.C.A., drilled by U.S.B.M., and showing less than 0.005% U_3O_8 in one drill hole, other was blank: 440.
Hydraulic Mining District: 241.
La Sal Creek: 439; analysis of specimen: 472; in sandstone: 78, 82.
Yellow Boy claim: 473.
La Sal Creek 6 mi. from Cashin: 104.
La Sal Mining District: 241.
La Sal Valley: 459.
Mesa Creek: in Morrison formation: 415.
Naturita Mining District: 241.
Paradox Valley: 1, 7, 439, 459, 464.
Cripple Creek claim, Long Park: 34.
Hieroglyphic camp between Long Park and San Miguel River: camp left idle after exhaustion of exposed carnotite orebodies: 407.
Jack Rabbit camp between Long Park and San Miguel River: camp left idle after exhaustion of exposed carnotite orebodies: 407.
Jo Dandy camp owned and operated by Standard Chemical Co.: carnotite claims on faulted segment of carnotite strata: 407; carnotite occurrences in McElmo formation worked under 140 ft. of cover in some cases: 407; mined earlier by General Vanadium Co. and declared exhausted: 407.
Jo Dandy claim: 434.
Julian camp between Long Park and San Miguel River: camp left idle after exhaustion of exposed carnotite orebodies: 407.
Long Park: camps of Radium Co. of Colorado and Radium Luminous Materials Corp.: 407; carnotite mining carried out in open cuts, tunnels, and inclines: 407; carnotite ore production about 5 t. per day: 407; total shipping production of about 4200 t. carnotite ore averaging 2% U_3O_8 in McElmo formation: 407; Uravan mineral belt: carnotite deposits in patches of favorable ground in en echelon arrangement: 417.
Maggie C claim, Long Park: 34.
Monogram Camp owned and operated by Standard Chemical Co.: carnotite claims on faulted segment of carnotite strata: 407; in Morrison formation: 415; mining operations were carried on by hand: 407; three adits worked and several carnotite orebodies present: 407.
Outlaw camp between Long Park and San Miguel River: camp left idle after exhaustion of exposed carnotite orebodies: 407.
Paradox Creek: in sandstone: 78, 82.
Saucer Basin camp between Long Park and San Miguel River: camp left idle after exhaustion of exposed carnotite orebodies: 407.
Shamrock group including Shamrock and Old Salt Lick claims, owned by U.S. Vanadium Co.: carnotite in sandstone lenses, drilled by U.S.B.M., and showing from less than 0.05 to 1.43% U_3O_8: 440.
Roc Creek: 439; in sandstone: 78, 82.
Copper Prince claim: 473.
Roc Creek Mining District: 241.
Sinbad Valley: 435, 439, 459.
Uravan: deposits in Morrison formation: 417.
Vixen Mining District: 241.
Park County—
Fairplay area: in Upper Morrison formation: 53.
Garo: with volborthite, associated with uraniferous carbonaceous shale and carbonized plant fossils, in shale and sandstone in upper part of Jurassic Navajo sandstone and in sandstone of Permian and Pennsylvanian Maroon formation: 509.
Rio Blanco County—
Coal Creek: 34, 422.
Coal Creek, 14 mi. NE of Meeker: 78, 82.
Caywood claims: 423.
Coal Creek Mining District: 241.
J. Mackay mine No. 2 specimens: concentration process results: 418; mineralogy: 418.
Meeker: 511; in Morrison formation: 509.
Routt County—
General: 82.
San Miguel County—
General: 41.
Cedar Mining District: 241.
Disappointment Creek near Cedar: 78, 82.
Egnar-Slick Rock District—
Buckhorn and Cone claims: carnotite in rolls and a log, drilled by U.S.B.M., and showing from less than 0.05 to 1.74% U_3O_8: 440.
Hawk Nos. 1 and 2 and Frankie No. 1 claims: carnotite in rolls, drilled by

U.S.B.M., and showing from none or less than 0.05 to 2.62% U_3O_8: 440.
Hogback and Marie claims in Bishop and Summit Canyons: carnotite in layers in sandstone, drilled by U.S.B.M., and showing less than 0.05% U_3O_8: 440.
Radium No. 2 and adjoining claims: carnotite in large orebodies, drilled by U.S.B.M., and showing from less than 0.05 to 7.55% U_3O_8: 440.
Radium No. 4 claim: produced 325 t. ore with 1.75% V_2O_5 but U.S.B.M. drilling gave blank holes; ore in rolls: 440.
Radium No. 6 claim: carnotite in layers in sandstone, drilled by U.S.B.M., and showing from less than 0.05 to 7.00% U_3O_8: 440.
Uncle Sam and Mucho Grande claims: carnotite in lenticular orebodies, drilled by U.S.B.M., and showing from less than 0.05 to 0.30% U_3O_8: 440.
Charles T Group:
Fraction No. 1 and Summit claims: carnotite in sandstone, land owned by North Continent Mines, Inc., drilled by U.S.B.M., and showing from less than 0.05 to 2.13% U_3O_8: 440.
Legin Group:
Frenchy, King, King No. 2, May, and Sam claims: carnotite in elongate rolls, land owned by North Continent Mines, Inc., drilled by U.S.B.M., and showing from less than 0.05 to 1.92% U_3O_8: 440.
Lower Group:
Cougar, Last Chance, Little Mariel, and Rainbow claims: carnotite in large elongate rolls, land owned by North Continent Mines, Inc., drilled by U.S.B.M., and showing from less than 0.05 to 1.80% U_3O_8: 440.
Gypsum Valley District—
Gypsum Valley: 416.
Gypsum Valley, Disappointment District: 439.
Jack Knife claim: carnotite in a roll, drilled by U.S.B.M., and showing less than 0.05% U_3O_8: 440.
Lost claim: carnotite in thin layers, drilled by U.S.B.M., and showing from less than 0.05 to 0.25% U_3O_8: 440.
Main Street claim: carnotite in layers and small rolls, drilled by U.S.B.M., and showing less than 0.05% U_3O_8 in one hole and blanks in two others: 440.
Pay Day claim: carnotite in two blanket-like layers of ore, drilled by U.S.B.M, and showing less than 0.05% U_3O_8: 440.
Pitchfork claim: carnotite in layers, drilled by U.S.B.M., and showing from less than 0.05 to 0.10% U_3O_8; 440.
Riverview claim: carnotite in rolls, drilled by U.S.B.M., and showing from less than 0.05 to 0.33% U_3O_8: 440.
McIntyre District: in Morrison formation: 415.
Placerville: 78, 82, 435, 439, 459; with roscoelite in Entrada formation: 509.
Snyderville Mining District: 241.
Colorado Plateau
General: 20, 405, 444.
Accessibility: 440.
Colorado: carnotite field in southwest part of state: 407; small, widely scattered deposits: 457; deposits in Morrison formation stratigraphically controlled: 443.
Deposits in Arizona, Colorado, New Mexico and Utah: 441; spotty, scattered, average 0.25% U_3O_8, and occur in Salt Wash member of the Morrison formation, Shinarump conglomerate, and Entrada sandstone: 501.
Deposits in Colorado, New Mexico, and Utah: 407.
Deposits in Morrison formation: 440.
Deposits in Salt Wash member of Morrison formation, scattered erratically over Arizona, Colorado, New Mexico, and Utah: 431.
Description of ore deposits: 440.
Entrada formation: 63; sandstone: 22.
Exploration by U.S.B.M.: 440.
Geology: 407, 431, 440.
Government operations: 431.
Historical development of mining program: 431.
History: 440.
Mining development work: 440.
Mining methods and operations: 431.
Morrison formation: 22; channel deposits: 22; geology: 22; ore deposits: 22; origin: 22; stratigraphically controlled deposits in Salt Wash sandstone member: 509; uranium production: 22.
Origin: 13, 22, 407, 431; deposition by solution: 444.
Physiography: 440.
Property and ownership: 440.
Salt Wash formation: 63.
Sampling and metallurgy work on drill cores: 440.
Shinarump conglomerate: 22.
U.S.G.S. drilling program produced geologic logs of which study led to formulation of geologic guides to carnotite deposits: 501.
U.S.A.E.C.'s buying schedule and policies for carnotite ore: 441.
Uranium mills: 407, 440.
Utah: carnotite in eastern parts: 407; small, widely scattered deposits: 457.
Work of small scale operators: 431.
Entrada Sandstone
General—
Colorado: 22.
Colorado Plateau: 22.
Morrison Formation
General—
Colorado: 22.
Utah: 22.
Shinarump Conglomerate
General—
Utah: 22.
United States
General—
Origin: sedimentary deposits of carnotite: 459.
Sedimentary deposits of carnotite: geology: 459; origin: 459; production: 459; utilization: 459.
Utah
General: 1, 7, 86; in sandstone: 46.
Morrison formation: 22.
Origin: 13, 22; probably syngenetic in Shinarump conglomerate and at Silver Reef: 415.
Shinarump conglomerate: 22.

CARNOTITE OCCURRENCES (contd.)
Specimens: results of extraction processes: 419.
Carbon County—
Cold (may mean Coal) Creek, 20 mi. N of Price: 404.
Colorado Plateau—
General: 22; deposits in Salt Wash member of Morrison formation, scattered erratically over Arizona, Colorado, New Mexico, and Utah: 431; small widely scattered deposits; U_3O_8 content 0.1 to 0.3%: 457.
Daggett County—
Browns Park: 34.
Red Creek: 78.
Emery County—
Flat Top: 436.
Green River: 433, 511; specimens: concentration process results: 418; specimens: mineralogy: 418.
San Rafael Swell: 41, 63, 404, 410, 425, 436, 459; 18 mi. W of Green River: 78; with tyuyamunite: 82; near Tidwell: 433.
San Rafael Mining District: 241.
Temple Mountain: 416, 425, 436, 438; as coating on asphaltite pellets: 509; derived from asphalt, which may be thucholite in this area: 509; S of Green River: 545.
Temple Rock: 34, 78; with tyuyamunite: 82.
South Temple Wash: 82.
Table Mountain: 511.
Wildhorse Canyon: 404, 433.
Garfield County—
Circle Cliffs: 63; with carbonized wood and radioactive iron oxide as uranium-bearing materials in copper-uranium deposit in Triassic Shinarump conglomerate: 509.
Henry Mountains: 86, 464; E and SW flanks: 78, 82.
Crescent Creek: 78; with tyuyamunite: 82.
Trachyte Creek: 78; with tyuyamunite: 82.
Trachyte District: carnotite-vanoxite mineralization in Salt Wash member of Morrison formation: 406.
Blitz Nos. 1–7 claims owned by V.C.A.: carnotite-vanoxite mineralization in Salt Wash member of Morrison formation: 406.
June Bell Nos. 1–4 claims owned by V.C.A.: carnotite-vanoxite mineralization in Salt Wash member of Morrison formation: 406.
Minnie Pearl Nos. 1 and 2 claims: carnotite-vanoxite mineralization in Salt Wash member of Morrison formation: 406.
Straight Creek claims owned by V.C.A.: carnotite-vanoxite mineralization in Salt Wash member of Morrison formation: 406.
Trachyte Nos. 1–20 claims owned by V.C.A.: carnotite-vanoxite mineralization in Salt Wash member of Morrison formation: 406.
V.C.A. claims: carnotite-vanoxite mineralization in Salt Wash member of Morrison formation: 406.
Grand County—
General: 471.
Corvusite Nos. 1, 2, and 3 claims, on E slope of La Sal Mts.: carnotite in rolls, drilled by U.S.B.M., and showing from less than 0.05 to 1.12% U_3O_8: 440.
La Sal Mts. near Moab: 33; W slope: 104.
Mill Creek on Colorado (formerly Grand) River N of Moab: 404.
Moab: 470, 511.
Pack Creek, La Sal Mts.: 78; with tyuyamunite: 82.
Polar Mesa
Elva M. and adjoining claims: carnotite in saucer-shaped orebody, drilled by U.S.B.M., and showing from 0.05 to 0.24% U_3O_8 in the Elva M., Elva M. No. 2, and Mary No. 2 claims: 440.
Elva M. and Imp claims: 410.
Polar Nos. 2 and 3 claims: carnotite in irregular, well-defined rolls, drilled by U.S.B.M., and showing from 0.05 to 0.10% U_3O_8: 440.
Rim Rock and Rim Rock No. 2 claims: carnotite in large, thick, low grade orebody, drilled by U.S.B.M., and showing from less than 0.05 to 0.20% U_3O_8: 440.
Radium extraction: 476.
Richardson: 41, 78, 404, 410, 416, 464, 476, 511; with tyuyamunite: 82; on Colorado River: 34.
Thompsons area: 82, 511; 22 mi. SE of: 78.
Flat Top No. 1 claim: carnotite in rolls, drilling by U.S.B.M., and showing from 0.05 to 0.67% U_3O_8: 440.
Red Vanadium group: carnotite in rolls, drilled by U.S.B.M., and showing from 0.05 to 0.26% U_3O_8: 440.
Thompsons Springs, 10 mi. S of: 404.
Uvanco or Yellow Jacket mine: 410.
Juab County—
Thomas Range: in fluorite deposits in vein structures: 493; in uraniferous fluorite pipes: 504.
Kane County—
Bulloch claims near Orderville: autunite, torbernite, and uraniferous carbonized wood, disseminated or coating pebbles or fracture surfaces in sandstones of the Cretaceous Dakota or Jurassic Summerville formations: 509.
Pahreah: 511.
San Juan County—
Abajo Mts.: 404.
Big Indian Valley, N of Monticello: 78, 82.
Browns Hole area: 396.
Cane Springs Pass S of Moab: 34.
Bridger Jack flat: 437.
Cottonwood Canyon District—
Basin claim: ore horizon in sandstone drilled by U.S.B.M.: 440.
Big Hole mine, largest in district and owned by Blanding Mines Co.: carnotite in layers in sandstone, drilled by U.S.B.M.: 440.
Birthday, Shale, East Bank, Found No. 2, and Lost claims: carnotite in layers in sandstone, drilled by U.S.B.M., and showing from less than 0.05 to 0.30% U_3O_8: 440.

Blue Bird area, about 1½ mi. W of Cliffhouse claim and owned by V.C.A.: carnotite in layers in sandstone, drilled by U.S.B.M., and showing less than 0.05% U_3O_8: 440.
Hangover Nos. 1 and 2 and Ridge Nos. 1 and 2 claims, on small tributary of Cottonwood Creek: carnotite in massive, thick lenticular, sandstone, drilled by U.S.B.M., and showing from zero to less than 0.05% U_3O_8: 440.
Dry Valley: in Morrison formation: 415.
Dry Valley, N of Monticello: 78, 82.
East Canyon: with tyuyamunite: 82.
Grey Dawn mine: with beta-uranotil, gummite, uraninite; lenticular pod-like structure, parallel to dip of Salt Wash sandstone beds: 480; structure, lenticular, irregular ore pods: 480; origin of ore, possibly alteration of hydrothermal ore deposits: 480.
La Sal Mountains: 396.
Lisbon (not Lisburne) Valley, N of Monticello: 78, 82.
Montezuma Canyon: 503.
Monument Valley: 63, 427.
Navajo Indian Reservation: 161.
White Canyon District—
White Canyon: 63; 8 mi. from Hite: 78.
Happy Jack mine: carnotite in thin seam, drilled by U.S.B.M., and showing no U_3O_8 so work was to be abandoned: 440.
Yellow Circle Group—
White Fawn and Yellow Circle claims: carnotite in sandstone lenses, drilled by U.S.B.M., and showing from zero to 5.20% U_3O_8: 440.
Uintah County—
Vernal on Ashley's Fork: 464.
Washington County—
Silver Reef Mining District—
Silver Reef: a little above the water table in White and Buckeye "reefs" (sandstone beds): 415; in copper-uranium-vanadium deposit in irregular lenses of sandstone with clay pellets, a part of Chinle formation of Triassic age: 509; in mines on reef: 464; with autunite: 82.
Washington: 464.
Wayne County—
Capitol Reef Monument—
Capitol Reef: 63; region: 428.
Hanksville, 10 mi. N of: 404.
Henry Mts., N end: 78, 82.

CARNOTITE PRICES

General
Prices: 471.

CARNOTITE PROCESSES

General
Chemical Treatment: test for vanadium content: 473; test to recover radium: 473; test to recover uranium from residue: 473; test to recover vanadium: 473; to produce uranium compounds: 471.
Concentration Processes—
Colorado specimens: 418.
Concentration process: 418.
Mesh test: 418.
Preliminary treatment: 418.
Radium test: 418.
Uranium concentration processes: 470.
Utah specimens: 418.
Value of process: 418.
Extraction Processes—
Chemical treatment: radium extraction from Colorado ore: 476; radium extraction from Utah ore: 476.
Radium extraction processes: 472.
Uranium extraction processes: 472.
Vanadium extraction processes: 472.
Acid method: 419.
Advantages in treating concentrates: 419.
Alkalies method: 419.
Flow sheet: 419.
Results on Colorado ores: 419.
Results on Utah ores: 419.

Colorado
La Plata County–
Durango: V.C.A. plant to treat carnotite ore from Navajo Indian Reservation: 140.
Mesa County—
Climax Uranium Co. mill, Grand Junction: acid-leaching process mill: 533, 534.
Montrose County—
General: carnotite ore formerly processed in mills at Denver or in the East: 407.
Standard Chemical Co.: formerly operated 50-ton mill on Lower San Miguel River for treating carnotite ore: 407.
Uravan: expansion at U. S. Vanadium Corp. mill; process for treating high-lime ores described: 557.

Colorado Plateau
General: carnotite ore formerly processed in mills at Denver or in the East: 407.
Colorado: Standard Chemical Co. formerly operated 50-ton mill on Lower San Miguel River for treating carnotite ore: 407.

United States
General—
Navajo Indian Reservation ore: to be treated at Durango, Colorado, plant, rehabilitated by V.C.A.: 140; to be treated at White Canyon District, Utah, pilot treatment plant: 140.

Utah
San Juan County—
Monticello:
Qualified uranium mill: owned by U.S.A.E.C. and operated by the Galigher Co. treats 100 t. carnotite per day: 461; leaching process: 408; treatment methods and equipment described: 461; treats four types of uranium ores, rejects from the sampling plant: low vanadium-low lime, high vanadium-low lime, low vanadium-high lime, high vanadium-high lime: 461; original processing plant operated by V.C.A. during World War II for production of uranium and vanadium: 461.
Uranium ore sampling plant: owned by U.S.A.E.C. and operated by A.S. & R. Co. acting as its sampling and ore buying agents: 461.
White Canyon District: pilot treatment plant: 140, 538; pilot plant to treat ore from Navajo Indian Reservation: 140.

CARNOTITE PRODUCTION

Colorado
General: 1949 production from 250 operations, of which 80% were in Colorado: 457.
Mesa-Montrose-San Miguel Cos.—
Uravan mineral belt: 565,000 t. carnotite ore produced from 1936–1943 or 78% of entire production from Colorado and Utah main producing region: 417.
Southwest Part—
General: radium, vanadium, uranium produced in 1919 valued at over five and one-half million: 407; total carnotite ore production, including 1919 approximately 29,000 t. averaging 1.90% U_3O_8 and 5.80% V_2O_5: 407.
Radium Co. of Colorado: formerly produced 10% carnotite ore: 407.
Radium Luminous Materials Corp.: formerly produced 8% of carnotite ore: 407.
Standard Chemical Co.: formerly largest operator in area; produced 75% of carnotite ore: 407.

Colorado Plateau
General: 1949 production from 250 operations, of which 80% were in Colorado: 457.
Colorado—
Southwest Part—
General: total production, including 1919, approximately 29,000 t. carnotite ore with 1.9% U_3O_8 and 5.8% V_2O_5: 407.

United States
General—
Carnotite: ores and concentrates shipped from U.S. mines from 1932–1941: 457.

CARNOTITE UTILIZATION

General
Use of by-products: 471.

CHANNEL DEPOSITS, URANIUM-BEARING

See Morrison formation, Shinarump formation, and Uranium Ore Guides: 22, 466.

CLAYS

Colorado
Mesa County—
Mineralogical Studies—
Base-exchange determination: Calamity Mesa samples: 500.
Chemical analyses: Calamity Mesa samples: 500.
Differential thermal analysis: Calamity Mesa samples: 500.
Electron microscope study: Calamity Mesa samples: 500.
Petrographic microscope study: Calamity Mesa samples: 500.
X-ray powder patterns: Calamity Mesa samples: 500.
Montrose County—
Mineralogical Studies—
Base-exchange determination: Bitter Creek samples: 500.
Chemical analyses: Bitter Creek samples: 500.
Differential thermal analysis: Bitter Creek samples: 500.
Electron microscope study: Bitter Creek samples: 500.
Petrographic microscope study: Bitter Creek samples: 500.
X-ray powder patterns: Bitter Creek samples: 500.

COALS, URANIUM-BEARING

Colorado
Jefferson County—
Colorado Front Range—
Denver, 12 mi. from, in center of S. 28, R. 70 W., T. 2 S., Sixth Principal Meridian: carnotite in Laramie coal formation: 505.

COPPER-URANIUM DEPOSITS

Utah
Emery County—
San Rafael Swell—
Green Vein group: 21.
Pay Day claim: 21.
Garfield County—
Escalante-Circle Cliffs area—
Circle Cliffs: 509.
Blue Jay claim: 21.
Falling Star claims: 21.
Oak Creek prospect 17 mi. NE of Boulder: 509.
Spotted Dog claim: 509.
San Juan County—
White Canyon District—
White Canyon: uranium and copper minerals in Shinarump Conglomerate as disseminated deposits in sandstones and as veins along fractures, sometimes as replacements in logs; similar deposits of lower grade in Chinle formation and in Moenkopi formation: 401; geology: 401; grade: 401; localization of deposits by uranium ore guides: 401: chemical controls: 401, general geologic controls: 401, relation to channel fills: 401, structural controls: 401; mineralogy: 401; origin: 401; production: 401; structure: 401.
Ace of Hearts claim: copper-uranium deposit with 0.01–0.05% U: 401.
Bankrupt claim: copper-uranium deposit with 0.01–0.05% U: 401.
Bear claim: copper-uranium deposit with 0.05–0.1% U: 401.
Bell claim: copper-uranium deposit with 0.1–0.3% U: 401.
Bridges claim: copper-uranium deposit with 0.01–0.05% U: 401.
Butler's claim: copper-uranium deposit with 0.05–0.1% U: 401.
Cub claim: copper-uranium deposit with 0.05–0.1% U: 401.
Dead Buck claim: copper-uranium deposit with 0.05–0.1% U: 401.
Found claim: copper-uranium deposit with 0.1–0.3% U: 401.
Four Aces claim: copper-uranium deposit with 0.01–0.05% U: 401.
Frey Canyon No. 4 claim: copper-uranium deposit with 0.1–0.3% U: 401.
Frey claim: copper-uranium deposit with 0.05–0.1% U: 401.

Frey No. 1 claim: copper-uranium deposit with 0.01–0.05% U: 401.
Frey No. 2 claim: copper-uranium deposit with 0.05–0.1% U: 401.
Gonaway-North Point claim: copper-uranium deposit with 0.05–0.1% U: 401.
Happy Jack mine: copper-uranium deposit with more than 0.3% U: 401.
Hideout mine: copper-uranium deposit with 0.1–0.3% U: 401.
Hideout No. 1 mine: in Shinarump conglomerate: 490.
Jacobs Chair claim: copper-uranium deposit with 0.05–0.1% U: 401.
Jerry claim: copper-uranium deposit with 0.05–0.1% U: 401.
Markie claim; copper-uranium deposit with 0.05–0.1% U: 401.
Mossback claim: copper-uranium deposit with 0.05–0.1% U: 401.
Mossback (Old Jackpot) claim: copper-uranium deposit with 0.05–0.1% U: 401.
Notch claim: copper-uranium deposit with 0.01–0.05% U: 401.
Point claim: copper-uranium deposit with 0.05–0.1% U: 401.
Posey mine: copper-uranium deposit with more than 0.3% U: 401.
Red Canyon No. 1 claim: copper-uranium deposit with 0.05–0.1% U: 401.
Saddle claim: copper-uranium deposit with 0.01–0.05% U: 401.
Scenic No. 2 claim: copper-uranium deposit with 0.1–0.3% U: 401.
Scenic No. 4 claim: copper-uranium deposit with 0.05–0.1% U: 401.
Scotty claim: copper-uranium deposit with 0.01–0.05% U: 401.
Standard claim: copper-uranium deposit with less than 0.01% U: 401.
Sunrise claim: copper-uranium deposit with 0.01–0.05% U: 401.
Unknown claim: copper-uranium deposit with less than 0.01% U: 401.
Uracop claim: copper-uranium deposit with 0.01–0.05% U: 401.
W.G.J.N.W. claim: copper-uranium deposit with less than 0.01% U: 401.
W.N. claim: copper-uranium deposit with 0.01–0.05% U: 401.
White Canyon No. 1 claim: copper-uranium deposit with 0.1–0.3% U: 401.
Woodenshoe (?) claim: copper-uranium deposit with 0.05–0.1% U: 401.
Yellow John claim: copper-uranium deposit with more than 0.3% U: 401.
Zebra claim: copper-uranium deposit with less than 0.01% U: 401.
White Canyon-Red Canyon District: 20.
Uintah County—
Uinta Basin: 509.
Washington County—
Silver Reef Mining District: 20, 478.
Fort Pierce: 21.
Silver Reef: 509.
Wayne County—
Capitol Reef Monument—
Oyler mine: 509; (called here: Oiler Tunnel, Blue Bird claims): 21.
Northern part: 21.

D

DRILLING METHODS

General
Colorado: 18, 154, 413, 501.
Colorado Plateau: 18, 154, 413, 501.
Diamond Drilling: 18, 154, 413, 501.
Methods and Results, 18, 154, 413, 501.
Utah: 18, 154.
See also: Uranium Exploration.

DRILLING OPERATIONS

See Drilling Methods; Uranium Exploration: 154.

E

EUXENITE OCCURRENCES

Colorado
Chaffee County—
Clora May mine: in pegmatite with allanite: 234.
Crystal No. 8 mine: in pegmatite with allanite: 234.
Trout Creek Pass: in pegmatite: 70; analysis: 68.
Yard mine: in pegmatite with monazite: 234.

F

FLUORITE, URANIUM-BEARING

Colorado
General: 95.
Boulder County—
Jamestown: uraniferous fluorite breccia zones with pitchblende, uraninite, autunite, torbernite in fluorite-sulfide deposit: 504.
Blue Jay mine: uranothorite in fluorite breccias: 474, 475.
Burlington mine: uraniferous fluorite breccia zones worked to depths of 600 ft.: 504.
Nations Treasure mine: torbernite on fractures in fluorite in fluorite-sulfide deposit: 504.
El Paso County:
St. Peters Dome: kasolite in fluorite-quartz-sulfide deposits: 504.

Utah
General: 95.
Beaver County—
Indian Creek: autunite in fluorite-quartz-sulfide deposits: 504.
Staats mine: autunite, uranophane in fluorite: 504.
Juab County—
Honeycomb Hills: uranium minerals as coatings on fluorite in fluorite-quartz-sulfide deposits: 504.
Thomas Range: uraniferous fluorite pipes with carnotite: 504.
Bell Hill group of claims owned by Donald, Delbert, and T. E. Searle and Harold Ruthiford and leased to G. P. Spor: fluorite sample contained 0.4% uranium: 488.
Fluorine Queen property: irregular uraniferous fluorite pipe with carnotite: 504.
Fluorite (Original Spor) Group owned by G. P. Spor: less radioactive than Bell

FLUORITE, URANIUM-BEARING (contd.)
Hill and Harrisite groups but composite chip sample assayed 0.016% eU: 488.
Harrisite claims owned by E. D. and E. T. Harris: fluorite sample contained 0.25% uranium: 488.
Thursday property: uraniferous fluorite veins: 504.
Piute County—
Farmer John claims: uranium mineralization with fluorite; leased by Bullion Monarch Mining Co. for fluorite mining and, later, for uranium development: 522.

G

GADOLINITE OCCURRENCES

Colorado
See Thorium Occurrences—
Colorado: 234, 395.

GALENA ORES, RADIOACTIVE

See Radioactive Galena Ores: 45.

GEOBOTANICAL PROSPECTING

General
Colorado: 409.
Colorado Plateau: 409.
Methods: 409.
Utah: 409.
See also: Uranium Exploration; Uranium Ore Guides—Geobotanical Guides.

GEOBOTANICAL RESEARCH

General
Colorado: 409.
Colorado Plateau: 409.
Methods: 409.
Utah: 409.
See also: Uranium Exploration; Uranium Ore Guides—Geobotanical Guides.

GEOCHEMICAL PROSPECTING

General
Colorado: 409.
Colorado Plateau: 409.
Geobotanical methods: 409.
Utah: 409.

GEOCHEMICAL RESEARCH

General
Colorado: 409.
Colorado Plateau: 409.
Geobotanical methods: 409.
Utah: 409.

GEOPHYSICAL EXPLORATION

See also Uranium Exploration for Geophysical Exploration (Ground and Airborne).

GEOPHYSICAL EXPLORATION (AIRBORNE)

General
Results of operations: 494.
Value as an exploration method: 494.
Instrumentation—
Geiger-type detectors: 494.
Scintillometers: 494.
Basic requirements of instruments used: Discriminator circuit to eliminate soft gamma-rays minimize effect of altitude variation: 494; Page recorder for permanent records: 494; Power supply adapted to 12 volt aircraft system: 494; Provision for marking page record to coordinate with position over ground: 494; Provision for suppression of background radiation by crystals or anticoincidence circuitry: 494; Several scales of sensitivity ranging downward from one milliroentgen/hr.: 494; Time constant at least as low as ½ second: 494; Total equipment weight not over 250 lbs: 494.
Operational Techniques—
Fixed-wing or helicopter-type aircraft: 494.
Grid flying or rim-flying: 494.
Locating Recorded Anomalous Radioactivity on Base Maps and Aerial Photographs—
Flying precise flight lines at fixed speed: 494.
Ground triangulation: 494.
Use of continuous strip recorder camera: 494.
Visual coordination using aerial photographs: 494.

Colorado
Montrose County—
Club Mesa: first low-altitude operation; done by Texas Co. in 1950: 494.
Long Park: first low-altitude operation; done by Texas Co. in 1950: 494.

Colorado Plateau
General—
Instrumentation: 494.
Operational Techniques: 494.
Results of operations: rim flying best in this area: 494.
Specific operations: airborne survey done in this area in Arizona, Colorado, New Mexico, and Utah: 494; airborne surveys for Hines Uranium Co.; no details available: 494; Anaconda Mining Co. cooperating with Rigg Aviation Service in Red Canyon district, Utah, 1951: 494; Excalibur Uranium Corp. in Green River desert, near Moab, and Cataract Canyon, Utah, in 1951: 494; first low-altitude operations, Texas Co. flights over Blanding, Utah, and Long Park and Club Mesa, Colorado, in 1950: 494; J. R. Simplot Co. in Henry Mts. and adjacent Green River desert country, Utah, in 1951: 494; Lundberg Explorations, Ltd., of Canada airborne survey for U.S.A.E.C. of Lukachukai Carrizo district, Arizona, 1951: 494; U.S.A.E.C. airborne reconnaissance of Grants area, New Mexico, in 1951: 494; U.S.A.E.C. airborne survey in Monument Valley, Arizona, in 1951: 494; U.S.A.E.C. experimental flying in Carrizo Mountain district, Arizona, in 1951: 494; U.S.G.S., limited airborne operations throughout the area: 494.
Value as an exploration method: only useful where deposits outcrop at surface: 494.
Colorado—
Club Mesa, Montrose Co.: first low-altitude operation; done by Texas Co. in 1950: 494.
Long Park, Montrose Co.: first low-altitude operation; done by Texas Co. in 1950: 494.
Utah—
Blanding, San Juan County: first low-altitude operation; done by Texas Co. in 1950: 494.

Cataract Canyon, San Juan County: airborne survey by Excalibur Uranium Corp.: 494.
Green River desert near Moab, Grand County: airborne survey by Excalibur Uranium Corp.: 494.
Henry Mts. and adjacent Green River desert, Garfield Co.: airborne survey by J. R. Simplot Co. in 1951: 494.
Red Canyon district, San Juan County: airborne survey by Anaconda Mining Co. cooperating with Rigg Aviation Service in 1951: 494.

Utah
Garfield County—
Green River desert adjacent to Henry Mts.: airborne survey by J. R. Simplot in 1951: 494.
Henry Mts.: airborne survey by J. R. Simplot Co. in 1951: 494.
Grand County—
Green River desert near Moab: airborne survey by Excalibur Uranium Corp. in 1951: 494.
San Juan County—
Blanding: first low-altitude operation; done by Texas Co. in 1950: 494.
Cataract Canyon: airborne survey by Excalibur Uranium Corp. in 1951: 494.
Red Canyon district: airborne survey by Anaconda Mining Co. cooperating with Rigg Aviation Service, in 1951: 494.

GEOPHYSICAL EXPLORATION (GROUND)

Colorado
Boulder County—
Caribou mine: Geiger-Mueller counter survey: 484.
Montrose County—
Bull Canyon: Potential Drop Ratio method: 498; Resistivity depth measurements method: 498.

GEOPHYSICAL RESEARCH

General
Geophysical Exploration—
Airborne methods: 494.
Ground methods: 498.
Methods: 494, 498.
See also: Geophysical Exploration.

GUMMITE OCCURRENCES

Colorado
Larimer County—
Crystal Mountain District 18 mi. SW of Fort Collins: in Big Boulder pegmatite with uranium minerals: 234; in Double Opening pegmatite with uranium minerals: 234.
Big Boulder prospect: in Big Boulder pegmatite with autunite: 234.
Double Opening prospect: in Double Opening pegmatite with autunite, torbernite, uraninite: 234.

Utah
San Juan County—
Grey Dawn mine: three pod-like occurrences with beta-uranotil, carnotite, uraninite: 480.

H-J

JOHANNITE OCCURRENCES

Colorado
Gilpin County—
Central City: 493.

Utah
San Juan County—
White Canyon: 401.
Happy Jack mine: with chalcanthite at surface: 493.

K

KASOLITE OCCURRENCES

Colorado
El Paso County—
St. Peters Dome: in fluorite-quartz-sulfide deposit: 504.

L

LAND WITHDRAWALS

Colorado
Public Land Order 459: land at New Mexico Principal Meridian withdrawn for U.S.A.E.C. use: 90.
Public Land Order 494: land at New Mexico Principal Meridian withdrawn for U.S.A.E.C. use: 90.
Public Land Order 565: land at New Mexico Principal Meridian withdrawn for U.S.A.E.C. use: 90.
Public Land Order 698: land at New Mexico Principal Meridian withdrawn for U.S.A.E.C. use: 90.
Montrose County—
Public Land Order 779: land withdrawn for U.S.A.E.C. use in uranium exploration: 555.

United States
General—
Colorado: 90; land withdrawn in Montrose County for U.S.A.E.C. use: 555.
Utah: 90; 66 sq. mi. of land in Grand County withdrawn for U.S.A.E.C. use: 542.

Utah
General—
Public Land Order 494: land at Salt Lake Meridian withdrawn for U.S.A.E.C. use: 90.
Public Land Order 565: land at Salt Lake Meridian withdrawn for U.S.A.E.C. use: 90.
Grand County—
Public Land Order 745: 66 sq. mi. withdrawn for U.S.A.E.C. use: 542.

LIGNITES, URANIUM-BEARING

See also under Uranium Occurrences—Types: 62.

Colorado
Jefferson County—
Golden, N. of: carnotite: 53.

LIMESTONES, URANIUM-BEARING
Colorado
Jefferson County—
Leyden coal mine: uranium minerals in limestone of Laramie formation of Cretaceous age: 509.
Utah
General: 27.
Northeast Part: uranium, possibly of syngenetic origin, in Uintah formation: 426.

M

MAPS
Uranium Occurrences
Location and Types of Uranium Deposits—
Colorado: 426, 443, 455, 486, 493, 504, 509.
Colorado Plateau: 443, 455, 486, 493, 509.
United States: 426, 443, 455, 486, 493, 504, 509.
Utah: 426, 443, 455, 486, 493, 504, 509.

META-TORBERNITE OCCURRENCES
Utah
Beaver County—
Newton Mining District—
Sniffer and Mystery claims: questionable occurrence with autunite (?) in argillized, silicified earlier Tertiary Bullion Canyon latite: 510.
Piute County—
Marysvale area—
Bullion Monarch mine: with pitchblende, autunite, schroeckingerite, torbernite, uranophane: 495.
East Slope No. 2 deposit: with autunite, schroeckingerite, uranophane along face of open cut coating fractures and joints in hornfels: 493.

MICROLITE OCCURRENCES
Colorado
Gunnison County—
Bazooka spodumene prospect: in pegmatite: 234.
Brown Derby: with betafite in pegmatite: 70.
Brown Derby mine: in pegmatite with monazite; chemical analysis shows U but no Th: 234.
Brown Derby No. 5 prospect: in pegmatite: 234.
Opportunity No. 1 prospect: in pegmatite: 234.
White Spar No. 1 prospect: in pegmatite: 234.

MINERALOGICAL STUDIES
Colorado
Mesa County—
Clays—
Base exchange determination: Calamity Mesa samples: 500.
Chemical analyses: Calamity Mesa samples: 500.
Differential thermal analysis: Calamity Mesa samples: 500.
Electron microscope study: Calamity Mesa samples: 500.
Petrographic microscope study: Calamity Mesa samples: 500.
X-ray powder patterns: Calamity Mesa samples: 500.
Montrose County—
Clays—
Base exchange determination: Bitter Creek samples: 500.
Chemical analyses: Bitter Creek samples: 500.
Differential thermal analysis: Bitter Creek samples: 500.
Electron microscope study: Bitter Creek samples: 500.
Petrographic microscope study: Bitter Creek samples: 500.
X-ray powder patterns: Bitter Creek samples: 500.

MONAZITE OCCURRENCES
Colorado
See Thorium Occurrences—Colorado: 11, 78, 82, 234, 252, 403, 457, 502.
Utah
See Thorium Occurrences—Utah: 11.

MONAZITE PRODUCTION
Colorado
General: small amounts: 457.
Climax Molybdenum Co. mill: monazite as by-product: 537.

MORRISON FORMATION
Carnotite Occurrences
General—
Colorado: 22.
Colorado Plateau: 22; channel deposits: 22; geology: 22; ore deposits: 22; origin: 22; uranium production: 22.
Utah: 22.

N-O

OPAL, URANIUM-BEARING
Utah
Piute County—
Marysvale area—
J. and L. alunite mine: in adit; material similar to opal but unusual green fluorescence like that of some hyalite: 451.
Trinity mine: in old workings; has brilliant green fluorescence: 451.

ORE GUIDES
See Uranium Ore Guides; Uranium Exploration.

ORIGIN
Carnotite Occurrences
Colorado—
General: 13, 22: probably syngenetic in Morrison and Entrada formations: 415; probably from groundwater solutions migrating through ore-bearing beds soon after sand accumulated, with precipitation resulting from slight changes in chemical composition of solutions, perhaps in presence of decaying organic material: 417; probably due to circulation of groundwaters in Salt Wash member of Morrison formation after deposition of the Salt Wash sands and shales: 431.
Colorado Plateau—
General: 13, 22, 407; probably syngenetic in Morrison and Entrada formations and

Shinarump conglomerate: 415; probably from ground-water solutions migrating through ore-bearing beds soon after sand accumulated, with precipitation resulting from slight changes in chemical composition of solutions, perhaps in presence of decaying organic material: 417; probably due to circulation of groundwaters in Salt Wash member of Morrison formation after deposition of the Salt Wash sands and shales: 431.
United States—
Sedimentary deposits of carnotite: 459.
Utah—
General: 13, 22; probably syngenetic in Shinarump conglomerate at Silver Reef: 415; probably due to circulation of groundwaters in Salt Wash member of Morrison formation after deposition of the Salt Wash sands and shales: 431; Grey Dawn mine: possibly, alteration of hydrothermal ore deposits: 480.

Copper-Uranium Deposits
Utah—
White Canyon: 401.
Happy Jack mine: 412.

Uranium Occurrences
Colorado—
Carnotite: 13, 22; probably syngenetic in Morrison and Entrada formations: 415; probably from groundwater solutions migrating through ore-bearing beds soon after sand accumulated, with precipitation resulting from slight changes in chemical composition of solutions, perhaps in presence of decaying organic material: 417; probably due to circulation of groundwaters in Salt Wash member of Morrison formation after deposition of the Salt Wash sands and shales: 431.
Hydrothermal solutions, precipitation from: Black King prospect: 449.
Uranium-bearing deposits in Colorado and Utah in the Salt Wash sandstone and Brushy Basin shale members of Morrison formation, Shinarump conglomerate, and Chinle formation, which also contain volcanic debris altered to clays: 499.
Colorado Plateau—
Carnotite: 13, 22, 407; probably syngenetic in Morrison and Entrada formations and Shinarump conglomerate: 415; probably from groundwater solutions migrating through ore-bearing beds soon after sand accumulated, with precipitation resulting from slight changes in chemical composition of solutions, perhaps in presence of decaying organic material: 417; probably due to circulation of groundwaters in Salt Wash member of Morrison formation after deposition of the Salt Wash sands and shales: 431.
Uranium-bearing deposits in Colorado and Utah in the Salt Wash sandstone and Brushy Basin shale members of Morrison formation, Shinarump conglomerate, and Chinle formation, which also contain volcanic debris altered to clays: 499.
United States—
Sedimentary deposits of carnotite: 459.
Sedimentary uranium deposits: 34.
Utah—
Carnotite: 13, 22; probably syngenetic in Shinarump conglomerate at Silver Reef: 415; probably due to circulation of groundwaters in Salt Wash member of Morrison formation after deposition of the Salt Wash sands and shales: 431.
Copper-uranium deposits:
White Canyon, 401.
Happy Jack mine: 412.
Uranium-bearing deposits in Colorado and Utah in the Salt Wash sandstone and Brushy Basin shale members of Morrison formation, Shinarump conglomerate, and Chinle formation, which also contain volcanic debris altered to clays: 499.
Uranium deposits at Marysvale: 451.

Uranothorite Occurrences
Colorado—
Hydrothermal solutions: precipitation from: Black King prospect: 474, 475.

P

PHOSPHATES, URANIUM-BEARING

General
Low grade uranium ores: Utah: 306.
Utah: low grade uranium ores: 306.

PHOSPHURANYLITE OCCURRENCES

Utah
San Juan County—
White Canyon: 401.

PITCHBLENDE MINERALOGY

General
Micrograph Examination—
Caribou mine, Colorado, specimen: 484.
Microscopic Examination—
Caribou mine, Colorado, specimen: 484.
Colorado specimens: 398.
Mineralization—
Colorado specimens: 398.
Paragenesis—
Colorado specimens: 398.
Colorado Plateau: deposits in asphaltite may involve polymerization by alpha particles of light hydrocarbons: 485; deposits in sedimentary rocks probably were formed contemporaneous with or shortly before associated copper sulfides: 485.
Radiographic Examination—
Caribou mine, Colorado, specimen: 484.
Study of Polished Section—
Caribou mine, Colorado, specimen: 484.

PITCHBLENDE OCCURRENCES

General
Depth of Deposits—
Vertical Range (200–400 feet): near surface or at depths: Colorado deposits from surface to as deep as 1000 ft.: 455.
Geology: 102.
Mineralization: 102.
Types of Deposits—
General: 102.

PITCHBLENDE OCCURRENCES (contd.)
Disseminations in sedimentary rocks: White Canyon, Utah: 455.
Vein deposit types: fluorite-quartz-sulfide type: 455; quartz-sulfide-type: 455; quartz-sulfide-carbonate type: 455; quartz-sulfide-carbonate-hematite type: 455.
Vein deposits in igneous rocks: Front Range mineral belt, Colorado: 455; Marysvale, Utah: 455.
Vein deposits in sedimentary or metamorphic rocks: San Miguel County, Colorado: 455.

Colorado
General: analysis of specimen: 472.
Colorado Front Range: 496.
Boulder County—
Front Range Mineral Belt—
Grand Island Mining District—
Caribou mine: 53, 102; in silver fissure veins in shear zones in quartz-monzonite stock: 484; in veins of the quartz-sulfide-carbonate type, with a little cobalt and some hematite-stained veins: 455; Geiger Mueller survey: 484; geology: 484; mineralization: 484; mineralogical examinations: 484; mineralogy: 484; ore zones vary from a few inches to 15 ft. in width and include silver, lead, zinc, and iron minerals with pitchblende: 484; results of Geiger-Mueller counter studies showed no radioactivity on the surface despite presence of pitchblende at the 1040 ft. level and its corresponding radioactivity: 484.
Caribou vein: analyses of samples from 1040 ft. level showed more pitchblende in parts rich in copper, lead, and silver than in those rich in zinc: 455.
Radium vein: in form of sooty black powder or solid lenticular masses with uranium content from 0.001 to 1.45% U_3O_8: 453; occurs as both the soft, sooty type formed later at lower temperatures and the hard botryoidal type formed earlier at higher temperatures: 468; ore in tension fracture of interconnecting vein system at vertical depths between 187 and 1075 ft.: 468; ore mineralization includes silver, lead, and zinc minerals but no nickel or cobalt: 468.
Jamestown: in veins of the fluorite-sulfide-quartz type occasionally with torbernite: 455; uraniferous fluorite breccia zones with uraninite, autunite, torbernite in fluorite-sulfide deposit: 504.
Clear Creek County—
Idaho Springs area—
Lawson-Dumont Mining District—
Bellevue Hudson mine, near Empire and Lawson: 517.
Golconda mine: in No. 4 vein, assaying 0.183% U_3O_8; also secondary uranium mineralization on Golconda tunnel walls: 487.
Jo Reynolds area: in a lead-zinc-silver ore body: 432.
Jo Reynolds mine near Lawson: 78, 82; in lead-zinc-silver deposit: 432; in vein deposits with gold and silver ore: 398; 8 t. high grade ore shipped from mine in 1919; sold in France for $80,000: 432; main deposits in vein in Elida tunnel: 432.
Lawson: in veins of the quartz-sulfide-carbonate type: secondary uranium minerals not in same vein: 455.
Lincoln Mining District—
Almaden mine: in small veinlet in Blazing Star vein and assaying 0.90% U_3O_8: 487.
Colorado Front Range—
General: in more than 20 vein deposits: 455.
Front Range Mineral Belt: distribution related to pattern of hypogene zoning: 458; distribution of deposits apparently restricted to an intermediate or transitional zone between central areas of pyritic gold veins and peripheral areas of silver-lead-zinc veins: 458; no indication as to whether pitchblende is more common in inner or outer part of intermediate zone: 458; significance of some geologic factors can be evaluated: 458; zonal distribution of pitchblende deposits influenced by at least seven geologic factors:
bostonite intrusives: 458; correlation of pitchblende with copper sulfides (and sulfo-salts?): 458; differences between paragenetic sequence and position of minerals in successive zones: 458; effective depth of mineralization: 458; fault patterns: 458; multiple stages of uranium mineralization: 458; scale and complexity of zoning in plan and in section: 458.
zonal distribution: 458.
Boulder County—
Caribou mine: 102, 453, 455, 458, 468, 484.
Gilpin County
Quartz Hill: in many mines (see Gilpin County entry below).
Gilpin County—
Front Range Mineral Belt—
Central City Mining District—
Quartz Hill: 511; in seven mines (not named): 399; mined in commercial quantities from four gold- and silver-bearing pyrite-sphalerite-galena veins on the south side: 467; massive and sooty pitchblende in veins of quartz-sulfide type: 455.
Alps mine: in vein deposits with gold and silver ore: 398, 460.
Belcher mine: 78, 82, 330; in vein deposits with gold and silver ore: 398, 460.
Calhoun mine: 78, 82, 397; in vein deposits with gold and silver ore: 398, 460.
East Calhoun mine owned by Realty Co. of Denver: 53; not found in mineable quantities although some was produced from 1897–1914: 467.
West Calhoun mine owned by Realty Co. of Denver: production believed small since only available figures show 240 lbs. with 37.5% U_3O_8 mined in 1912: 467.

German lode: 473.
German mine: 78, 82, 330; in vein deposits with gold and silver ore: 398, 460.
German-Belcher mine: 53.
Kirk mine: 53, 78, 82, 330, 473; in vein deposits with gold and silver ore: 398, 460; in veins found from surface through 400 ft. depth: 455.
Leavenworth mine: with gold and silver ore: 460.
Mitchell mine: in vein deposits with gold and silver ore: 398, 460.
Pewabic mine in Russell Gulch: in vein deposits with gold and silver ore: 398, 460.
Russell Gulch: analysis: 68.
Wood mine near head of Leavenworth Gulch: 53, 78, 82, 397, 473; analysis: 68; discovered in 1871: 455; in vein deposits with gold and silver ore: 398, 460; under lease to and operated by Realty Co. of Denver: assays of pitchblende ranged from .023 to 14.5% eU and from .008 to 14.27% U: 467; in vein deposits: 452.
Wood vein: assays of pitchblende ranged from .023 to 14.5% eU and from .008 to 14.27% U: 467.
Wood and Kirk mines: ore averages 0.2% U_3O_8: 394.
Wyandotte mine: with gold and silver ore: 460.
Jefferson County—
Ralston Creek: massive and sooty pitchblende in veins of quartz-sulfide type: 455.
Several mines (not named): 82.
Lake County—
Colorado Mineral Belt—
Leadville Mining District: 477.
St. Kevin Mining District: questionable occurrence, with torbernite: 477.
Larimer County—
Copper King mine, 45 mi. NW of Fort Collins: 53, 543.
Prairie Divide: massive and sooty pitchblende in veins of quartz-sulfide type: 455.
Montrose County—
Paradox Valley: 464.
Ouray County—
Colorado Mineral Belt—
Lower Uncompahgre Mining District: 477.
Red Mountain Mining District: 477.
Upper Uncompahgre Mining District: 477.
Park County—
Colorado Mineral Belt—
Alma Mining District: 477.
San Miguel County—
General: in vein deposits: 455.

Colorado Front Range
General: 53, 496; age determinations: published age of 60 million years for Laramide pitchblende of Colorado Front Range confirmed by study: 492.
Colorado—
General: in more than 20 vein deposits: 455.
Front Range Mineral Belt: distribution of deposits apparently restricted to an intermediate or transitional zone between central areas of pyritic gold veins and peripheral areas of silver-lead-zinc veins: 458; distribution related to pattern of hypogene zoning: 458; no indication as to whether pitchblende is more common in an inner or outer part of intermediate zone: 458; significance of some geologic factors can be evaluated: 458; zonal distribution of pitchblende deposits influenced by at least seven geologic factors:
bostonite instrusives: 458; correlation of pitchblende with copper sulfide (and sulfo-salts?): 458; differences between paragenetic sequence and position of minerals in successive zones: 458; effective depth of mineralization: 458; fault patterns: 458; multiple stages of uranium mineralization: 458; scale and complexity of zoning in plan and in section: 458.
Zonal Distribution: Front Range Mineral Belt: 458.
Boulder County—
Grand Island Mining District—
Caribou mine: 53, 102; Geiger-Mueller survey: 484; geology: 484; in silver fissure veins in shear zones in quartz-monzonite stock: 484; in veins of the quartz-sulfide carbonate type, with a little cobalt: 455; mineralization: 484; mineralogical examinations: 484; mineralogy: 484; ore zones vary from a few inches to 15 ft. in width and include silver, lead, zinc, and iron minerals with pitchblende: 484; results of Geiger-Mueller counter studies showed no radioactivity on the surface despite presence of pitchblende at the 1040 ft. level and its corresponding radioactivity: 484.
Gilpin County—
Wood and Kirk mines, Quartz Hill: ore with average grade of 0.2% U_3O_8: 394.

Colorado Mineral Belt
Central Part—
Alma Mining District: 477.
Leadville Mining District: 477.
St. Kevin Mining District: questionable occurrence, torbernite: 477.
Southwest Part—
Lower Uncompahgre Mining District: 477.
Red Mountain Mining District: 477.
Upper Uncompahgre Mining District: 477.

Colorado Plateau
General: in sedimentary rocks, usually in lower Chinle and Shinarump formations: 485; occur with sulfides of copper or in asphaltic bodies but, in both cases, associated with fossil plants or beds rich in organic debris: 485; usually replace cell walls of plants while copper sulfides fill cells: 485.
Paragenesis: deposits in asphaltite may involve polymerization by alpha particles of light hydrocarbons: 485; deposits in sedimentary rocks probably were formed contemporaneous with or shortly before associated copper sulfides: 485.

PITCHBLENDE OCCURENCES (cont.)
Utah
Emery County—
San Rafael Swell—
Temple Mountain: deposits as minute grains, 1–10 microns in diameter, in ribbon or ellipsoidlike aggregates in asphaltite: 485.
Garfield County—
Oak Creek prospect 17 mi. NE of Boulder: 21.
Grand County—
Seven Mile Canyon: deposits replacing wood and rimming quartz and limestone pebbles: 485.
Piute County—
Marysvale area: 102; in structurally controlled veins: 443; in veins of the fluorite-sulfide-quartz type: 455; in veins with secondary uranium minerals: 493; several deposits: 429.
Buddy mine: a little with autunite: 495.
Bullion Monarch mine: with autunite, meta-torbernite, schroeckingerite, torbernite, uranophane: 495.
Farmer John open pit, Bullion Monarch Mining Co.: with autunite: 479.
Freedom lease, V.C.A.: with autunite: 479.
Freedom No. 1 (Seegmiller) mine: trace with autunite, schroeckingerite, torbernite: 495.
Prospector lease, V.C.A.: with autunite: 479.
Prospector mine under lease by V.C.A.: with autunite, torbernite, uranophane, and a calcium-uranium-oxide mineral (analogue of fluorite): 495.
V.C.A. properties: 532.
San Juan County—
White Canyon District—
White Canyon: deposits in sedimentary rocks replacing cell walls of fossil plants while copper sulfides fill cells: 485; dissemination associated with copper sulfides and secondary uranium minerals in sandstone in Shinarump conglomerate: 455.
Happy Jack mine: 401, 412; in copper-uranium deposit in mine workings 75 ft. underground: 509; in interior of deposit: 493.
Hideout mine: 401.
Posey mine: 401.

PITCHBLENDE PROCESSES
General
Radium extraction processes: 472.
Uranium extraction processes: 472.

PITCHBLENDE PRODUCTION
Colorado
Clear Creek County—
Lawson-Dumont Mining District—
Jo Reynolds mine: 8 t. assaying 72% U_3O_8 produced in 1919: 432.
Gilpin County—
Central City Mining District—
Quartz Hill—
Calhoun vein in East Calhoun mine: in commercial quantities from gold- and silver-bearing vein: 467.
German-Belcher vein in German and Belcher mines: in commercial quantities from gold- and silver-bearing vein: 467.
Kirk vein in Kirk mine: in commercial quantities from gold- and silver-bearing vein: 467.
West Calhoun mine: only record of production in 1912: 467.
Wood vein in Wood mine: in commercial quantities from gold- and silver-bearing vein: 467.

PROSPECTING FOR URANIUM
See Uranium Exploration: 154.

PROSPECTORS' GUIDES
See also: Uranium Exploration.
Colorado
General—
Uranium: 90.
Utah
General—
Uranium: 90.

Q-R

RADIOACTIVE AREAS
Colorado
Custer County—
Haputa Ranch near Westcliffe: radioactive veins, possibly carrying thorium or rare earths: 53.
Eagle County—
Gilman area, Eagle mine: galena and sphalerite ores, sulphides: 45.
Unnamed location: granites: 45.

RADIOACTIVE FLUORITE
Utah
Tooele County—
Sheeprock Mountains: radioactive fluorite-quartz-sulfide deposits: 504.

RADIOACTIVE GALENA ORES
Colorado
Eagle County—
Gilman area, Eagle mine: 45.

RADIOACTIVE OCCURRENCES
Colorado
Clear Creek County—
Pennsylvania tunnel near Fall River: small amount of slightly radioactive light-yellow to blue-green precipitate, probably goslarite, on walls and in backs of workings: 487.
Spring Gulch, Small prospect tunnel on north fork of: gave Geiger-counter reading of over twice background but source of radioactivity not determined: 487.
Standard tunnel near Fall River: small amount of slightly radioactive light-yellow to blue-green precipitate, probably goslarite, on walls and in backs of workings: 487.
Gilpin County—
Central City Mining District—
Quartz Hill—
Ayres Leavenworth mine: general: 467.

Belcher mine: general: 467.
Calhoun mine: general: 467.
Eldorado mine: general: 467.
German mine: general: 467.
Gold Rock mine: general: 467.
Harsh mine: general: 467.
Iron mine: general: 467.
Kirk mine: general: 467.
Pyrenees mine: general: 467.
Taylor Leavenworth mine: general: 467.
Waterloo mine: general: 467.
West Russell mine: general: 467.
Wood mine: general: 467.

Utah
Garfield County—
Escalante-Circle Cliffs area—
Honeybell and Farewell claims, Silver Falls Creek: slight radioactivity: 21.
Horse Creek and Hatch claims, Horse Creek: slight radioactivity: 21.

RADIOACTIVITY

General
Detection—
Methods: electroscope: 2.
Geiger-Mueller Counter: description: 2; use: 2.
photographic: 2.

RADIUM OCCURRENCES

See Uranium Occurrences—
Colorado: 503, Utah: 503.

RADIUM PROCESSES

General
Extraction Processes—
Chemical treatment: extraction from carnotite from Colorado: 476; extraction from carnotite from Utah: 476.

RADIUM PRODUCTION

Colorado
General: carnotite, processed in Europe: 7; carnotite ores from Colorado and Utah, 202 g. radium, from 1913–1923: 415.

United States
General—
Carnotite: ores from Colorado and Utah, 202 g. radium, from 1913–1923: 415.
Colorado carnotite ores: processed in Europe: 7.
Utah carnotite ores: processed in Europe: 7.

Utah
General: carnotite, processed in Europe: 7; carnotite ores from Colorado and Utah, 202 g. radium, from 1913–1923: 415.

S

SAMARSKITE OCCURRENCES

Colorado
Chaffee County—
Salida, 20 mi. from: in pegmatite: 414.
Turret district: 539.
Gunnison County—
Gold Brick Mining District—
Beryllium Mining Co., Inc., operations on mountains bordering Willow Creek: with monazite, rare earth minerals, in pegmatite dike: 502.
Gold Creek near Gunnison: 535, 536.

SANDSTONE-TYPE DEPOSITS OF URANIUM

See Uranium Occurrences—Types: 62.

SCHOEPITE OCCURRENCES

Utah
San Juan County—
White Canyon: 401.

SCHROECKINGERITE MINERALOGY

General
Optical Properties—
Utah specimen: 490.
Physical Properties—
Utah specimen: 490.

SCHROECKINGERITE OCCURRENCES

Utah
Piute County—
Marysvale area: 267, 522; in veins with other secondary uranium minerals and pitchblende: 493.
Bullion-Monarch mine: with pitchblende, autunite, meta-torbernite, torbernite, uranophane: 495.
East Slope No. 2 deposit: with autunite, metatorbernite, uranophane along face of open cut coating fractures and joints in hornfels: 493.
Freedom No. 1 (Seegmiller) mine: with autunite, torbernite, trace of pitchblende: 495.
Freedom No. 2 mine: with autunite, torbernite, uranophane: 495.
Prospector mine: fluorescent mineral with properties characteristic of schroeckingerite in quartz monzonite uranium-bearing zones: 447.
San Juan County—
Hideout No. 1 mine: with bayleyite in adit 100 ft. from cliff face: 490.

SEDIMENTARY URANIUM DEPOSITS

See Uranium Occurrences—Types: 62.

SEDIMENTS, RADIUM-BEARING

Colorado
Garfield County—
East Rifle Creek, Rifle: 503.

Utah
San Juan County—
Montezuma Canyon: in silts on canyon floor: 503.

SEDIMENTS, URANIUM-BEARING

Utah
San Juan County—
Montezuma Canyon: in silts on canyon floor: 503.

SHINARUMP CONGLOMERATE

Carnotite Occurrences
General—
Colorado Plateau: 22.
Utah: 22.

SHINARUMP FORMATION
General
Uranium Occurrences—
Utah—
White Canyon, San Juan County: uranium ore deposition controlled by channels in Shinarump formation with carbonaceous matter and lithologic changes as intrachannel controls: 466; uranium ore usually in porous, carbonaceous sandstone above Shinarump siltstone: 466.

T

THORITE OCCURRENCES
Colorado
Fremont County—
Mica Lode Mine operated by Colorado Feldspar Co., on a conical knob in south central part of Eight Mile Park: in pegmatite with allanite, triplite: 234.
School Section mine operated by Colorado Feldspar Co., SW part of Eight Mile Park: in pegmatite (may be triplite): 234.

THORIUM OCCURRENCES
General
Bibliographies—
General: 9.
Bibliographies
General: 9.
Colorado: 9.
Utah: 9.
Colorado
General: 12, 25; gadolinite: 395; monazite, small amounts produced: 457.
Bibliography: 9.
Boulder County—
Blue Jay mine, Jamestown: uranothorite in fluorite breccias: 474, 475.
Boulder: allanite: 82.
Chaffee County—
Buena Vista: monazite: 82; monazite, 20 lbs. per ton: 11; monazite in black sands: 78.
Clora May mine: pegmatites with allanite, euxenite: 234.
Crystal No. 8 mine: pegmatites with allanite, euxenite: 234.
Salida, 20 mi. from: samarskite in pegmatite: 414.
Trout Creek Pass: euxenite, analysis: 68; euxenite in pegmatite: 70.
Turret district: samarskite: 539.
Yard mine: pegmatites with euxenite, monazite: 234.
Clear Creek County—
Grover mine: pegmatites with monazite, beryl: 234.
Costilla County—
San Lina Valley: monazite, 30 lbs. per ton: 11.
San Luis Valley: monazite: 78, 82; monazite, trace: 11.
Douglas County—
Devils Head: allanite: 82.
Newlin (not Newlands) Gulch district 20 mi. S of Denver: monazite: 252.
Platte Canyon: monazite: 252.
Fremont County—
Mica Lode mine operated by Colorado Feldspar Co., located on a conical knob in south central part of Eight Mile Park: pegmatites with allanite, thorite, triplite: 234.
Rowe's South Prospect, Micanite Mining District, E. of Mac Gulch: pegmatites with monazite: 234.
School Section mine, operated by Colorado Feldspar Co., SW part of Eight Mile Park: pegmatites with thorite or triplite: 234.
Fremont-Park Counties—
Guffey-Micanite region: monazite, uranothorite (?) in granitic pegmatites: 403; petrology: 403.
Gilpin County—
Central City: monazite, trace: 11.
Russell Gulch: pitchblende, analysis: 68.
Wood mine, Central City Mining District: pitchblende, analysis: 68.
Gunnison County—
Bazooka spodumene prospect: pegmatite with microlite: 234.
Brown Derby: betafite, microlite in pegmatite: 70.
Brown Derby mine: pegmatite with microlite and monazite; chemical analysis of microlite, 1.69% UO_2, 2.40% UO_3, no Th: 234.
Brown Derby No. 5 prospect: pegmatite with microlite: 234.
Gold Brick Mining District—
Beryllium Mining Co., Inc., operations on mountains bordering Willow Creek: samarskite, monazite, rare earth minerals, in pegmatite dike: 502.
Gold Creek near Gunnison: samarskite: 535; samarskite, radioactive minerals: 536.
Opportunity No. 1 prospect: pegmatite with microlite: 234.
White Spar No. 1 prospect: pegmatite with microlite: 234.
Jefferson County—
Bigger mica mine: pegmatite with monazite, uraninite: 234.
Centennial Cone beryl-monazite prospect: pegmatite with monazite: 234.
Roscoe beryl prospect: pegmatite with gadolinite and monazite previously reported but not found in 1943: 234.
Larimer County—
Copper King mine, 45 mi. NW of Fort Collins: pitchblende: 543.
Routt County—
Hahn's Peak: monazite, trace: 11.
Timber Lake: monazite: 78, 82; monazite, 416 and 520 lbs. per ton: 11.

Utah
General: 12, 25.
Bibliography: 9.
Garfield County—
Hite: monazite, trace: 11.
Salt Lake County—
Salt Lake City: monazite: 217 .
Uintah County—
Green River, Jensen District: monazite: 78, 82; monazite, 2 to 25.4 lbs. per ton: 11.

THORIUM PRODUCTION
Colorado
General—
Climax Molybdenum Co. mill: monazite as by-product: 537.
THUCHOLITE MINERALOGY
General
Chemical Analyses—
Black King prospect, Colorado, specimens: 449.
Chemical Properties: 449.
Optical Properties: 449.
Physical Properties: 449.
X-ray Fluorescence Examination—
Black King prospect, Colorado, specimens: 449.
X-ray Diffraction Pattern Examination—
Black King prospect, Colorado, specimens: 449.
THUCHOLITE OCCURRENCES
Colorado
San Miguel County—
Black King No. 5 prospect near Placerville in S. 27, T. 44 N., R. 11 W., owned by Hugh D., H. B., and Guy E. Weatherly (formerly called Evans property): with uraninite: 469.
Black King prospect near Placerville: containing minute specks of uraninite: 449; mineralogical studies: 449.
TORBERNITE OCCURRENCES
Colorado
Boulder County—
Jamestown: uraniferous fluorite breccia zones with pitchblende, uraninite, autunite in fluorite-sulfide deposit: 504.
Nations Treasure mine: on fracture in fluorite in fluorite-sulfide deposit: 504.
Clear Creek County—
George Peabody claim: with unidentified radioactive mineral associated with hydrous iron oxide on fracture surfaces in pre-Cambrian granite and pegmatite: 454.
Fremont County—
Jesus lode: or autunite and uraniferous carbonized wood in Cretaceous Dakota sandstone: 509.
Lake County—
Colorado Mineral Belt—
St. Kevin Mining District: with questionable occurrence of sooty pitchblende: 477.
Larimer County—
Crystal Mountain District 18 mi. SW of Fort Collins: in Big Boulder pegmatite with uranium minerals: 234; in Double Opening pegmatite with uranium minerals: 234.
Double Opening prospect: in Double Opening pegmatite with autunite, gummite, uraninite: 234.
Hyatt beryl mine: in pegmatite with autunite, uraninite: 234.
Colorado Mineral Belt
Central Part—
St. Kevin Mining District: with questionable occurrence of sooty pitchblende: 477.
Utah
Emery County—
Copper Globe deposit: with uraniferous carbonized plant fragments in copper-uranium deposit: 509.
Garfield County—
Oak Creek prospect: with uraniferous carbonized plant fragments in copper-uranium deposit: 509.
Spotted Dog claim: with carbonized uraniferous plant fragments in copper-uranium deposit: 509.
Kane County—
Bulloch claims near Orderville: with autunite, carnotite, and uraniferous carbonized wood, disseminated or coating pebbles or fracture surfaces in sandstones of the Cretaceous Dakota or Jurassic Summerville formations: 509.
Virgin River: 82.
Piute County—
Marysvale area: 267, 522; in veins with other secondary uranium minerals and pitchblende: 493; with autunite and uraninite: 441.
Bullion-Monarch mine: with pitchblende, autunite, meta-torbernite, schroeckingerite, uranophane: 495.
Bullion-Monarch Mining Co. properties: 532.
Freedom No. 1 (Seegmiller) mine: with autunite, trace of pitchblende, schroeckingerite: 495.
Freedom No. 2 mine: with autunite, schroeckingerite, uranophane: 495.
Prospector mine under lease by V.C.A.: with pitchblende, a calcium-uranium oxide mineral (analogue of fluorite), autunite, uranophane: 495.
V.C.A. properties: 532.
San Juan County—
La Sal Mts.: 82.
White Canyon: 401.
Happy Jack mine: with uranophane starting just below surface: 493.
San Pete County—
RAJ prospect: or autunite and uraniferous carbonized wood in the Eocene Green River formation: 509.
Uintah County—
Snow claims: or autunite and uraniferous carbonized wood in Cretaceous Mesa Verde sandstone: 509.
Uinta Basin: with uraniferous carbonized plant fragments in copper-uranium deposit: 509.
Wayne County—
Oyler mine near Fruita: with zippeite and other secondary uranium minerals and highly uraniferous carbonized wood and hydrocarbons, associated with copper sulfates and carbonates in podlike lenses at base of Shinarump conglomerate as copper-uranium deposit: 509.
TYUYAMUNITE MINERALOGY
Colorado
Mesa County—
Calamity Creek specimen: 438.
Montrose County—
Paradox Valley specimen: 438.

TYUYAMUNITE OCCURRENCES

Colorado
Mesa County—
Calamity Creek: 438.
Montrose County—
Paradox Valley: 438.

Utah
Daggett County—
Browns Park: 434.
Red Creek: 82.
Yellow Canary claims: in fractured quartzite in vein structures: 493.
Emery County—
San Rafael Swell, 18 mi. W of, Green River: with carnotite: 82.
Temple Rock: with carnotite: 82.
Garfield County—
Crescent Creek: with carnotite: 82.
Starlight claims, NE side of Mt. Hillers: 434.
Trachyte Creek: with carnotite: 82.
Grand County—
Pack Creek, La Sal Mts.: with carnotite: 82.
Richardson: 434; with carnotite: 82.
San Juan County—
East Canyon: with carnotite: 82.

U

U. S. DEPARTMENT OF INTERIOR

Land Withdrawals
Public Land Orders—
P.L.O. 459: Colorado: 90.
P.L.O. 494: Colorado and Utah: 90.
P.L.O. 565: Colorado and Utah: 90.
P.L.O. 698: Colorado: 90.
P.L.O. 745: Utah: 66 sq. mi. in Grand County withdrawn for U.S.A.E.C. use: 542.
P.L.O. 779: Colorado: in Montrose County, for U.S.A.E.C. use: 555.

URACONITE OCCURRENCES

Colorado
Gilpin County—
Central City: on mine faces: 493.

URANINITE MINERALOGY

General
Age Determination—
Caribou mine, Colorado, specimen: 250.
Chemical Analyses—
Caribou mine, Colorado, specimen: 250, 506.
Utah specimen: 64% U_3O_8: 480.
(partial): Bellevue-Rochester mine, Colorado, specimen: 446.
(partial): Marysvale, Utah, specimen, by X-ray fluorescence method: 448.
Differential Thermal Analysis—
Bellevue-Rochester mine, Colorado, specimen: 446.
Caribou mine, Colorado, specimen: 506.
Marysvale area, Utah, uraninite-bearing specimens: 447.
Electron Microscope Examination:
Marysvale area, Utah, uraninite-bearing specimens: 447.
Microscopic Examination—
General: Utah specimen: 480.
Study of polished surfaces: specimens from mines and dumps at Quartz Hill, Colorado, with most abundant uraninite in material from Springdale and Pyrenees mines: 506.
Mineralogical Studies—
Bellevue-Rochester mine, Colorado, specimens: 445.
Black King Prospect, Placerville, Colorado, specimens: 445.
Caribou mine, Colorado, specimens: 445.
Marysvale area, Utah, specimens: 445.
Quartz Hill area, Colorado, specimens: 445.
Optical Properties—
Utah specimen: 480.
Paragenesis of Vein Filling—
Caribou mine, Colorado: 507.
Physical Properties—
Colloform banding in ore: Caribou mine, Colorado: 507.
Forms of mineral: hard dense, lustrous black material like Caribou mine, Colorado, specimen: 506; soft, fine-grained, dull, porous material like Caribou mine, Colorado, specimen: 506.
Utah specimen: 480.
Thin section Examination:
Marysvale area, Utah, uraninite-bearing specimens: 447.
X-ray Diffraction Pattern Examination—
Bellevue-Rochester mine, Colorado, specimen: 446.
Marysvale area, Utah, uraninite-bearing specimens: 447.
X-ray Fluorescence Method—
Examination of Bellevue-Rochester mine, Colorado, specimen: 446.
Examination of Marysvale, Utah, specimen showed uranium, lead, iron and some tungsten "reflections": 448.
Quantitative reference curves: 448.
Techniques: 448.
X-ray Powder Pattern Examination—
Caribou mine, Colorado, specimen: 506.

URANINITE OCCURRENCES

Colorado
Boulder County—
Front Range Mineral Belt—
Grand Island Mining District—
Caribou mine: 250; age determination by lead isotopes: 250; chemical analysis showed 40.77% U_3O_8 and no thorium: 250; mineralogical studies of specimens: 445.
Radium vein: at 920 and 1040 ft. levels: 507; comparison with uraninite at Theano Point, Ontario: 506; in vein deposits: 506; samples studied for data on:
distribution of uranium in wall rock: 506; paragenesis and spatial relations of vein minerals: 506; physical and structural characters or uraninite: 506.
wall rock alteration: 506;
chemical analyses of wall rock: 506; differential thermal and X-ray analysis of altered wall

rock: 506; microscopic data: 506; spectrographic analyses of wall rock: 506;
two types, a hard dense, lustrous, black material and soft fine-grained, dull, porous material: 506.
Jamestown: uraniferous fluorite breccia zones with pitchblende, autunite, torbernite in fluorite-sulfide deposit: 504.
Clear Creek County
Idaho Springs area—
Lawson-Dumont Mining District—
Bellevue-Rochester mine one mi. W of Lawson: in form of soft, sooty black mineral: 446; alteration sequence of minerals from center of veins to unaltered biotite gneiss: 446; geology: 446; mineralization: 446; mineralogy: differential thermal analysis: 446; partial chemical analysis: 446; X-ray diffraction pattern: 446; X-ray fluorescence: 446;
studies of specimens: 445.
Gilpin County—
Front Range Mineral Belt—
Central City Mining District—
Quartz Hill: mineralogical studies of specimens from mines and dumps in area: 445; samples collected from mines and dumps in a rea; polished surfaces studied: 506.
Belcher mine: 7.
Black Hawk mine: 104.
Calhoun mine: 7.
German mine: 7.
Kirk mine: 7, 104.
Pyrenees mine: uraninite-bearing ore from dump; polished surface studied, showing rather abundant uraninite: 506.
Springdale mine: uraninite-bearing ore from dump; polished surface studied, showing rather abundant uraninite: 506.
Wood mine: 7, 104.
Jefferson County—
Bigger mica mine: in pegmatite with monazite: 234.
Larimer County—
Double Opening prospect: in Double Opening pegmatite with autunite, gummite, torbernite: 234.
Hyatt: in beryl pegmatite: 70.
Hyatt beryl mine: in pegmatite with autunite, torbernite: 234.
Montrose County—
Paradox Valley, E slope: 104.
San Miguel County—
Black King prospect near Placerville: as minute specks in thucholite: 449; mineralogical studies of specimens: 445.
Black King No. 5 prospect near Placerville in S. 27, T. 44 N., R. 11 W., owned by Hugh G., H. B., and Guy E. Weatherly (formerly called Evans property): with thucholite: 469.
Disappointment Creek, at joining with Dolores River and 80 mi. W of Dolores: 104.

Colorado Front Range
General: 53.
Colorado—
Boulder County—
Radium vein, Caribou mine: occurs at 920 and 1040 ft. levels: 507.
Utah
Piute County—
Marysvale area: 48, 53, 267, 547; fine grained mixed sample examined by X-ray fluorescence method giving partial chemical analysis: 448; in various mines and prospects, associated with secondary uranium minerals: 522; mineralogical studies of specimens: 445; mostly in veins in quartz monzonite or fine grained granite: 450; with autunite and torbernite: 441.
Bullion Monarch mine: uraninite in small amounts and in drill holes in vicinity: 451.
Prospector mine: in quartz monzonite, clay and breccias: 447; sooty black uraninite mixed with fine-grained pyrite and fluorite within 60 ft. of surface: 451.
V.C.A. properties: 532.
San Juan County—
Grey Dawn mine: origin, possibly hydrothermal; not placer or detrital: 480; structure, lenticular, irregular ore pods: 480; three pod-like occurrences with beta-uranotil, carnotite, gummite: 480.
White Canyon District—
Happy Jack mine: 48.
Weber County—
Ogden Canyon: 82.

URANIUM BONUSES

Colorado Plateau
U.S.A.E.C. Bonus: 2, 53, 90, 163, 187, 219, 411, 430, 441, 497.

United States
U.S.A.E.C. Bonus: 2, 53, 90, 163, 187, 219, 411, 430, 441, 497.

Colorado
Clear Creek County—
Colorado Front Range—
Lawson Mining District: 77.
Colorado Front Range—
Copper King property N of Fort Collins: 77.
Lawson Mining District: 77.
Old Quartz Hill area: 77.
Gilpin County—
Colorado Front Range—
Old Quartz Hill area: 77.
Larimer County—
Colorado Front Range-
Copper King mine NW of Fort Collins: 77.

Colorado Plateau
General: 73.
Growth of mining activity: from about 15 operations in 1948 to 200 in 1950: 441.
Mining operations: carried out by private mining companies including U. S. Vanadium Co., V.C.A., and Climax Molybdenum Co., and many smaller operators: 441.
Processing operations: five mills, 3 rebuilt, operating at full capacity and Climax Molybdenum Co. constructing mill at Grand Junction: 441.

URANIUM BONUSES (contd.)
U.S.A.E.C. uranium development program: 430; bonuses: 441; drilling program: 441; government regulations on uranium prices, allowances (subsidy), etc.: 413; prices: 441; prospectors' guides: 441; uranium exploration program: 441.
U.S.A.E.C. uranium procurement policies: 441.
U.S.A.E.C.'s buying schedule and policies for carnotite ore: 441.

United States
General—
Mining operations: carried out by private mining companies including U. S. Vanadium Co., V.C.A., Climax Molybdenum Co., Jones and Laughlin Ore Co., Sunshine Mining Co., Newmont Mining Co., American Smelting and Refining Co., Golden Cycle Corp., and other smaller operators: 441.
U.S.A.E.C. bonuses: 441.
U.S.A.E.C. uranium prices: 441.
U.S.A.E.C. uranium development program on Colorado Plateau: 441.
U.S.A.E.C.'s buying schedule and policies for carnotite ore deposits: 441.

Utah
Piute County—
Marysvale area: 530.
Santa Fe Railway land: 73.

URANIUM EXPLORATION

See also: Geophysical Exploration.
General: 13, 90.
Biogeochemical prospecting: 409.
Drilling Methods—
Diamond Drilling: 18, 154, 413, 501.
Methods and Results: 18, 154, 413, 501.
Geobotanical prospecting: 409.
Geochemical prospecting—
Geobotanical methods: 409.
Geophysical Exploration (Ground)—
Geiger-Mueller counter survey: Caribou mine, Colorado: 484.
Potential-Drop-Ratio method: Bull Canyon, Colorado: 498; Colorado Plateau: 498; description of method and procedures: 498.
Resistivity depth measurements method: Bull Canyon, Colorado: 498; Colorado Plateau: 498; description of method and procedures: 498.

Colorado
General: 90; drilling methods: 18, 154, 413, 501; drilling programs: 18; Smithsonian Institution found uranium: 124.
Colorado Plateau: diamond drilling: 154.
Public Land Order 459; land at New Mexico Principal Meridian withdrawn for U.S.A.E.C. use: 90.
Public Land Order 494: land at New Mexico Principal Meridian withdrawn for U.S.A.E.C. use: 90.
Public Land Order 565: land at New Mexico Principal Meridian withdrawn for U.S.A.E.C. use: 90.
Public Land Order 698: land at New Mexico Principal Meridian withdrawn for U.S.A.E.C. use: 90.
Public Land Order 779: land in Montrose Co. withdrawn for U.S.A.E.C. use: 555.
Boulder County—
Caribou mine: Geiger-Mueller counter survey of surface and underground workings showing no radioactivity at surface despite presence of pitchblende at 1040 ft. level: 484.
Gilpin County—
Wood mine: reconnaissance investigations in 1950: 452.
Mesa County—
Calamity group, Calamity Mesa: U.S.G.S. drilling program gave geologic logs: 501; study of logs led to formulation of geologic guides to carnotite deposits: 501; numerical evaluation of individual guides: 501.
Montrose County—
Geophysical Exploration (Airborne)—
Club Mesa: first low-altitude operation; done by Texas Co. in 1950: 494.
Long Park: first low-altitude operation; done by Texas Co. in 1950: 494.
Geophysical Exploration (Ground)—
Bull Canyon: 498; geophysical exploration work including 43 resistivity depth measurements and 13 sets of Potential-Drop Ratio measurements: 498; majority of measurements made at Area D and at Newton and Zebra claims: 498; tables and graphs of results of the two types of measurements: 498.
Land Withdrawals for U.S.A.E.C. use: Public Land Order 779: 555.

Colorado Front Range
Colorado—
Boulder County—
Caribou mine: Geiger-Mueller counter survey of surface and underground workings showing no radioactivity at surface despite presence of pitchblende at 1040 ft. level: 484.

Colorado Plateau
General: diamond drilling: 154; drilling methods: 18, 154, 413, 501; U.S.G.S. drilling program: 413;
geologic logs for about 2500 holes drilled in SW Colorado: 501; numerical evaluation of individual guides: 501; study of logs led to formulation of geologic guides to carnotite deposits: 501.
Geologic guides to carnotite deposits: altered mudstone association with orebearing sandstone: 501; numerical evaluation of individual guides: 501; presence of abundant carbonaceous material in ore-bearing sandstone: 501; thickness and color of ore-bearing sandstone: 501.
Geophysical Exploration (Airborne): instrumentation: 494: operational techniques: 494; value as an exploration method: 494.
Specific Operations: Anaconada Mining Co. cooperating with Rigg Aviation Service in Red Canyon district, Utah, 1951: 494; Excalibur Uranium Corp. in Green River desert, near Moab, and Cataract Canyon, Utah in 1951; 494; first low-altitude operations, Texas Co. flights over Blanding, Utah, and Long

Park and Club Mesa, Colorado, in 1950: 494; J. R. Simplot Co. in Henry Mts. and adjacent Green River desert country, Utah, in 1951: 494; airborne surveys for Hines Uranium Co.; no details available: 494; limited airborne operations by U.S.G.S. throughout the area: 494.
Geophysical Exploration (Ground)—
Bull Canyon, Colorado: 498.
Potential-Drop-Ratio method: Bull Canyon, Colorado: 498.
Resistivity depth measurements method: Bull Canyon, Colorado: 498.
Colorado—
Geophysical Exploration (Airborne)—
Club Mesa, Montrose Co.: first low-altitude operation; done by Texas Co. in 1950: 494.
Long Park, Montrose County: first low-altitude operation; done by Texas Co. in 1950: 494.
Drilling Methods—
General—
Colorado: 18, 154, 413, 501.
Colorado Plateau: 18, 154, 413, 501.
Diamond Drilling: 18, 154, 413, 501.
Methods and Results: 18, 154, 413, 501.
Utah: 18, 154.
Drilling Programs—
U.S.A.E.C. (by private contractors), methods and results: 18.
U.S.B.M., methods and results: 18.
U.S.G.S.: 413, 501.
U.S.G.S., methods and results: 18.
Utah
Geophysical Exploration (Airborne)—
Blanding, San Juan County: first low-altitude operation; done by Texas Co. in 1950: 494.
Cataract Canyon, San Juan County: airborne survey by Excalibur Uranium Corp.: 494.
Green River desert near Moab, Grand County: airborne survey by Excalibur Uranium Corp.: 494.
Henry Mts. and adjacent Green River desert, Garfield Co.: airborne survey by J. R. Simplot Co. in 1951: 494.
Red Canyon district, San Juan County: airborne survey by Anaconda Mining Co. cooperating with Rigg Aviation Service in 1951: 494.

Navajo Indian Reservation
General—
Navajo finders can claim ore: 77.
U.S.A.E.C. Training Program for Indians: 77.

United States
General—
Colorado Plateau: diamond drilling: 154.
U.S.A.E.C. Exploration Program: 267.
U.S.G.S. participation: 405.

Utah
General: 90; drilling methods: 18, 154; drilling programs: 18.
Colorado Plateau: diamond drilling: 154.
Public Land Order 494: land at Salt Lake Meridian withdrawn for U.S.A.E.C. use: 90.
Public Land Order 565: land at Salt Lake Meridian withdrawn for U.S.A.E.C. use: 90.
Public Land Order 745: 66 sq. mi. in Grand Co. withdrawn for U.S.A.E.C. use: 542.
Daggett County—
General: government financed: 553.
Garfield County—
Geophysical Exploration (Airborne)—
Green River desert adjacent to Henry Mts.: airborne survey by J. R. Simplot Co. in 1951: 494.
Henry Mts.: airborne survey by J. R. Simplot Co. in 1951: 494.
Grand County—
Geophysical Exploration (Airborne)—
Green River desert near Moab: airborne survey by Excalibur Uranium Corp. in 1951: 494.
Land Withdrawals: Public Land Order 745: 66 sq. mi. for U.S.A.E.C. use: 542.
Piute County—
Marysvale area—
Airborne radioactivity reconnaissance: 451.
Geiger counter ground survey: 451.
Scintillometer ground survey: 451.
U.S.A.E.C. office closed: 554.
Salt Lake County—
Salt Lake City: U.S.A.E.C. office opened: 549, 554.
San Juan County—
Bowles-Heflin Mining Co. program: government grant for exploration: 556.
Geophysical Exploration (Airborne)—
Blanding: first low-altitude operations; done by Texas Co. in 1950: 494.
Cataract Canyon: airborne survey by Excalibur Uranium Corp. in 1951: 494.
Red Canyon district: airborne survey by Anaconda Mining Co., cooperating with Rigg Aviation Service, in 1951: 494.
Sevier County—
Richfield: U.S.A.E.C. branch office opened: 554.

URANIUM IMPORTS

United States
General: for 1910: 330; for 1911: 330; figures for 1937–1946 for imports from Belgian Congo, Canada, Germany, and the United Kingdom: 457.

URANIUM MINING

General
Suggestions to Miners for Higher Profits—
Blending ores: 456.
Clean mining: 456.
Equipment described: 456.
Graph for estimating ore value: 456.
Mining practices: 456.
Pre-concentration: 456.
Selective mining: 456.
Sorting: 456.
Stockpiling: 456.
Upgrading by screening: 456.
Use of Geiger counters and scintillometers: 456.

URANIUM MINING (contd.)
Colorado
General—
Mill No. 2 mine owned by U.S. Vanadium Co. and operated by a contractor: equipment: 456; good example of a model small mine: 456; mining methods: 456; uranium orebody blocked by careful drilling and mined from below: 456.
Costilla County—
Radium Group of mines near Dove Creek, operated by Dulaney Mining Co.: equipment: 456; good example of group operation of small mines: 456; mining methods: 456; uranium ore seams as thin as 1½ to 2 ft., mined after removal of 15 ft. of barren overburden: 456.
Mesa County—
Hummer mine worked by U.S. Vanadium Co.: equipment: 456; good example of advantages of clean mining; even fines of carnotite collected for recovery value: 456; mining methods: 456; uranium orebody mined from below: 456.
Outlaw Mesa, Climax Uranium Co. operations: equipment; similar to equipment operated by Minerals Engineering Co. at Temple Mountain, Utah: 456; good example of modern mechanized mining: 456; mining methods: 456; uranium ore in lenses: 456.

Colorado Plateau
General—
Climax Uranium Co.: leases most of its mining property to small operators for working: 431.
Small operators: own or lease claims and carry on the bulk of the mining operations: 431.
U.S.A.E.C. uranium development program: 431.
U.S.G.S. uranium drilling program for U.S.A.E.C.: 431.
U.S. Vanadium Co.: leases most of its mining property to small operators for working: 431.
V.C.A.: leases most of its mining property to small operators for working: 431.

Navajo Indian Reservation
General—
New regulations for non-Indians: 186.

Utah
Emery County—
Temple Mountain operations by Minerals Engineering Co.: equipment similar to that used by Climax Uranium Co. at Outlaw Mesa, Colorado: 456.

URANIUM OCCURRENCES

General
Bibliography: 9, 10, 424.
Secondary Uranium Deposits—
General: 102.
Geology: 102.
Mineralization: 102.
Sedimentary Uranium Deposits—
General: 102.
Geology: 102, 459.
Mineralization: 102.
Mineralogy: 459.
Origin: 459.
Phosphates: 102.
Shales: 102.
Types: 459.

Asphaltites, Uranium-bearing
Utah—
General: 436.
Emery County—
San Rafael Swell—
Temple Mountain: 21.

Asphalt , Uranium-bearing
Colorado—
San Miguel County—
Placerville: 34.
Utah—
Emery County—
San Rafael Swell—
Temple Mountain: 20.

Bibliographies
General: 9, 10, 424.
Colorado: 9, 10, 424.
Utah: 9, 10.

Carbonaceous Deposits, Uranium-bearing
Utah—
San Juan County—
White Canyon: 401.

Carbonaceous Shales, Uranium-bearing
Colorado—
El Paso County—
Mike Doyle prospect: uranium-bearing material in carbonaceous shale underlying sandstone: 402.
Moffat County—
Skull Creek: carnotite and volborthite associated with uraniferous carbonaceous shale and carbonized plant fossils in shale and sandstone in upper part of Jurassic Navajo sandstone and in sandstone of Permian and Pennsylvanian Maroon formation: 509.
Park County—
Garo: carnotite and volborthite associated with uraniferous carbonaceous shale and carbonized plant fossils in shale and sandstone in upper part of Jurassic Navajo sandstone and in sandstone of Permian and Pennsylvanian Maroon formation: 509.
Utah—
General—
Deseret limestone (black shale and phosphatic zone at base): possible uranium source: 462.
Mississippian Brazer limestone (phosphatic portion): possible uranium source: 462.
Swan Peak quartzite (phosphatic portion): possible uranium source: 62.

Coals, Uranium-bearing
Colorado—
Jefferson County—
Colorado Front Range—
Denver, 12 mi. from, in center of S.28, R.70 W., T.2 S., Sixth Principal Meridian: carnotite in Laramie coal formation: 505.

Colorado
General: 12, 13, 25, 48.
Bibliography: 9, 10, 424.
Carnotite: 22, 86, 395, 511; in sandstone: 46; origin: 22; results of extraction processes: 419.
Colorado Front Range: general (pitchblende, etc.): 496; reconnaissance work in 1949: 496.
Fluorite, Uranium-bearing—
General: 95.
Maps showing locations and types of uranium deposits: 426, 443, 455, 486, 493, 504, 509.
Origin: carnotite: 13, 22; in Morrison and Entrada formations probably syngenetic in origin: 415; uranium-bearing deposits in Colorado and Utah in the Salt Wash sandstone and Brushy Basin shale members of Morrison formation, Shinarump conglomerate, and Chinle formation, which also contain volcanic debris altered to clays: 499.
Pitchblende: specimen analyzed: 472.
Structurally controlled uranium deposits: 443.
Types—
Carnotite in sandstone deposits: 62.
Hydrothermal vein deposits: 62.
Volcanic Debris in Uraniferous Sandstone—
Uranium-bearing deposits in Colorado and Utah in the Salt Wash sandstone and Brushy Basin shale members of Morrison formation, Shinarump conglomerate, and Chinle formation, which also contain volcanic debris altered to clay minerals: 499.
Characteristics of deposits: 499.
Evidence of volcanism: occurred during and just after the time the host rocks were accumulating but the later igneous activity was of primary importance in origin of uranium ore deposits: 499.
Geology of ore-bearing formations: 499.
Mineralogical examination of clay samples from Colorado and Utah by:
microscopic examination: 499.
petrographic examination: 499.
X-ray examination: 499.
Origin of deposits: 499.
Petrography: 499.
Presence of volcanic debris altered to clays: 499.
Processes involved in ore deposition: 499.
Relation of uranium ore to clays: 499.
Relation of uranium ore to fossil wood: 499.
Structure: 499.
Suggestions for future work on deposits along geologic, chemical, and physical lines: 499.
Archuleta County—
Blanco Basin to West Fork: uranium claims: 514.
Oil Creek Canyon near Squaretop Mt., 15 mi. E. of Pagosa Springs: uranium ore: 520.
Bibliographies: 9, 10, 424.
Boulder County—
Front Range Mineral Belt—
Grand Island Mining District—
Caribou mine: pitchblende: 53, 102; pitchblende in a mesothermal carbonate vein with silver, lead, and zinc minerals: 468; pitchblende in silver fissure veins in shear zones in quartz-monzonite stock: 484; pitchblende in veins of the quartz-sulfide-carbonate type, with a little cobalt and some hematite-stained veins: 455; uraninite: 250; uraninite, chemical analysis showed 40.77% U_3O_8 and no thorium: 250; uraninite, age determination by lead isotopes: 250; uranium: 411, 516; uranium, silver: 515; deposit unique since host rock is Tertiary monzonite: 468; geology: 484; Geiger-Mueller survey: 484; results of Geiger-Mueller counter studies showed no radioactivity on the surface despite presence of pitchblende at the 1040 ft. level and its corresponding radioactivity: 484; mineralization: 484; mineralogical examinations: 484; mineralogy: 484; ore zones vary from a few inches to 15 ft. in width and include silver, lead, zinc, and iron minerals with pitchblende: 484.
Caribou vein: analyses of samples from 1040 ft. level showed more pitchblende in parts rich in copper, lead, and silver than in those rich in zinc: 455.
Radium vein: pitchblende contained 0.001–1.45% U_3O_8: 453; pitchblende in form of sooty black powder mixed with fine-grained or black clay-like gouge, and of solid lenticular masses up to a foot long: 453; analyses of pitchblende samples: 453; colloform banding: 507; geology: 453; mineralization: 453; paragenesis of vein filling: mineralization in two stages, with uraninite deposited in the later stage: 507; structure: 453; uraninite in vein deposits: 506; uraninite, comparison with uraninite at Theano Point, Ontario: 506; uraninite, two types of: hard, dense, lustrous, black material and soft, fine-grained, dull, porous material: 506; uraninite samples studied for data on:
distribution of uranium in wall rock: 506; paragenesis and spatial relations of vein minerals: 506; physical and structural characters of uraninite: 506; wall rock alteration: chemical analyses of wall rock: 506; differential thermal and X-ray analysis of altered wall rock: 506; microscopic data: 506; spectrographic analyses of wall rock: 506.
Jamestown: pitchblende in veins of the fluorite-sulfide-quartz type, occasionally with torbernite: 455; uraniferous fluorite breccia zones with pitchblende, uraninite, autunite, torbernite, in fluorite-sulfide deposit: 504.
Blue Jay mine: uranothorite in fluorite breccias: 474, 475.

URANIUM OCCURRENCES (contd.)
Burlington mine: uraniferous fluorite breccia zones worked to depths of 600 ft.: 504.
Nations Treasure mine: torbernite on fractures in fluorite in fluorite-sulfide deposit: 504.
Chaffee County—
Salida, 20 mi. from: samarskite in pegmatite: 414.
Trout Creek Pass: euxenite, analysis: 68; euxenite in pegmatite: 70.
Turret district: samarskite: 539.
Clear Creek County—
Idaho Springs area—
George Peabody claim: composite sample from George Peabody dump contained 0.013% U_3O_8: 454; geology: 454; radiometric reconnaissance: 454; torbernite and unidentified radioactive mineral associated with hydrous iron oxide on fracture surfaces in pre-Cambrian granite and pegmatite: 454.
Lawson-Dumont Mining District—
Bellevue Hudson mine, near Empire and Lawson: pitchblende: 517.
Bellevue-Rochester mine one mi. W. of Lawson: soft, sooty black radioactive mineral, a form of uraninite, in the center of veins in biotite gneiss: 446; alteration sequence of minerals from center of veins to unaltered biotite gneiss: 446; geology: 446; mineralization: 446; mineralogical studies of uraninite specimens: 445; mineralogy: 446; uranium: 53.
Golconda mine: pitchblende assaying 0.183% U_3O_8 and secondary uranium mineralization on tunnel walls in No. 4 vein: 487; geology: 487; radioactivity in other veins in mine: 487.
Jo Reynolds area: pitchblende in a lead-zinc-silver orebody: 432.
Jo Reynolds mine near Lawson: pitchblende: 78, 82; pitchblende in lead-zinc-silver deposit: 432; pitchblende in vein deposits with gold and silver ore: 398; pitchblende, 8 t. shipped from mine in 1919; sold in France for $80,000: 432; pitchblende, main deposits in vein in Elida tunnel: 432; economic geology: 432; geology: 432; structure: 432; structure and mineralization: 398; uranium: 53.
Lawson: pitchblende in veins of the quartz-sulfide-carbonate type; secondary uranium minerals not in same vein: 455.
Lawson-Dust deposits: uranium: 53.
Robineau group: uranium: 53.
Lincoln Mining District—
Almaden mine: sample of oxidized siliceous pyritic rock from dump at Blazing Star vein assayed 2.4% U_3O_8: 487; siliceous oxidized zone 360 ft. from portal in Blazing Star vein assayed 0.14% U_3O_8: 487; geology: 487; pitchblende assaying 0.90% U_3O_8 in small veinlet in Blazing Star vein with secondary uranium minerals on pitchblende surface and vein walls: 487.
Seven Forty tunnel near Fall River: selected sample from dump assayed 0.008% U_3O_8 but tunnel is inaccessible: 487.
Colorado Front Range—
General—
Pitchblende in more than 20 vein deposits: 455.
Rocks bordering: carnotite: 20.
Front Range Mineral Belt:
pitchblende deposits with hypogene zonal distribution: 458.
Boulder County—
Caribou mine: pitchblende: 53, 102, 453, 454, 458, 468, 484.
Colorado Mineral Belt—
Lake County—
Leadville Mining District: uranium as coatings on fracture surfaces or disseminations in country rock: 477.
St. Kevin Mining District: uranium associated with base and precious-metal veins; pitchblende present; also as coatings on fracture surfaces and disseminations in country rock; torbernite and sooty pitchblende present, probably alteration products of primary pitchblende: 477.
Ouray County—
General: pitchblende present, probably hypogene: 477.
Lower Uncompahgre Mining District: uranium with base and precious-metal veins: 477.
Red Mountain Mining District: uranium with pyritic veins and copper-lead-silver volcanic breccia pipes: 477.
Upper Uncompahgre Mining District: uranium as coatings on fracture surfaces or disseminations in country rock: 477.
Park County—
Alma Mining District: uranium with base and precious-metal veins; pitchblende present: 477.
Colorado Plateau—
Bedded uranium deposits in Morrison formation: map showing: 486.
Bedded uranium deposits in Navajo sandstone or San Rafael group: map showing: 486.
Bedded uranium deposits in pre-Navajo formations: map showing: 486.
Carnotite: 63; in small widely scattered deposits; U_3O_8 content 0.1 to 0.3%: 457; deposits stratigraphically controlled in Morrison formation: 443; deposits in Salt Wash member of Morrison formation, scattered erratically over Arizona, Colorado, New Mexico, and Utah: 431.
Geology: 431.
Government operations: 431.
Historical development of mining program: 431.
Metalliferous vein deposits of uranium: map showing: 486.
Mining methods and operations: 431.
Origin of deposits: 431.
Work of small scale operators: 431.
Costilla County—
Dove Creek, La Veta Pass, 22 mi. W. of Walsenburg: uranium: 411.

Radium Group of mines near Dove Creek, operated by Dulaney Mining Co.: uranium ore seams as thin as 1½ to 2 ft. and mined after removal of 15 ft. of barren overburden: 456.
Dolores County—
General: carnotite: 41; carnotite carrying 3–4% uranium oxide: 470.
Rio Dolores: carnotite: 78, 82.
Eagle County—
Brush Creek, 7 mi. SE of Eagle: carnotite: 34, 82; carnotite in sandstone: 78.
Horse Mountain: silver-copper-carnotite deposit: 46.
El Paso County—
Mike Doyle prospect: carnotite in Morrison sandstone as coating on fracture surfaces and on carbonized wood fragments: 402; geology: 402; structure: 402; three samples of carnotite showed respectively 0.09% U, 0.22% U_3O_8, and 0.27% U_3O_8: 402; uranium-bearing material in carbonaceous shale underlying the sandstone: 402; uranium deposits in Morrison formation controlled by fractures and related faults: 509.
St. Peters Dome: kasolite in fluorite-quartz-sulfide deposit: 504.
Fremont County—
Jesus lode: torbernite or autunite and uraniferous carbonized wood in Cretaceous Dakota sandstone: 509.
Fremont-Park Counties—
Guffey-Micanite region: monazite, uranothorite (?) in granitic pegmatites: 403; petrology: 403.
Garfield County—
General: carnotite: 82.
East Rifle Creek: carnotite: 34.
Rifle: carnotite: 459; carnotite and roscoelite in Entrada formation: 509.
Rifle mine of U.S. Vanadium Corp. (now Co.) on East Rifle Creek 12 mi. NE of Rifle: geology: 415; small amounts of carnotite in vanadium-bearing Entrada sandstone: 415.
Gilpin County—
Front Range Mineral Belt—
Central City Mining District—
Central City: uraconite on mine faces: johannite: 493.
Quartz Hill: pitchblende: 511; in seven mines (not named): pitchblende: 399; pitchblende mined in commercial quantities from four gold- and silver-bearing pyrite-sphalerite-galena veins on the south side: 467; massive and sooty pitchblende in veins of quartz sulfide type: 455; mineralogical studies of uraninite specimens from mine and dumps in area: 445; 98% of its uranium production from Wood and Kirk mines: 394; general geology: 400; geology: 394; mineralization: 394; other ore mineralization in area: 400; principal domestic source of pitchblende, a recorded 110, 757 lbs. of U_3O_8 produced there: 394; structure: 394; uraninite-bearing ore collected from mines and dumps in area, polished surfaces studied: 506; uranium ores, believed to be phase of gold-silver ores of area: 400.
Alps mine: pitchblende in vein deposits with gold and silver ore: 398, 460; pitchblende contemporaneous with or earlier than pyritic veins: 460; structure and mineralization: 398.
Belcher mine: pitchblende: 78, 82; pitchblende in vein deposits with gold and silver ore; assays of uranium ores and concentrates given: 398; pitchblende with gold and silver ore: 460; pitchblende contemporaneous with or earlier than pyritic veins: 460; pitchblende, production: 330; mineralogy of deposit: 7; structure and mineralization: 398; uraninite: 7.
Black Hawk mine: uraninite: 104.
Calhoun mine: pitchblende: 78, 82, 397; pitchblende contemporaneous with or earlier than pyritic veins: 460; pitchblende with gold and silver ore: 460; pitchblende in vein deposits with gold and silver ore; assays of uranium ore: 398; mineralogy of deposit: 7; structure and mineralization: 398; uraninite: 7.
Calhoun properties: uranium ore found above water level and on dumps: 420.
East Calhoun mine owned by Realty Co. of Denver: pitchblende: 53.
Calhoun vein: geology: 467; mineralogy: 467; orebodies: 467; pitchblende in mineable quantities not known from this mine: 467; pitchblende produced from it from 1897–1914; no figures on amount: 467.
West Calhoun mine owned by Realty Co. of Denver: geology: 467; pitchblende production believed small since only available production figures show 240 lbs. with 37.5% U_3O_8 mined in 1912: 467.
Duponts' exploring small area: 420.
European syndicate working large area: 420.
German lode: pitchblende: 473.
German mine: pitchblende: 78, 82; pitchblende contemporaneous with or earlier than pyritic veins: 460; pitchblende in vein deposits with gold and silver ore; assays of uranium ores and concentrates given: 398; pitchblende with gold and silver ore: 460; pitchblende, production: 330; mineralogy of deposit: 7; structure and mineralization: 398; uraninite: 7.
German-Belcher mine: pitchblende: 53.
Iron operations: uranium: 53.
Kirk mine: pitchblende: 53, 78, 82, 473; pitchblende contemporaneous with or earlier than pyritic veins: 460; pitchblende in vein deposits with gold and silver ore; assays of

URANIUM OCCURRENCES (contd.)
uranium ore: 398; pitchblende veins found from surface through 400 ft. depth: 455; pitchblende with gold and silver ore: 460; pitchblende, production: 330; mineralogy of deposit: 7; structure and mineralization: 398; uraninite: 7, 104.
Leavenworth mine: pitchblende contemporaneous with or earlier than pyritic veins: 460; pitchblende in vein deposits with gold and silver ore: 460.
Mitchell mine: pitchblende contemporaneous with or earlier than pyritic veins: 460; pitchblende in vein deposits with gold and silver ore: 398, 460; structure and mineralization: 398.
Pewabic mine in Russell Gulch: pitchblende in vein deposits with gold and silver ore: 398, 460; pitchblende contemporaneous with or earlier than pyritic veins: 460; structure and mineralization: 398; operations: 53.
Pyrenees mine: uraninite-bearing ore from dump; polished surface studied, showing rather abundant uraninite: 506.
Russell Gulch: pitchblende, analysis: 68.
Springdale mine: uraninite-bearing ore from dump; polished surface studied, showing rather abundant uraninite: 506.
Wood mine near head of Leavenworth Gulch: mineralization and structure: 398; mineralogy of deposit: 7; pitchblende: 53, 78, 82, 397, 473; pitchblende, analysis: 68; pitchblende in vein deposits with gold and silver ore; assays of uranium ore: 398; pitchblende contemporaneous with or earlier than pyritic veins: 460; pitchblende with gold and silver ore: 460; pitchblende discovered in 1871: 455; uraninite: 7, 104; under lease to and operated by Realty Co. of Denver: dump samples show wide discrepancy between radioactivity and uranium content with three samples showing ranges of 1.03–0.002% eU, 0.055–0.002% eU, and 0.005–0.001% eU: 452; geology: 452; high radioactivity on dump and in uppermost workings: 452; pitchblende in vein deposits: 452; reconnaissance investigations in 1950: 452.
Wood vein: assays of pitchblende samples ranged in uranium content from .023–14.5% eU and from .008 to 14.27% U: 467; geology: 467; history: pitchblende first discovered on dump there in 1871: 467; mineralogy: 467; orebodies: 467; production figures given for uranium ore produced from this mine: total about 102,600 t. ore with 30,040 lbs. U_3O_8: 467; suggestions for further exploration: 467.
Wyandotte mine: pitchblende contemporaneous with or earlier than pyritic veins: 460; pitchblende with gold and silver ore: 460.
Gunnison County—
Bazooka spodumene prospect: pegmatite with microlite: 234.
Brown Derby: betafite, microlite in pegmatite: 70.
Brown Derby mine: pegmatite with microlite and monazite; chemical analysis of microlite, 1.69% UO_2, 2.40% UO_3, no Th: 234.
Brown Derby No. 5 prospect: pegmatite with microlite: 234.
Gold Brick Mining District—
Beryllium Mining Co., Inc., operations on mountains bordering Willow Creek: samarskite, monazite, rare earth minerals in pegmatite dike: 502.
Gold Creek near Gunnison: samarskite: 535; samarskite, radioactive minerals: 536.
Opportunity No. 1 prospect: pegmatite with microlite: 234.
White Spar No. 1 prospect: pegmatite with microlite: 234.
Huerfano County—
McIntire prospect, Huerfano Park: carnotite, carbonized wood, and radioactive iron oxide as uranium-bearing materials in copper-uranium deposit in Triassic Shinarump conglomerate: 509.
Jefferson County—
Bigger mica mine: pegmatite with monazite, uraninite: 234.
Denver, 12 mi. from, in center of S. 28, R. 70 W., T.2 S., Sixth Principal Meridian: carnotite in Laramie coal formation; readily accessible for mining and shipping by railroad: 505.
Golden, N. of: carnotite in lignites: 53.
Golden Gate Canyon: uranium: 53.
Leyden coal mine: uranium minerals in limestone of Laramie formation of Cretaceous age: 509.
Ralston Creek: massive and sooty pitchblende in veins of quartz-sulfide type: 455; uranium: 53.
Several mines (not named): pitchblende: 82.
Lake County—
Colorado Mineral Belt—
Leadville Mining District: uranium as coatings on fracture surfaces or disseminations in country rock: 477.
St. Kevin Mining District: uranium associated with base and precious-metal veins; pitchblende present; also, as coatings on fracture surface and disseminations in country rock; torbernite and sooty pitchblende present, probably alteration products of primary pitchblende: 477.
Larimer County—
Buckhorn mine, 17 mi. SW of Fort Collins: uranium in pegmatite: 491.
Copper King mine, 45 mi. NW of Fort Collins: pitchblende: 53, 543.

Crystal Mountain District—
Crystal Mt. District 18 mi. SW of Fort Collins: Big Boulder pegmatite with uranium minerals: 234; Double Opening pegmatite with uranium minerals: 234.
Big Boulder prospect: Big Boulder pegmatite with autunite, gummite: 234.
Double Opening prospect: Double Opening pegmatite with autunite, gummite, torbernite, and uraninite: 234.
Hyatt: uraninite in beryl pegmatite: 70.
Hyatt beryl mine: pegmatite with autunite, torbernite, uraninite: 234.
Prairie Divide: massive and sooty pitchblende in veins of quartz-sulfide type: 455.
Treasure Hill area 20 mi. NW of Fort Collins: 15 samples tested with Geiger counter showed a range of 0.0000–0.003% eU and an average of 0.001% eU: 508; geology: 508.
Casey lease, leased from Mrs. Ruth Casey: one sample from dump pit showed 1.0 tested with counter at scale 0.2 and 0.000% eU: 508; geology: 508.
Treasure Hill Nos. 1–6 claims owned by Mrs. Mildred Davis and Orville and Clifford Woodhams: ten samples showed a range of 1.0–2.0 tested with counter at scale 0.2 and 0.000–0.002% eU: 508; geology: 508.
West Point claim owned by Mrs. Mildred Davis and Orville and Clifford Woodhams: four samples showed a range of 0.5–2.5 tested with counter at scale 0.2 and 0.0000–0.003% eU: 508; geology: 508.
Mesa County—
Arrowhead group, Calamity area: Minerals Engineering Co. operating mine: 413.
Calamity Creek: tyuyamunite: 438; uranium mineral: 434.
East Gateway area—
Calamity Group:
Calamity group, Calamity Mesa: carnotite deposits, drilled in U.S.G.S. drilling program, yielding geologic log for study and resulting formulation of geologic guides: 501.
Calamity Nos. 1 and 3 and Triangle claims: carnotite in fossil trees, irregular elongate rolls, and blanket bodies parallel to bedding of sediments of lower Morrison formation exposed on three sides, drilled by U.S.B.M., showing from none or less than 0.05 to 1.81% U_3O_8: 440.
Calamity Nos. 7, 8, 9, and 23, and Crackerjack claims: carnotite in elongate rolls and fossil trees, drilled by U.S.B.M., and showing from less than 0.05 to 1.04% U_3O_8; and one blanket type deposit: 440.
Calamity Nos. 13, 17, and 18 claims: carnotite and uranium-vanadium minerals in fossil logs, which when close together are connected by blanket-like layers of ore, drilled by U.S.B.M., and showing from less than 0.05 to 1.70% U_3O_8: 440.
Calamity Nos. 20, 27, and 3, and Dixie claims: carnotite in fossil logs, small rolls, and two zones in some cases, drilled by U.S.B.M., and showing from less than 0.05 to 1.57% U_3O_8 with no ore revealed in Dixie claim by drilling: 440.
Calamity Mesa, Uravan Mineral Belt: 411; analyses gave average uranium content of 0.0014% in gray clay and 0.0017% in red clay: 500; carnotite deposits in small patches of favorable ground: 417; mineralogical studies made on clays: 500; radiometric studies showed an average count of 0.0022% eU for gray clay and 0.0018% eU for red clay: 500; 21 samples of clays tested: 500; uranium in sandstone in Morrison formation underlain by red and gray clays at varying depths: 500.
Maverick Group:
Hidden Treasure claim: carnotite in crescent-shaped ore deposit, drilled by U.S.B.M., showing from less than 0.05 to 0.11% U_3O_8, mined from two zones 15 ft. apart: 440.
Hummer and Great Hesper claims: carnotite in small rolls in elongate, crescent-sahped cluster drilled by U.S.B.M., and showing from less than 0.05 to 0.63% U_3O_8: 440.
Gateway: 411.
Hummer mine worked by U. S. Vanadium Co.: carnotite; even fines collected: 456.
Outlaw Mesa area, Uravan Mineral Belt: carnotite deposits in several patches of favorable ground from one to several thousand feet wide and over a mile long: 417.
Climax Uranium Co. operations: 456.
Rio Dolores around Gateway area: carnotite in sandstone along river: 78, 82.
Mesa-Montrose-San Miguel Counties—
Uravan Mineral Belt: carnotite deposits in Morrison formation: 417; carnotite ore averages 0.25% U_3O_8 and 2% V_2O_5: 417; orebodies, irregular tabular layers, parallel to sandstone bedding, ranging in width from a few to several hundred feet, with an average thickness of 2–4 ft. and ore content of a few to several thousand tons: 417; origin, probably from groundwater solutions migrating through ore-bearing beds soon after sand accumulated, with precipitation resulting from slight changes in chemical composition of solutions, perhaps in presence of decaying organic material: 417.
Mineral County—
Blanco Basin to West Fork: uranium claims: 514.
Moffat County—
Blue Mountain: carnotite: 34.
Blue Mountain near Skull Creek: carnotite: 78, 82.
Blue Mountain 2 mi. W of Skull Creek: carnotite: 422.
Blue Mountain Mining District: carnotite: 241.
Skull Creek: carnotite: 511; carnotite and volborthite associated with uraniferous carbonaceous shale and carbonized plant fossils in shale and sandstone in upper part

URANIUM OCCURRENCES (contd.)
of Jurassic Navajo sandstone and in sandstones of Permian and Pennsylvanian Maroon formation: 509.
Skull Creek Mining District: carnotite: 241.
Montezuma County—
General: carnotite: 41; carnotite carrying 3–4% uranium oxide: 470.
Montrose County—
General: carnotite: 41, 471, 476; carnotite carrying 3–4% uranium oxide: 470.
Bitter Creek Group: Dynamite mine: analyses gave average uranium content of 0.0014% in gray clay and 0.0017% in red clay: 500; mineralogical studies made on clays: 500; radiometric studies showed an an average count of 0.0022% eU for gray clay and 0.0018% eU for red clay: 500; uranium in sandstone in Morrison formation underlain by red and gray clays with an irregular boundary between them: 500.
Bull Canyon: carnotite in Morrison formation: 415; geology: 498; geophysical exploration: 498; three or more operating uranium mines: 498.
Club Camp at Naturita: carnotite: 34; group of claims, carnotite in Morrison formation: 415.
Club Camp of the Standard Chemical Co. on W rim of San Miguel canyon 4 mi. above junction with Dolores River: carnotite deposits in McElmo formation: fully equipped camp: 407.
Club Mesa, Uravan Mineral Belt: carnotite deposits in patches of favorable ground in en echelon arrangement: 417.
Cracker Jack claim, Calamity Gulch: carnotite: 34; carnotite in large petrified logs in Morrison formation: 415.
Dolores Camp: uranium minerals: 434.
Dolores Camp claims, N side of San Miguel River: carnotite: 34; carnotite in two large petrified logs in Morrison formation: 415.
Dolores Camp of Standard Chemical Co. on E rim of San Miguel canyon at junction of Dolores and San Miguel Rivers: carnotite deposits in McElmo formation did yield about 3 t. ore per day: 407.
Gypsum Valley District—
Gyp, Gyp No. 1, and Aztec mines: carnotite in rolls, land owned by V.C.A., drilled by U.S.B.M., and showing 0.25% U_3O_8 only in Gyp mine, with Gyp No. 1 and Aztec mines blank: 440.
Raven and adjoining claims: carnotite in rolls, land owned by V.C.A., drilled by U.S.B.M., and showing from less than 0.05 to 3.44% U_3O_8: 440.
Roosevelt mine: carnotite in thin layers, land owned by V.C.A., drilled by U.S.B.M., and showing less than 0.005% U_3O_8 in one drill hole, other was blank: 440.
Hydraulic Mining District: carnotite: 241.
La Sal Creek: carnotite: 439; carnotite in sandstone: 78, 82; carnotite, specimen analyzed: 472.
Yellow Boy claim: carnotite: 473.
La Sal Creek 6 mi. from Cashin: carnotite: 104.
La Sal Mining District: carnotite: 241.
La Sal Valley: carnotite: 459.
Mesa Creek: carnotite in Morrison formation: 415.
Naturita Mining District: carnotite: 241.
Paradox Valley: carnotite: 1, 7, 439, 459; carnotite, pitchblende: 464; tyuyamunite: 438; uranium production: 118.
Paradox Valley, E slope: uraninite: 104.
Cripple Creek claim, Long Park: carnotite: 34.
Hieroglyphic camp between Long Park and San Miguel River: camp left idle after exhaustion of exposed carnotite orebodies: 407.
Jack Rabbit camp between Long Park and San Miguel River: camp left idle after exhaustion of exposed carnotite orebodies: 407.
Jo Dandy camp owned and operated by Standard Chemical Co.: carnotite claims on faulted segment of carnotite strata: 407; carnotite occurrences in McElmo formation worked under 140 ft. of cover in some cases: 407; mined earlier by General Vanadium Co. and declared exhausted: 407.
Jo Dandy claim: carnotite: 434.
Julian camp between Long Park and San Miguel River: camp left idle after exhaustion of exposed carnotite orebodies: 407.
Long Park: carnotite mining carried out in open cuts, tunnels, and inclines: 407; carnotite ore production about 5 t. per day: 407; total shipping production of about 4200 t. carnotite ore averaging 2% U_3O_8 in McElmo formation: 407; camps of Radium Co. of Colorado and Radium Luminous Materials Corp: 407; Uravan Mineral Belt: carnotite deposits in patches of favorable ground in en echelon arrangement: 417.
Maggie C claim, Long Park: carnotite: 34.
Monogram camp owned and operated by Standard Chemical Co.: carnotite claims on faulted segment of carnotite strata: 407; carnotite in Morrison formation: 415; mining operations were carried on by hand: 407; three adits worked and several carnotite orebodies present: 407.
Outlaw camp between Long Park and San Miguel River: camp left idle after exhaustion of exposed carnotite orebodies: 407.
Paradox Creek: carnotite in sandstone: 78, 82.
Saucer Basin camp between Long Park and San Miguel River: camp left idle after exhaustion of exposed carnotite orebodies: 407.
Shamrock group including Shamrock and Old Salt Lick claims, owned by U. S. Vanadium Co.: carnotite in sandstone lenses, drilled by U.S.B.M., and showing from less than 0.05 to 1.43% U_3O_8: 440.
Roc Creek: carnotite: 439; carnotite in sandstone: 78, 82; uranium minerals: 416.
Copper Prince claim: carnotite: 473.
Roc Creek Mining District: carnotite: 241.

Sinbad Valley: carnotite: 435, 439, 459.
Uravan: carnotite deposits in Morrison formation: 417.
Vixen Mining District: carnotite: 241.
Ouray County—
Colorado Mineral Belt—
Lower Uncompahgre Mining District: uranium with base and precious-metal veins: 477.
Pitchblende deposits present, probably hypogene: 477.
Red Mountain Mining District: uranium with pyritic veins and copper-lead-silver volcanic breccia pipes: 477.
Red Mountain Mining District, San Juan area: uranium: 551.
Uncompahgre Canyon S of Ouray: uranium in black slate: 53.
Uncompahgre Canyon, San Juan area: uranium: 551.
Upper Uncomphagre Mining District: uranium as coatings on fracture surfaces or disseminations in country rock: 477.
Park County—
Colorado Mineral Belt—
Alma Mining District: uranium with base and precious-metal veins; pitchblende present: 477.
Fairplay area: carnotite in Upper Morrison formation: 53.
Garo: carnotite and volborthite associated with uraniferous carbonaceous shale and carbonized plant fossils, in shale and sandstone in upper part of Jurassic Navajo sandstone and in sandstone of Permian and Pennsylvanian Maroon formation: 509.
Hartsel, 8 mi. N of: uranium: 512.
See also under Fremont-Park Counties: 403.
Rio Blanco County—
Coal Creek: carnotite: 34, 422.
Coal Creek 14 mi. NE of Meeker: carnotite: 78, 82.
Caywood claims: carnotite: 423.
Coal Creek anticline: uranium in isolated orebodies on large anticlines and domes: 481.
Coal Creek Mining District: carnotite: 241.
J. Mackay mine No. 2: carnotite: 418; carnotite concentration process results: 418; carnotite mineralogy: 418.
Meeker: carnotite: 511; carnotite in Morrison formation: 509.
Routt County—
General: carnotite: 82.
San Miguel County—
General: carnotite: 41; pitchblende in vein deposits: 455.
Asphalts, Uranium-bearing-
Placerville: 34.
Black King prospect near Placerville: geology: 449; mineralization including copper, iron, and lead minerals and some chromian mica: 449; mineralogical studies of uraninite specimens: 445; origin, probably precipitation from hydrothermal solution: 449; roscoelite-type uranium-vanadium deposits in Entrada sandstone: origin: 449; thucholite containing minute specks of uraninite along a fault and a fissure: 449.
Black King No. 5 prospect near Placerville in S.27, T.44 N., R.11 W., owned by Hugh D., H .B., and Guy E. Weatherly (formerly called Evans property): chemical analyses: 469; geology: 469; mineralization: 469; radiometric analyses: 469; structure: 469; uraninite, thucholite ore of commercial grade: 469.
Cedar Mining District: carnotite: 241.
Disappointment Creek, at joining with Dolores River and 80 mi. W of Dolores: uraninite: 104.
Disappointment Creek near Cedar: carnotite: 78, 82.
Egnar-Slick Rock District—
Buckhorn and Cone claims: carnotite in rolls and a log, drilled by U.S.B.M., and showing from less than 0.05 to 1.74% U_3O_8: 440.
Hawk Nos. 1 and 2 and Frankie No. 1 claims: carnotite in rolls, drilled by U.S.B.M., and showing from none or less than 0.05 to 2.62% U_3O_8: 440.
Hogback and Marie claims in Bishop and Summit Canyons: carnotite in layers in sandstone, drilled by U.S.B.M., and showing less than 0.05% U_3O_8: 440.
Radium-Sitton area W of Egnar: F.A. Sitton operation: 413.
Radium No. 2 and adjoining claims: carnotite in large orebodies, drilled by U.S.B.M., and showing from less than 0.05 to 7.55% U_3O_8: 440.
Radium No. 4 claim: produced 325 t. ore with 1.75% V_2O_5 but U.S.B.M. drilling gave blank holes; ore in rolls: 440.
Radium No. 6 claim: carnotite in layers in sandstone, drilled by U.S.B.M., and showing from less than 0.05 to 7.00% U_3O_8: 440.
Slick Rock: geology: 431; history: 431; largest mine of group, Incline No. 1 mine, producing 300 t. uranium ore per month: 431; mechanized equipment used at Incline Nos. 3 and 4 mines: 431; mining methods: 431; mining problems: 431; production of 500 to 600 t. average grade uranium ore per month: 431; typical small uranium operation: 431.
Uncle Sam and Mucho Grande claims: carnotite in lenticular orebodies, drilled by U.S.B.M., and showing from less than 0.05 to 0.30% U_3O_8: 440.
Charles T Group: Fraction No. 1 and Summit claims: carnotite in sandstone, land owned by North Continent Mines, Inc., drilled by U.S.B.M., and showing from less than 0.05 to 2.13% U_3O_8: 440.
Legin Group: Minerals Engineering Co. operations: 413.
Frenchy, King, King No. 2, May, and Sam claims: carnotite in elongate rolls, land owned by North Continent Mines, Inc., drilled by U.S.B.M., and showing from less than 0.05 to 1.92% U_3O_8: 440.
Lower Group: Cougar, Last Chance, Little Mariel, and Rainbow claims: carnotite in large elongate rolls, land owned by North Continent Mines, Inc., drilled by U.S.B.M., and showing from less than 0.05 to 1.80% U_3O_8: 440.

URANIUM OCCURRENCES (contd.)
Gypsum Valley District—
Gypsum Valley: carnotite: 416.
Gypsum Valley, Disappointment District: carnotite: 439.
Jack Knife claim: carnotite in a roll, drilled by U.S.B.M., and showing less than 0.05% U_3O_8: 440.
Lost claim: carnotite in thin layers, drilled by U.S.B.M., and showing from less than 0.05 to 0.25% U_3O_8: 440.
Main Street claim: carnotite in layers and small rolls, drilled by U.S.B.M., and showing less than 0.05% U_3O_8 in one hole and blanks in two others: 440.
Pay Day claim: carnotite in two blanket-like layers of ore, drilled by U.S.B.M. and showing less than 0.05% U_3O_8: 440.
Pitchfork claim: carnotite in layers, drilled by U.S.B.M., and showing from less than 0.05 to 0.10% U_3O_8: 440.
Riverview claim: carnotite in rolls, drilled by U.S.B.M., and showing from less than 0.05 to 0.33% U_3O_8: 440.
McIntyre District: carnotite in Morrison formation: 415.
Placerville: carnotite: 78, 82, 435, 439; carnotite, roscoelite: 459; carnotite, roscoelite in Entrada formation: 509; uranium with asphalt: 34.
Snyderville Mining District: carnotite: 241.
White Spar prospect, 2000 ft. E of Placerville post office, in S.35, T.44 N., R.11 W., owned by Boyd Robinson: chemical analyses: 469; geology: 469; radiometric analyses: 469; thucholite, uraninite ore of commercial grade: 469.
Southwest Part—
Dulaney property: produces 60% of U.S. uranium: 518.
Colorado Front Range
General: 267; age determinations: published age of 60 million years for Laramide pitchblende of Colorado Front Range, confirmed by study: 492.
Colorado—
General: pitchblende in more than 20 vein deposits: 455.
Front Range Mineral Belt: pitchblende deposits with hypogene zonal distribution: 458.
Boulder County—
Grand Island Mining District—
Caribou mine: Geiger-Mueller survey: 484; geology: 484; mineralization: 484; mineralogical examinations: 484; mineralogy: 484; ore zones vary from a few inches to 15 ft. in width and include silver, lead, zinc, and iron minerals with pitchblende: 484; pitchblende: 53, 102; pitchblende in silver fissure veins in shear zones in quartz-monzonite stock: 484; pitchblende in veins of the quartz-sulfide-carbonate type, with a little cobalt: 455; results of Geiger-Mueller counter studies showed no radioactivity on the surface despite presence of pitchblende at the 1040 ft. level and its corresponding radioactivity: 484.
Radium vein: colloform banding in ore: 507; Geiger counter survey of dumps and underground workings showed presence of uraninite: 507; paragenesis of vein filling; mineralization in two stages, with uraninite deposited in the later stage: 507.
Gilpin County—
Wood and Kirk mines, Quartz Hill: pitchblende ore with average grade of 0.2% U_3O_8: 394.
Colorado Mineral Belt
Central Part—
Alma Mining District: uranium associated with base and precious-metal veins; pitchblende present: 477.
Leadville Mining District: uranium as coatings on fracture surfaces or disseminations in country rock; pitchblende present: 477.
St. Kevin Mining District: uranium associated with base and precious-metal veins; pitchblende present; also as coatings on fracture surfaces and disseminations in country rock; torbernite and sooty pitchblende (?) present, probably alteration products of primary pitchblende: 477.
Southwest Part—
Lower Uncompahgre Mining District: uranium associated with base and precious-metal veins; pitchblende present: 477; zonal relationship since uranium is close to boundary between pyrite-gold-base metal core and outer silver-lead-zinc zone: 477.
Red Mountain Mining District: uranium associated with pyritic veins and volcanic copper-lead-silver breccia pipes; pitchblende present: 477.
Upper Uncompahgre Mining District: uranium as coatings on fracture surfaces or disseminations in country rock; pitchblende present: 477.
Colorado Plateau
General: 48, 267, 405, 411.
Accessibility: 440.
Age determinations: average Pb^{206}/U^{238} age about 71 million years for 40 samples containing over 0.1% U, with average Pb^{207}/Pb^{206} age of 425 million years: 492; age discrepancy resulting from selective loss of U^{238} or addition of old radiogenic lead: 492; assuming calculated ages to be close to true ages of ore, uranium introduced into sediments, probably, in late Mesozoic or early Tertiary, contrary to earlier belief that uranium ores formed in Triassic and Jurassic sediments during or soon after deposition: 492; corrections to bring ages into agreement increase the Pb^{206}/U^{238} age to 81 million years while additions of old radiogenic lead lower it to 60 million years: 492; determinations by Pb/U and Pb/Pb/methods ratio: 492.
Bedded uranium deposits in Morrison formation: Colorado: 486; Utah: 486.
Bedded uranium deposits in post-Morrison formations: map showing: 486; Utah: 486.
Bedded uranium deposits in Navajo sandstone or San Rafael group: map showing: 486; Colorado: 486; Utah: 486.
Bedded uranium deposits in pre-Navajo formations: map showing: 486; Colorado: 486; Utah: 486.

Biogeochemical studies made for deposits in the Salt Wash sandstone member and Brushy Basin shale member of the Jurassic Morrison formation, chiefly in the Thompsons district, Utah: 409.
Bonuses to encourage mining: 163, 441, 497.
Carnotite Deposits—
General: 20, 405, 430, 444.
Arizona, Colorado, New Mexico, and Utah: 441; spotty and scattered deposits: 501.
Colorado: 22; carnotite field in southwest part of state: 407; carnotite in small, widely scattered deposits; U_3O_8 content 0.1 to 0.3%: 457.
Colorado, New Mexico, and Utah: 407.
Entrada formation: 63; sandstone: 22, 501
Morrison formation: 22, 440; stratigraphically controlled carnotite deposits in Salt Wash sandstone member: 509.
Salt Wash member of Morrison formation: 63, 267; scattered erratically over Arizona, Colorado, New Mexico, and Utah: 431; Shinarump conglomerate, and Entrada sandstone: 501.
Shinarump conglomerate: 22, 267, 501.
Triassic and Jurassic sandstones: 409.
Utah: 22; carnotite in eastern part: 407; carnotite in small, widely scattered deposits; U_3O_8 content 0.1 to 0.3%: 457.
Companies engaged in mining activities: 497.
Description of ore deposits: 440.
Development of uranium mining program: 497.
Exploration by U.S.B.M.: 440.
General characteristics of uranium deposits: 497.
Geology: 405, 407, 431, 440, 497.
Government operations: 431.
Historical development of mining program: 431.
Historical geology: 497.
History: 440, 497.
Map: showing locations and types of uranium deposits: 443, 455, 486, 493, 509.
Metalliferous vein deposits of uranium: map showing: 486; Colorado: 486; Utah: 486.
Mineralogy: 405.
Mining development work: 440.
Mining methods and operations: 431.
Origin: 13, 22, 407, 431; deposition by solution: 444; probably due to circulation of groundwaters in Salt Wash member of Morrison formation after deposition of the Salt Wash sands and shales: 431; uranium-bearing deposits in Colorado and Utah in the Salt Wash sandstone and Brushy Basin shale members of Morrison formation, Shinarump conglomerate, and Chinle formation, which also contain volcanic debris altered to clays: 499.
Physiography: 440.
Pitchblende: generally replaces cell walls of plants while copper sulfides fill cells: 485; in sedimentary rocks, usually in lower Chinle and Shinarump formations: 485; occurs with sulfides of copper or in asphaltic bodies, but, in both cases, associated with fossil plants or beds rich in organic debris: 485.
Property and ownership: 440.
Prospecting information like claim staking, equipment used, etc.: 497.
Sampling and metallurgy work on drill cores: 440.
Sandstone-type deposits: asphaltite deposits: 62; carnotite deposits: 62; copper-uranium deposits: 62; roscoelite deposits: 62.
U.S.A.E.C. mining district divisions: map showing: 486.
U.S.A.E.C. uranium development program: 430, 441.
U.S.A.E.C.'s buying schedule and policies for carnotite ores: 441.
U.S.G.S. drilling program carried out over area: produced geologic logs of about 2500 drill holes: 501.
Uranium content averaged 0.25% U_3O_8 though some of the fossil plant material is richly mineralized: 501.
Uranium mills: 407, 430, 440.
Uranium orebodies are irregular, elongate tabular masses in lenses essentially parallel to sandstone beds and occur in sandstone beds near top of Salt Wash sandstone member or in basal conglomerate of Brushy Basin shale member of Morrison formation: 409.
Uranium ore prices and bonuses: 430.
Uses of ore mined: 497.
Volcanic debris in uraniferous sandstone: uranium-bearing deposits in Colorado and Utah in the Salt Wash sandstone and Brushy Basin shale members of Morrison formation, Shinarump conglomerate, and Chinle formation, which also contain volcanic debris altered to clay minerals: 499; characteristics of deposits: 499; evidence indicates volcanism occurred during and just after the time the host rocks were accumulating but that later igneous activity was of primary importance in origin of uranium ore deposits: 499; geology of ore-bearing formations: 499; mineralogical examinations of clay samples from Colorado and Utah by: microscopic examination: 499, petrographic examination: 499, X-ray examination: 499; origin of deposits: 499; petrography: 499; presence of volcanic debris altered to clays: 499; processes involved in ore deposition: 499; relation of uranium ore to clays: 499; relation of uranium ore to fossil wood: 499; structure: 499; suggestions for future work on deposits along geologic, chemical, and physical lines: 499.
Work of small scale operators: 431.
Colorado—
General: carnotite deposits stratigraphically controlled in Morrison formation: 443.
Bedded uranium deposits in Morrison formation: map showing: 486.
Bedded uranium deposits in Navajo sandstone or San Rafael group: map showing: 486.
Bedded uranium deposits in pre-Navajo formations: map showing: 486.
Metalliferous vein deposits of uranium: map showing: 486.
Utah—
Bedded uranium deposits in Morrison formation: map showing: 486.

URANIUM OCCURRENCES (contd.)
Bedded uranium deposits in Navajo sandstone or San Rafael group: map showing: 486.
Bedded uranium deposits in post-Morrison formations: map showing: 486.
Bedded uranium deposits in pre-Navajo formations: map showing: 486.
Metalliferous vein deposits of uranium: map showing: 486.
Copper-Uranium Deposits
Utah—
Emery County—
San Rafael Swell—
Green Vein group: 21.
Pay Day claim: 21.
Garfield County—
Escalante-Circle Cliffs area—
Circle Cliffs: 509.
Blue Jay claim: 21.
Falling Star claims: 21.
Oak Creek prospect 17 mi. NE of Boulder: 509.
Spotted Dog claim: 509.
San Juan County—
White Canyon District—
White Canyon: uranium and copper minerals in Shinarump conglomerate as disseminated deposits in sandstones and as veins along fractures, sometimes as replacements in logs; similar deposits of lower grade in Chinle formation and in Moenkopi formation: 401; geology: 401; grade: 401; localization of deposits by uranium ore guides: 401, chemical controls: 401, general geologic controls: 401, relation to channel fills: 401, structural controls: 401; mineralogy: 401; origin: 401; production: 401; structure: 401.
Ace of Hearts claim: copper-uranium deposit with 0.01–0.05% U: 401.
Bankrupt claim: copper-uranium deposit with 0.01–0.05% U: 401.
Bear claim: copper-uranium deposit with 0.05–0.1% U: 401.
Bell claim: copper-uranium deposit with 0.1–0.3% U: 401.
Bridges claim: copper-uranium deposit with 0.01–0.05% U: 401.
Butler's claim: copper-uranium deposit with 0.05–0.1% U: 401.
Cub claim: copper-uranium deposit with 0.05–0.1% U: 401.
Dead Buck claim: copper-uranium deposit with 0.05–0.1% U: 401.
Found claim: copper-uranium deposit with 0.1–0.3% U: 401.
Four Aces claim: copper-uranium deposit with 0.01–0.05% U: 401.
Frey Canyon No. 4 claim: copper-uranium deposit with 0.1–0.3% U: 401.
Frey claim: copper-uranium deposit with 0.05–0.1% U: 401.
Frey No. 1 claim: copper-uranium deposit with 0.01–0.05% U: 401.
Frey No. 2 claim: copper-uranium deposit with 0.05–0.1% U: 401.
Gonaway-North Point claim: copper-uranium deposit with 0.05–0.1% U: 401.
Happy Jack mine: copper-uranium deposit with more than 0.3% U: 401.
Hideout mine: copper-uranium deposit with 0.1–0.3% U: 401.
Hideout No. 1 mine: in Shinarump conglomerate: 490.
Jacobs Chair claim: copper-uranium deposit with 0.05–0.1% U: 401.
Jerry claim: copper-uranium deposit with 0.05–0.1% U: 401.
Markie claim: copper-uranium deposit with 0.05–0.1% U: 401.
Mossback claim: copper-uranium deposit with 0.05–0.1% U: 401.
Mossback (Old Jackpot) claim: copper-uranium deposit with 0.05–0.1% U: 401.
Notch claim: copper-uranium deposit with 0.01–0.05% U: 401.
Point claim: copper-uranium deposit with 0.05–0.1% U: 401.
Posey mine: copper-uranium deposit with more than 0.3% U: 401.
Red Canyon No. 1 claim: copper-uranium deposit with 0.05–0.1% U: 401.
Saddle claim: copper-uranium deposit with 0.01–0.05% U: 401.
Scenic No. 2 claim: copper-uranium deposit with 0.1–0.3% U: 401.
Scenic No. 4 claim: copper-uranium deposit with 0.05–0.1% U: 401.
Scotty claim: copper-uranium deposit with 0.01–0.05% U: 401.
Standard claim: copper-uranium deposit with less than 0.01% U: 401.
Sunrise claim: copper-uranium deposit with 0.01–0.05% U: 401.
Unknown claim: copper-uranium deposit with less than 0.01% U: 401.
Uracop claim: copper-uranium deposit with 0.01–0.05% U: 401.
W.G.J.N.W. claim: copper-uranium deposit with less than 0.01% U: 401.
W.N. claim: copper-uranium deposit with 0.01–0.05% U: 401.
White Canyon No. 1 claim: copper-uranium deposit with 0.1–0.3% U: 401.
Woodenshoe (?) claim: copper-uranium deposit with 0.05–0.1% U: 401.
Yellow John claim: copper-uranium deposit with more than 0.3% U: 401.
Zebra claim: copper-uranium deposit with less than 0.01% U: 401.
White Canyon-Red Canyon District: 20.
Uintah County—
Uinta Basin: 509.
Washington County—
Silver Reef Mining District: 20, 478.
Fort Pierce: 21.
Silver Reef: 509.
Wayne County—
Capitol Reef Monument—
Oyler mine: 509; (called here: Oiler Tunnel, Blue Bird claims): 21.
Northern part: 21.
Fluorite, Uranium-bearing
Colorado—
General: 95.
Boulder County—
Jamestown: uraniferous fluorite breccia

zones with pitchblende, uraninite, autunite, torbernite in fluorite-sulfide deposit: 504.
Blue Jay mine: uranothorite in fluorite breccias: 474, 475.
Burlington mine: uraniferous fluorite breccia zones worked to depths of 600 ft.: 504.
Nations Treasure mine: torbernite on fractures in fluorite in fluorite-sulfide deposit: 504.
El Paso County—
St. Peters Dome: kasolite in fluorite-quartz-sulfide deposits: 504.
Utah—
General: 95.
Beaver County—
Indian Creek: autunite in fluorite-quartz-sulfide deposits: 504.
Staats mine: autunite, uranophane in fluorite: 504.
Juab County—
Honeycomb Hills: uranium minerals as coatings on fluorite in fluorite-quartz-sulfide deposits: 504.
Thomas Range: uraniferous fluorite pipes with carnotite: 504.
Bell Hill group of claims owned by Donald, Delbert, and T. E. Searle and Harold Ruthiford and leased to G. P. Spor: fluorite sample contained 0.4% uranium: 488.
Fluorine Queen property: irregular uraniferous fluorite pipe with carnotite: 504.
Fluorite (Original Spor) Group owned by G. P. Spor: less radioactive than Bell Hill and Harrisite groups but composite chip sample assayed 0.016% eU: 488.
Harrisite claims owned by E. D. and E. T. Harris: fluorite sample contained 0.25% uranium: 488.
Thursday property: uraniferous fluorite veins: 504.
Piute County—
Farmer John claims: uranium mineralization with fluorite; leased by Bullion Monarch Mining Co. for fluorite mining and, later, for uranium development: 522.
Limestones, Uranium-bearing
Colorado—
Jefferson County—
Leyden coal mine: uranium minerals in limestone of Laramie formation of Cretaceous age: 509.
Utah—
General: 27.
Northeast Part: uranium, possibly of syngenetic origin, in Uintah formation: 426.
Maps
Location and Types of Uranium Deposits—
Colorado: 426, 443, 455, 486, 493, 504, 509.
Colorado Plateau: 443, 455, 486, 493, 509.
United States: 426, 443, 455, 486, 493, 504, 509.
Utah: 426, 443, 455, 486, 493, 504, 509.
Navajo Indian Reservation
General—
Arizona, New Mexico, Utah: carnotite: 161.
Utah: Navajos may reassign uranium mining rights: 178.
Opal, Uranium-bearing
Utah—
Piute County—
Marysvale area—
J. and L. alunite mine: in adit; material similar to opal but unusual green fluorescence like that of some hyalite: 451.
Trinity mine: in old workings; has brilliant green fluorescence: 451.
Origin
Colorado—
Carnotite: 13, 22; probably syngenetic in Morrison and Entrada formations: 415; probably from groundwater solutions migrating through ore-bearing beds soon after sand accumulated, with precipitation resulting from slight changes in chemical composition of solutions, perhaps in presence of decaying organic material: 417; probably due to circulation of groundwaters in Salt Wash member of Morrison formation after deposition of the Salt Wash sands and shales: 431.
Hydrothermal solutions, precipitation from: Black King prospect: 449.
Uranium-bearing deposits in Colorado and Utah in the Salt Wash sandstone and Brushy Basin shale members of Morrison formation, Shinarump conglomerate, and Chinle formation, which also contain volcanic debris altered to clays: 499.
Colorado Plateau—
Carnotite: 13, 22, 407; probably syngenetic in Morrison and Entrada formations and Shinarump conglomerate: 415; probably from groundwater solutions migrating through ore-bearing beds soon after sand accumulated, with precipitation resulting from slight changes in chemical composition of solutions, perhaps in presence of decaying organic material: 417; probably due to circulation of groundwaters in Salt Wash member of Morrison formation after deposition of the Salt Wash sands and shales: 431.
Uranium-bearing deposits in Colorado and Utah in the Salt Wash sandstone and Brushy Basin shale members of Morrison formation, Shinarump conglomerate, and Chinle formation, which also contain volcanic debris altered to clays: 499.
United States—
Sedimentary deposits of carnotite: 459.
Sedimentary uranium deposits: 34.
Utah—
Carnotite: 13, 22; probably syngenetic in Shinarump conglomerate at Silver Reef: 415; probably due to circulation of groundwaters in Salt Wash member of Morrison formation after deposition of the Salt Wash sands and shales: 431.
Copper-uranium deposits:
White Canyon: 401.
Happy Jack mine: 412.
Uranium-bearing deposits in Colorado and Utah in the Salt Wash sandstone and Brushy Basin shale members of Morrison formation, Shinarump conglomerate, and

URANIUM OCCURRENCES (contd.)
Chinle formation, which also contain volcanic debris altered to clays: 499.
Uranium deposits at Marysvale: 451
Phosphates, Uranium-bearing
General—
Low grade uranium ores: Utah: 306.
Utah: low grade uranium ores: 306.
Shinarump Formation
General—
Utah—
White Canyon, San Juan County: uranium ore deposition controlled by channels in Shinarump formation with carbonaceous matter and lithologic changes as intrachannel controls: 466; uranium ore usually in porous, carbonaceous sandstone above Shinarump siltstone: 466.
United States
General: 53, 90, 102, 267, 411.
Colorado Plateau: carnotite deposits: 62, 120, 430; carnotite deposits in Salt Wash and Entrada formations: 63.
Copper-uranium deposits: southwest part: 21.
Low grade Uranium Deposits:
Black shales: 267.
Phosphates: 267.
Maps showing locations and types of uranium deposits: 426, 443, 455, 486, 493, 504, 509.
Origin:
Sedimentary deposits of carnotite: 459.
Sedimentary uranium deposits: 34.
Sedimentary deposits of carnotite: geology: 459; origin: 459; production: 459; utilization: 459.
Sedimentary uranium deposits: geology: 34; mineralogy: 34; origin: 34.
Southwest part: copper-uranium deposits: 21.
Utah
General: 12, 13, 25, 48, 118, 395.
Carbonaceous Shales, Uranium-bearing:
Deseret limestone (black shale and phosphatic zone at base): possible uranium source: 462.
Mississippian Brazer limestone (phosphatic portion): possible uranium source: 462.
Swan Peak quartzite (phosphatic portion): possible uranium source: 462.
Carnotite: 1, 7, 86; in sandstone: 46; results of extraction processes: 419.
Colorado Plateau: 411.
Deseret limestone (black shale and phosphatic zone at base): possible uranium source: 462.
Fluorite, Uranium-bearing-
General: 95.
Limestones: Uranium-bearing-
General: 27.
Maps showing location and types of uranium deposits: 426, 443, 455, 486, 493, 504, 509.
Mississippian Brazer limestone (phosphatic portion): possible uranium source: 462.
Morrison formation: carnotite: 22.
Northeast part: uranium, possibly of syngenetic origin, in freshwater limestone of Uintah formation: 426.
Origin: carnotite: 13, 22; carnotite in Shinarump conglomerate at Silver Reef, probably syngenetic in origin: 415; uranium-bearing deposits in the Salt Wash sandstone and Brushy Basin shale members of Morrison formation, Shinarump conglomerate, and Chinle formation, which also contain volcanic debris altered to clays: 499.
Phosphates, Uranium-bearing—
Phosphate deposits: low grade uranium ores: 306.
Shinarump conglomerate: carnotite: 22.
Swan Peak quartzite (phosphatic portion): possible uranium source: 462.
Types—
Carnotite in sandstone deposits: 62.
Copper-uranium deposits: 62.
Hydrothermal vein deposits: 62.
Volcanic Debris in Uraniferous Sandstone:
Uranium-bearing deposits in Colorado and Utah in the Salt Wash sandstone and Brushy Basin shale members of Morrison formation, Shinarump conglomerate, and Chinle formation, which also contain volcanic debris altered to clays: 499.
Characteristics of deposits: 499.
Evidence indicates volcanism occurred during and just after the time the host rocks were accumulating but that later igneous activity was of primary importance in origin of uranium ore deposits: 499.
Geology of ore-bearing formation: 499.
Mineralogical examination of clay samples from Colorado and Utah by: microscopic examination: 499, petrographic examination: 499, X-ray examination: 499.
Origin of deposits: 499.
Petrography: 499.
Presence of volcanic debris altered to clays: 499.
Processes involved in ore deposition: 499.
Relation of uranium ore to clays: 499.
Relation of uranium ore to fossil wood: 499.
Structure: 499.
Suggestions for future work on deposits along geologic, chemical and physical lines: 499.
Beaver County—
Newton Mining District—
Sniffer and Mystery claims: secondary uranium minerals, autunite (?), metatorbernite (?) in argillized, silicified earlier Tertiary Bullion Canyon latite: 510; geology: 510; prospecting guides: 510; samples analyzed: 510.
Staats mine: autunite, uranophane in fluorites: 504.
Bibliographies: 9, 10.
Box Elder County—
Sierra Madre Mountain: uranium: 463.
Carbon County—
Cold (may mean Coal) Creek, 20 mi. N of Price: carnotite: 404.
Colorado Plateau—
Bedded uranium deposits in Morrison formation: map showing: 486.
Bedded uranium deposits in Navajo sandstone or San Rafael group: map showing: 486.
Bedded uranium deposits in post-Morrison formations: map showing: 486.
Bedded uranium deposits in pre-Navajo formations: map showing: 486.

Carnotite: 22, 63; deposits in Salt Wash member of Morrison formation, scattered erratically over Arizona, Colorado, New Mexico, and Utah: 431; carnotite in small widely scattered deposits: U_3O_8 content 0.1 to 0.3%: 457.
Geology: 431.
Government operations: 431.
Historical development of mining program: 431.
Metalliferous vein deposits of uranium: map showing: 486.
Mining methods and operations: 431.
Origin of deposits: 431.
Work of small-scale operators: 431.
Daggett County—
General exploration government financed: 553.
Browns Park: carnotite: 34; tyuyamunite: 434.
Red Creek: carnotite: 67; tyuyamunite: 82.
Yellow Canary claims: tyuyamunite in fractured quartzite in vein structures: 493.
Emery County—
General: uvanite, disseminated in rocks: 2.
Flat Top SW of Temple Mt.: carnotite and other uranium minerals: 436.
Green River: carnotite: 418, 433, 511; carnotite: concentration process results: 418; carnotite: mineralogy: 418.
San Rafael Swell: carnotite: 41, 63, 404, 410, 425, 459; carnotite and other uranium minerals: 436; general: 483; geography: 483; highly uraniferous asphaltic sandstone in breached anticlinal structure: 426; mineralogy: 483; mining history: 483; regional and economic geology: 483; uranium in isolated orebodies on large anticlines and domes: 481; 18 mi. W of Green River; carnotite: 78; tyuyamunite: 82; near Tidwell: carnotite: 433.
Clifford Smith claim on NW side of mesa S of San Rafael River Bridge: moderate radioactivity: 483.
Copper Globe deposit: torbernite and uraniferous carbonized plant fragments in copper-uranium deposit: 509.
Dalton group SW of Hard Pan group: autunite and asphalt seams: 483.
Dexter group SW of Dalton group on point of mesa: uranium with asphalt pellets and carbonized twigs: 483.
Dirty Devil group, 15 claims covering butte beside Muddy River: uranium, vanadium: 483.
Dolly group, 4 claims, along N side of Family Butte: insignificant radioactivity: 483.
Gardell Snow's claim N side of small butte E of Family Butte: uranium in carbonaceous material: 483.
Green Vein group: copper-uranium deposit: 21.
Hard Pan group, adjoins Lone Tree group: uranium with carbonized wood (tree limbs): 483.
Hertz No. 1 claim along E side of mesa N of Family Butte: uranium in asphaltic sandstone: 483.
Lone Tree deposit: uraniferous asphalt in Triassic sandstones and conglomerates of the Shinarump and Chinle formations: 509.
Lone Tree group, 3 mi. SW of San Rafael River Bridge: autunite (?) seam carrying U_3O_8: 483.
Pay Day claim: copper-uranium deposit: 21.
Green Vein group and Brown Throne group, 30 claims on a mesa 2 mi. N of Family Butte: three claims developed show uranium, vanadium, and some association with copper: 483.
Red Canyon deposit: uraniferous asphalt in Triassic sandstones and conglomerates of the Shinarump and Chinle formations: 509.
San Rafael Mining District: carnotite: 241.
South Fork group, 3 claims N side of Family Butte: no appreciable radioactivity: 483.
Temple Mountain: carnotite: 425, 438; carnotite and other uranium minerals: 436; carnotite derived from asphalt, which may be thucholite in this area: 509; carnotite, zippeite, and other secondary uranium and vanadium minerals coating asphaltite grains: 509; Consolidated Uranium Mines, Inc., claims: drilling operations: 550; uranium in Shinarump conglomerate: 550; uranium production: 550; uranium ore shipments: 550; pitchblende as minute grains, 1–10 microns in diameter, in ribbon or ellipsoidlike aggregates in asphaltites: 485; uraniferous asphaltite as void fillings, rounded pellets, veinlike fillings, and detrital grains in friable sandstone lenses in Shinarump conglomerate in old stream channels: 509; uraniferous asphalt in Triassic sandstone and conglomerates of the Shinarump and Chinle formations: 509; uranium in asphaltite: 21; uranium in large mine in Shinarump formations but not in channel deposit: 481; uranium minerals: 416, 434; uranium-bearing asphalts: 20; S of Green River: carnotite: 545.
Temple Rock: carnotite: 34, 78; tyuyamunite: 82; uranium ore in Shinarump conglomerate: 415.
Wickiup group, 19 claims, in Block Mt.: slight radioactivity: 483.
South Temple Wash: carnotite: 82.
Table Mountain: carnotite: 511.
Wildhorse Canyon: carnotite: 404, 433.
Garfield County—
Escalante-Circle Cliffs area—
Circle Cliffs: carnotite: 63; carnotite, carbonized wood, and radioactive iron oxide as uranium-bearing materials in copper-uranium deposit in Triassic Shinarump conglomerate: 509; uranium leases: 528; SE of Escalante: 28 uranium claims leased by New Park Mining Co.: 529.
Blue Jay claim: copper-uranium deposit: 21.
Dud No. 1 claim: uranium: 21.
Falling Star claims: copper-uranium deposit: 21.
Hot Shot claims: uranium: 21.
Moody claims: uranium: 210

URANIUM OCCURRENCES (contd.)
no significant uranium mineralization: 447.
Buddy claim, Bertelson's deposit: autunite: 479.
Buddy mine: autunite, a little pitchblende: 495; mineralization: 495; pitchblende: 429; rock types: 495; structure: 495.
Bullion Monarch mine: mineralization: 495; pitchblende, autunite, meta-torbernite, schroeckingerite, torbernite, uranophane: 495; rock types and alteration: 495; structure: 495; uraninite in small amounts and in drill holes in vicinity, autunite: 451; uranium minerals: 429.
Bullion Monarch open pit on west side of Pratt Peak: first uranium mineralization in area found there over 60 years ago and rediscovered by Pratt Seegmiller in 1940: 522; equipment owned and operated by Atherley brothers for Bullion Monarch Mining Co.: 522; largest producer in area: 522; schroeckingerite in rhyolite and secondary uranium mineralization between rhyolite and crushed gougey contact: 522.
Bullion Monarch Mining Co. operations: autunite ore easy to mill and reduce: 526; firm has indicated reserves of 500,000 t. autunite with U_3O_8 content on total tonnage ranging from 0.7–0.26%: 526.
Bullion Monarch Mining Co. properties: autunite, torbernite: 532; new autunite cut: 552; uranium shipments: 552.
Bullion Monarch prospect: uranium in open cuts along contact between Mt. Belknap rhyolite and quartz monzonite: 447.
Claims of D. MacIntosh and J. Henry, 1½ mi. W of Marysvale: uranium: 527.
East Slope claims: autunite, etc.: 429.
East Slope No. 2 deposit: autunite, meta-torbernite, schroeckingerite, and uranophane, distributed along face of open-cut in two main zones about a core of hematite-alunite-quartz kaolinite rock: 493; secondary uranium minerals associated with alunitic and clay alteration zones in veinlike structure within hornfels: 493.
Farmer John claims: owned by John Sargeant and leased by Bullion Monarch Mining Co. for fluorite mining and, later for uranium development: 522.
Farmer John claims of Bullion Monarch Mining Co. near Marysvale: uranium: 541; uranium mineralization with fluorite: 522.
Farmer John open pit, Bullion Monarch Mining Co.: autunite, pitchblende: 479.
Freedom claims located by Pratt Seegmiller in 1948: autunite with some torbernite: 522.
Freedom lease, V.C.A.: autunite, pitchblende: 479.
Freedom No. 1 (Seegmiller) mine: autunite, trace of pitchblende, schroeckingerite, torbernite: 495; mineralization: 495; rock types and alteration: 495; structure: 495.
Freedom No. 2 mine: schroeckingerite, torbernite, uranophane: 495; autunite, uranophane in fractures in rhyolite: 451; mineralization: 495; most important producer of secondary uranium ore in district: 495; rock types: 495; structure: 495; uranium minerals: 429.
Freedom prospect: hydrothermal alteration and uranium mineralization in quartz monzonite: 447.
J. and L. alunite mine: uranium-bearing material similar to opal in adit but unusual green fluorescence like that of some hyalite: 451.
Opal, Uranium-bearing—
J. and L. alunite mine: in adit: 451.
Trinity mine: in old workings: 451.
Papsy's Hope prospect owned by J. P. Fullmer: autunite on fracture surfaces in altered feldspar porphyry, a part of the Bullion Canyon volcanics: 442; autunite samples contain 0.013–0.030% eU: 442; autunite, etc.: 429; uranophane as zone forming halo overlying autunite-bearing vein and underlying leached clay: 451; geology: 442; rock alteration and silicification: 442.
Prospector group of claims located by April Smith, and L. J. and Merlin Anderson: uranium located in shear zone: 522; leased by V.C.A. for development along with Seegmiller's claims (i.e. Freedom and Freedom No. 1 mines): 522.
Prospector lease, V.C.A.: autunite, pitchblende: 479.
Prospector mine under lease by V.C.A.: alteration in quartz monzonite showing increased argillic alteration as uranium-bearing zones are approached: 447; mineralization: 495; mineralogical studies on quartz monzonite sample by thin-section, X-ray diffraction, differential thermal analysis, and electron microscope examination methods: 447; pitchblende: 429; pitchblende, a calcium-uranium-oxide mineral (analogue of fluorite), autunite, torbernite, uranophane: 495; pitchblende in black, sooty and massive form: 495; quartz monzonite has andesine, biotite, epidote, olivine, orthoclase, quartz, sphene, and zircon with secondary introduction of alunite, fluorite, pyrite, and uraninite as well as quartz, mixture of quartz and feldspar, and sericite: 447; rock types: 495; structure: 495; sooty black uraninite mixed with fine-grained pyrite and fluorite within 60 ft. of surface: 451; uraninite, disseminated with pyrite, limonite, and some schroeckingerite in quartz monzonite: 447; uranium deposits entirely in quartz monzonite in parts showing alteration effects: 447; uranium-bearing breccia covered with black sooty uraninite and associated with pyrite, fluorite, and uraninite: 447; uranium-bearing clay containing uraninite associated with pyrite and limonite and a little secondary fluorite and alunite: 447.

Sniffer claims: uranium minerals: 429.
Trinity mine: uranium-bearing opal in old workings; has brilliant green fluorescence: 451.
V.C.A. claims: autunite: 523.
V.C.A. properties: autunite, pitchblende, torbernite, uraninite: 532.
Yellow Canary prospect: autunite, uranophane (?): 495; mineralization: 495; rock types and mineralization: 495; structure: 495.
San Juan County—
Abajo Mountains: carnotite: 404; uranium in ore deposits forming haloes around mountain masses with bleached sandstone surrounding orebodies: 481.
Abe Day's Vanadium Queen claim: uranium oxide, production: 544; eligible for U.S.A.E.C. Bonus: 544.
Big Indian Valley N of Monticello: carnotite: 78, 82.
Big Indian Wash—
Mi Vida mine, on Mi Vida claim and owned by Charles Steen: heavy black ore resembling pitchblende and uraninite with no carnotite found in belt 72 ft. below surface; assay of core gave 0.34 to 5% U_3O_8: 465; Utex Exploration Co. formed, with Steen and his mother as principal stockholders, to develop mine and adjacent claims: 465; first ore shipment made Dec. 1952 and total ore shipped increased to $1,000,000's worth by Aug. 1953: 465; ore found on other parts of Mi Vida claim averaged better than 0.50% U_3O_8 with some as rich as 21% and handpicked samples ranging up to 88%: 465; Steen stockpiling all ore above 20% in hopes of collecting A.E.C. bonus for first 20 t. of non-carnotite, non-roscoelite ore assaying at least 20% discovered in U.S.: 465; high lime content only disadvantage of Steen ore, which is being stored at Monticello mill until proper treatment facilities become available for extraction of its uranium: 465.
Other uranium claims in area near Mi Vida claim: uranium deposits being developed by owners or under leases to companies and individuals: 465.
Cane Springs Pass S of Moab: carnotite: 34.
Bridger Jack Flat: carnotite: 437.
Browns Hole area: carnotite: 396.
Bull Canyon area: uranium claims: 524.
Cottonwood Canyon District—
Basin claim: ore horizon in sandstone, drilled by U.S.B.M.: 440.
Big Hole mine, largest in district and owned by Blanding Mines Co.: carnotite in layers in sandstone, drilled by U.S.B.M.: 440.
Birthday, Shale, East Bank, Found No. 2, and Lost claims: carnotite in layers in sandstone, drilled by U.S.B.M., and showing from less than 0.05 to 0.30% U_3O_8: 440.
Blue Bird area, about 1½ mi. W of Cliffhouse claim and owned by V.C.A.: carnotite in layers in sandstone, drilled by U.S.B.M., and showing less than 0.05% U_3O_8: 440.
Hangover Nos. 1 and 2 and Ridge Nos. 1 and 2 claims, on small tributary of Cottonwood Creek: carnotite in massive, thick, lenticular sandstone, drilled by U.S.B.M., and showing from zero to less than 0.05% U_3O_8: 440.
Dry Valley: carnotite in Morrison formation: 415.
Dry Valley N of Monticello: carnotite: 78, 82.
East Canyon: carnotite, tyuyamunite: 82.
Elk Ridge anticline: uranium in isolated orebodies on large anticlines and domes: 481.
Grey Dawn mine: uraninite, assaying about 64% U_3O_8: 480; uraninite, associated with carnotite ores of Salt Wash sandstone member of Morrison formation: 480; uraninite, in three podlike occurrences: 480; uraninite with beta-uranotil, carnotite, gummite: 480.
La Sal Mountains: carnotite: 396; torbernite: 82; uranium in ore deposits forming haloes around mountain masses with bleached sandstone surrounding orebodies: 481.
Lisbon (not Lisburne) Valley N of Monticello: carnotite: 78, 82.
Monument Valley: all uranium deposits found to date occur in channels in Shinarump formation: 481; carnotite: 62, 427; uplift: uranium in isolated orebodies on large anticlines and domes: 481.
Skyline mine: uranium in channels in Shinarump formation: 481.
Whirlwind mine: uranium in channels in Shinarump formation: 481.
Montezuma Canyon: carnotite: 503; uranium and radium in silts on canyon floor: 503.
Navajo Indian Reservation: carnotite: 161; Navajos may reassign uranium mining rights: 178.
Navajo Mt.: uranium: 169.
Spanish Valley anticline, NW faulted segment: uranium in isolated orebodies on large anticlines and domes: 481.
White Canyon District—
White Canyon: 411; carnotite: 63; copper-uranium deposits in Shinarump conglomerate as disseminated deposits in sandstones and as veins along fractures, sometimes as replacements in logs; similar deposits of lower grade in Chinle formation and in Moenkopi formation: 401; geology: 401; grade: 401; localization of deposits by uranium ore guides: 401: chemical controls: 401, geologic controls: 401, relation to channel fills: 401, structural controls: 401; mineralization, pitchblende, secondary uranium minerals including johannite, phosphuranylite, schoepite-becquerelite, torbernite, uranophane, and zippeite, and uranium in carbonized wood, iron and manganese oxides, and veinlets of hydrocarbon: 401; mineralogy: 401.
Ore Criteria—
Features apparently unrelated to ore deposits: conglomerate: 401; freckled limonite: 401; hydrous mica:

URANIUM OCCURRENCES (contd.)
401; massive sandstone: 401; these have served as prospecting guides in other areas but have not been useful in White Canyon and are considered unimportant in finding concealed deposits: 401.
Features found only in mineralized areas: alunite (?): 401; hydrocarbons: 401; secondary copper sulfates and carbonates: 401; sulfide minerals: 401; visible uranium minerals: 401.
Features found in unmineralized as well as mineralized areas: association of several features may indicate favorable prospecting areas: 401; bleaching and alteration of Moenkopi formation: 401; carbonized wood fragments and vegetal material: 401; channel filling: 401; facies change within Shinarump conglomerate: 401; fracturing: 401; iron and manganese staining: 401; jarosite (?): 401;
origin: 401; pitchblende disseminated in Shinarump conglomerate and associated with copper sulfides, a little cobalt, and secondary uranium minerals in sandstone: 455; pitchblende in sedimentary rock, replacing cell walls of fossil plants while copper sulfides fill cells: 485; production: 401; structure: 401; 8 mi. from Hite: carnotite: 78.
Ace of Hearts claim: copper-uranium deposit with 0.01–0.05% U; 401.
Bankrupt claim: copper-uranium deposit with 0.01–0.05% U: 401.
Bear claim: copper-uranium deposit with 0.05–0.1% U: 401.
Bell claim: copper-uranium deposit with 0.1–0.3% U: 401.
Bridges claim: copper-uranium deposit with 0.01–0.05% U: 401.
Butler's claim: copper-uranium deposit with 0.05–0.1% U: 401.
Cub claim: copper-uranium deposit with 0.05–0.1% U: 401.
Dead Buck claim: copper-uranium deposit with 0.05–0.1% U: 401.
Found claim: copper-uraniun deposit with 0.1–0.3% U: 401.
Four Aces claim: copper-uranium deposit with 0.01–0.05% U: 401.
Four Aces mine in White Canyon: radioactive asphaltite pellets: 509.
Frey Canyon No. 4 claim: copper-uranium deposit with 0.1–0.3% U: 401.
Frey claim: copper-uranium deposit with 0.05–0.1% U: 401.
Frey No. 1 claim: copper-uraniun deposit with 0.01–0.05% U: 401.
Frey No. 2 claim: copper-uranium deposit with 0.05–0.1% U: 401.
Gonaway-North Point claim: copper-uranium deposit with 0.05–0.1% U: 401.
Happy Jack mine: carnotite in thin seam, drilled by U.S.B.M., and showing no U_3O_8, so work was to be abandoned: 440; channel structure: 412; copper-uranium deposit grading laterally from secondary uranium carbonates and sulfates at exposed cliff face to sulfides and pitchblende at mine workings 75 ft. underground: 509; copper-uranium deposit with more than 0.3% U: 401; geology: 412; horizontal bedding-plane control for pitchblende: 466; johannite associated with a large suite of secondary uranium minerals: 493; mineralogy: 412; no evidence of vertical control of primary ore: 466; origin: 412; pitchblende, etc.: 412; sequence of secondary uranium minerals from leached outcrops shows johannite and chalcanthite at surface, uranophane and torbernite a short distance in, and pitchblende, pyrite, chalcopyrite, chalcocite, and gersdorffite in interior: 493; stratigraphy: 412; uraninite: 48; uranium in channels in Shinarump formation and with bleached mudstone in Chinle formation: 481; uranium ore usually in porous carbonaceous sandstone above Shinarump siltstone: 466; uranium: ore deposition controlled by channels in Shinarump formation with carbonaceous matter and lithologic changes as intrachannel controls: 466; uranium production: 412.
Hideout mine: copper-uranium deposit with 0.1–0.3% U: 401.
Hideout No. 1 mine: bayleyite, schroeckingerite, in adit 100 ft. from cliff face: 490; copper-uranium deposit in Shinarump conglomerate: 490.
Jacobs Chair claim: copper-uranium deposit with 0.05–0.1% U: 401.
Jerry claim: copper-uranium deposit with 0.05–0.1% U: 401.
Markie claim: copper-uranium deposit with 0.05–0.1% U: 401.
Mossback claim: copper-uranium deposit with 0.05–0.1% U: 401.
Mossback (Old Jackpot) claim: copper-uranium deposit with 0.05–0.1% U: 401.
Notch claim: copper-uranium deposit with 0.01–0.05% U: 401.
Point claim: copper-uranium deposit with 0.05–0.1% U: 401.
Posey mine: copper-uranium deposit with more than 0.3% U: 401.
Red Canyon No. 1 claim: copper-uranium deposit with 0.05–0.1% U: 401.
Saddle claim: copper-uranium deposit with 0.05–0.1% U: 401.
Scenic No.2 claim: copper-uranium deposit with 0.1–0.3% U: 401.
Scenic No.4 claim: copper-uranium deposit with 0.05–0.1% U: 401.
Scotty claim: copper-uranium deposit with 0.01–0.05% U: 401.
Standard claim: copper-uranium deposit with less than 0.01% U: 401.
Sunrise claim: copper-uranium deposit with 0.01–0.05% U: 401.
Sunrise and Gonaway claims: uranium ore deposition controlled by channels in Shinarump formation with carbonaceous matter and lithologic changes as intrachannel controls: 466; uranium ore usually in porous carbonaceous sandstone above Shinarump silstone: 466.

Unknown claim: copper-uranium deposit with less than 0.01% U: 401.
Uracop claim: copper-uranium deposit with 0.01–0.05% U: 401.
W.G.J.N.W. claim: copper-uranium deposit with less than 0.01% U: 401.
W.N. claim: copper-uranium deposit with 0.01–0.05% U: 401.
White Canyon No. 1 claims: copper uranium deposit with 0.1–0.3% U: 401.
Woodenshoe (?) claim: copper-uranium deposit with 0.05–0.1% U: 401.
Yellow John claim: copper-uranium deposit with more than 0.3% U: 401.
Zebra claim: copper-uranium deposit with less than 0.01% U: 401.
White Canyon-Red Canyon District: copper-uranium deposit: 20.
Yellow Circle Group—
White Fawn and Yellow Circle claims: carnotite in sandstone lenses, drilled by U.S.B.M., and showing from zero to 5.20% U_3O_8: 440.
San Pete County—
RAJ prospect: torbernite or autunite and uraniferous carbonized wood in the Eocene Green River formation: 509.
Sevier County—
Wooley prospect: uranium minerals in Tertiary tuffs: 509.
Uintah County—
Snow claims: torbernite or autunite and uraniferous carbonized wood in Cretaceous Mesa Verde sandstone: 509.
Uinta Basin: torbernite and uraniferous carbonized plant fragments in copper-uranium deposit: 509.
Vernal on Ashley's Fork: carnotite: 464.
Washington County—
Silver Reef Mining District: copper-uranium deposit: 20; copper-uranium deposit with silver in Silver Reef sandstone member of Chinle formation: 478; mineralization: 478; origin: precipitation from solution in circulating groundwater of primary deposits in tuffs: 478; secondary enrichment: 478.
Chloride Chief claim: uranium: 21.
Duffin mine: uranium: 21.
Eloise claims: uranium: 21.
Fort Pierce, 13 mi. S of Hurricane: copper-uranium deposit: 21.
Rough Rider No. 2 claim: uranium: 21.
Silver Reef: autunite, carnotite: 82; carnotite, volborthite, and an unidentified uranium mineral, associated with cerargyrite, carbonized plant remains, and copper carbonates with abundant selenium: 509; copper-uranium-vanadium deposit in irregular lenses of sandstone with clay pellets, a part of Chinle formation of Triassic age: 509; some carnotite above the water table in White and Buckeye "reefs" (sandstone beds): 415; mines on: carnotite: 464.
Tecumseh mine: uranium: 21.
Washington: carnotite: 464.
Wayne County—
General: zippeite, crystalline powder in asphaltic sandstone: 2.
Capitol Reef Monument—
Capitol Reef: carnotite: 63; region: carnotite: 428.
Oyler mine near Fruita: high grade ore bodies at base of Shinarump conglomerate in old stream channels: 509; radioactive asphaltite pellets: 509; uranium samples from mine workings showed 1.5 to 4% eU and .33 to 1.22% U: 509; zippeite as coatings on mine walls, carbonized wood, and gypsum: 493; zippeite, torbernite, and other secondary uranium minerals with highly uraniferous carbonized wood and hydrocarbons, associated with copper sulfates and carbonates in podlike lenses at the base of the Shinarump conglomerate as copper-uranium deposit: 509.
Oyler mine (called here: Oiler tunnel, Blue Bird claims): copper-uranium deposit: 21.
Waterpocket fold: uranium in isolated orebodies on large anticline and domes: 481.
Fruita: 433; uranium minerals: 436; uranium sulphate: 78, 82; zippeite: 434.
Hanksville, 10 mi. N of: carnotite: 404.
Henry Mts.: uranium in ore deposits forming haloes around mountain masses and showing limonite and brown rust stains: 481; N end: carnotite: 78, 82.
Northern part: copper-uranium deposit: 21.
Poison Springs, at confluence of Green and Colorado Rivers: uranium claims bought by V.C.A.: 540.
Upheaval dome: uranium in isolated orebodies on large anticlines and domes: 481.
Weber County—
Ogden Canyon: uraninite: 82.

URANIUM ORE GUIDES

General

Geobotanical Guides—
Absorption of ore elements by plants: amount of uranium and vanadium absorbed by plants varies with species, time of year, part of plant, availability of elements in soil, proximity to contaminating sources like uranium mills, etc., and chemical composition of country rock: 409; availability of uranium and vanadium to plants, probably influenced by (a) clay content, (b) organic content, (c) acidity of soil, and (d) combination in which the elements occur: 409; much higher uranium content in plants growing near pitchblende deposits, although those growing on asphaltic sandstone or on limestone deposits also absorb uranium readily with maximum values considerably higher than those of plants associated with Colorado Plateau carnotites: 409; uranium content in plants greater in spring than in fall: 409; uranium content of seeds and roots may exceed that of leaves: 409.
Anomalous growth habits in plants: amounts of uranium and vanadium present in soils associated with carnotite deposits are commonly in the range retardative or even toxic to plant growth and show notable effects in the field: fine roots commonly decayed and fragmental: 409, large roots frequently

URANIUM ORE GUIDES (contd.)
containing deposits of unidentified greenish-yellow powdery material: 409, plants set fruit and mature early in the season with marked reddening of stem and seed and yellowing of leaves: 409, red and yellow coloration of leaves and stems may be due to molybdenum: 409; higher concentrations of uranium retard growth or inhibit root development in higher plants: 409; small amounts of uranium stimulate growth: 409.
Effect of chemical environment on plant growth near ore deposits: may restrict distribution of certain plants creating an indicator flora: 409; metabolism of plants affected by unusual amounts of ore minerals available to roots, so that plants show anomalous growth habits: 409; some plant species absorb and accumulate available elements in detectable quantities: 409.
General indicator plants: *Cowania mexicana*, cliffrose ("vanadium bush"), found over uranium deposits at Carrizo Mts., Arizona; Thompsons and Temple Mt., Utah; Phosphoria formation, Caribou Co., Idaho: 409; *Cryptantha flava*, cryptanthe, found over uranium deposits at Carrizo Mts., Arizona; Thompsons, Utah: 409; *Purshia tridentata*, a winter forage of the rose family, found over uranium deposits at Slick Rock, Colorado; Marysvale, Utah; Phosphoria formation, Bear Lake and Caribou Cos., Idaho, and Teton Co., Wyoming: 409.
Indicator plants: in different chemical environments may indicate various metallic deposits: 409; indicate mineralized ground by presence or absence: 409; literature mentions no specific uranium or vanadium indicator plants but association of selenium-indicator plants with carnotite deposits has led to their establishment as a method of uranium prospecting: 409; may or may not accumulate element sought: 409; sulfur-indicator plants may also serve as uranium indicators under favorable conditions: 409.
Plants shown by analyses to have absorbed uranium: apple seed: 409; apricot leaves, higher uranium content in spring than fall: 409; bahia: 409; birch leaves, higher uranium content in spring than fall: 409; budsage: 409; celery rootlets, taproot, root bark, and leaves: 409; dill roots, leaves, and seeds: 409; garlic bulblets and bulb skin: 409; goldenweed: 409; grape stem, seed, and skin: 409; juniper: 409; milkvetch (several varieties): 409; mistletoe branch, berry, leaves, and seed: 409; Mormon tea: 409; pear leaves, higher uranium content in spring than fall: 409; pine branches and needles: 409; plants in general, higher uranium content in seeds and roots than in leaves: 409; potato tuber: 409; quackgrass leaves and root: 409; rabbitbrush: 409; ricegrass: 409; sagebrush: 409; saltbush: 409; scrub oak: 409; shadscale: 409; singleleaf ash: 409.
Selenium-indicator plants: *Aster venustra*, woody aster, found over uranium deposits at Thompsons, Utah: 409; *Astragalus Pattersonii*, milkvetch, found over uranium deposits at Carrizo Mts., Arizona; Slick Rock, Colorado; Thompsons and Temple Mt., Utah: 409; *Astragalus Preussii var. arctus*, milkvetch, found over uranium deposits at Carrizo Mts., Arizona; Slick Rock, Colorado; Thompsons and Temple Mt., Utah: 409; *Astragalus Thompsonae*, milkvetch, found over uranium deposits at Carrizo Mts., Arizona; Thompsons and Temple Mt., Utah: 409; *Atriplex confertifolia*, shadscale, found over uranium deposits at Slick Rock, Colorado; Thompsons, Temple Mt., and Marysvale, Utah; Wamsutter, Wyoming: 409; *Grindelia squarrosa*, gumweed, found over uranium deposits at Thompsons, Utah: 409; *Oryzopis hymenoides*, Indian ricegrass, found over uranium deposits at Carrizo Mts., Arizona; Slick Rock, Colorado; Thompsons, Temple Mt., and Marysvale, Utah; Phosphoria formation at Bear Lake Co., Idaho, and Teton Co., Wyoming; Wamsutter, Wyoming: 409; *Stanleya pinnata*, Prince's Plume, found over uranium deposits at Carrizo Mts., Arizona; Slick Rock, Colorado; Thompsons, Temple Mt., and Marysvale, Utah; Wamsutter, Wyoming: 409.
Sulfur-indicator plants: *Calochortus Nuttallii*, Mariposa lily, found over uranium deposits at Slick Rock, Colorado; Thompsons, Utah; Phosphoria formation, Teton Co., Wyoming: 409; *Eriogonum inflatum*, desert trumpet, found over uranium deposits at Carrizo Mts., Arizona; Thompsons and Temple Mt., Utah; Phosphoria formation at Bear Lake and Caribou Cos., Idaho, and Teton Co., Wyoming: 409; *Lepidium lasciocarpum*, peppergrass, found over uranium deposits at Thompsons, Utah: 409; *Senecio uintahensis*, ragwort, found over uranium deposits at Carrizo Mts., Arizona; Slick Rock, Colorado; Thompsons, Utah; Phosphoria formation, Caribou Co., Idaho: 409; *Sisymbrium altissimum*, member of the mustard family, found over uranium deposits at Slick Rock, Colorado; Phosphoria formation at Bear Lake and Caribou Cos., Idaho: 409; *Stanleya pinnata*, Prince's Plume, found over uranium deposits at Carrizo Mts., Arizona; Slick Rock, Colorado; Thompsons, Temple Mt., and Marysvale, Utah; Wamsutter, Wyoming: 409.
Geologic Guides—
Application of guides through three stages of drilling: Uravan mineral belt, Colorado: 417.
Associated black or purple fluorite: Marysvale, Utah: 451.
Channel fills: White Canyon, Utah: 401.
Chemical controls: White Canyon, Utah: 401.
Clay zones (argillic alteration): Marysvale, Utah: 451.
Color of mudstone associated with sandstone: Uravan mineral belt, Colorado: 417.
Geologic controls: White Canyon, Utah: 401.
Iron-staining in uranium-bearing veins: Marysvale, Utah: 451.

Ore Criteria—
Features apparently unrelated to ore deposits: conglomerate: White Canyon: Utah: 401; freckled limonite: White Canyon, Utah: 401; hydrous mica: White Canyon, Utah: 401; massive sandstone: White Canyon, Utah: 401; these have served as prospecting guides in other areas but have not been useful in White Canyon, Utah, and are considered unimportant in finding concealed uranium deposits: 401.
Features found in unmineralized as well as mineralized areas: bleaching and alteration of Moenkopi formation: White Canyon, Utah: 401; carbonized wood fragments and vegetal matter: White Canyon, Utah: 401; channel filling: White Canyon, Utah: 401; facies change within Shinarump conglomerate: White Canyon, Utah: 401; favorable prospecting areas may be indicated by association of several features: White Canyon, Utah: 401; fracturing: White Canyon, Utah: 401; iron and manganese staining: White Canyon, Utah: 401; jarosite (?): White Canyon, Utah: 401.
Features found only in mineralized areas: alunite (?): White Canyon, Utah: 401; hydrocarbons: White Canyon, Utah: 401; secondary copper sulfates and carbonates: White Canyon, Utah: 401; sulfide minerals: White Canyon, Utah: 401; visible uranium minerals: White Canyon, Utah: 401.
Presence of carbonaceous material in ore-bearing sandstone: Uravan mineral belt, Colorado: 417.
Radioactive anomalies: Marysvale, Utah· 451.
Rock alteration: Marysvale, Utah: 451.
Structural controls: White Canyon, Utah: 401.
Thickness and color of sandstone beds: Uravan mineral belt, Colorado: 417.
Types of controls—
Chemical controls: White Canyon, Utah: 401.
Geologic controls: White Canyon, Utah: 401.
Relation to channel fills: White Canyon, Utah: 401.
Structural controls: White Canyon, Utah: 401.
Colorado
General—
Geobotanical Guides—
General indicator plants: Slick Rock: 409.
Selenium-indicator plants: Slick Rock, 409.
Sulfur-indicator plants: Slick Rock: 409.
Geologic Guides—
Clays underlying Morrison formation: Calamity Mesa, Mesa Co.: 500; Dynamite mine, Bitter Creek group, Montrose Co.: 500.
Proximity to major tectonic structures: second type of geologic structure includes large anticlines and domes on which igneous rocks are not exposed except for a few dikes and volcanic plugs, and ore occurs as isolated orebodies at irregular intervals from crest of structure outward to base of its flanks: Coal Creek anticline: 481.
Mesa County—
Geologic Guides—
Clays underlying Morrison formation: Calamity Mesa: 500.
Geologic guides to carnotite deposits—
Altered mudstone association with ore-bearing sandstone: Calamity group, Calamity Mesa: 501.
Numerical evaluation of individual guides: Calamity group, Calamity Mesa: 501.
Presence of abundant carbonaceous material in ore-bearing sandstone: Calamity group, Calamity Mesa: 501.
Thickness and color of ore-bearing sandstone: Calamity group, Calamity Mesa: 501.
Mesa-Montrose-San Miguel Counties—
Geologic guides and their application: Uravan mineral belt: 417.
Montrose County—
Geologic Guides—
Clays underlying Morrison formation: Dynamite mine: 500.
Rio Blanco County—
Geologic Guides—
Proximity to major tectonic structures: second type of geologic structure includes large anticlines and domes on which igneous rocks are not exposed, except for a few dikes and volcanic plugs, and ore occurs as isolated orebodies at irregular intervals from crest of structure outward to base of its flanks, as in Coal Creek anticline: 481.
San Miguel County—
Geobotanical Guides—
General indicator plant: *Purshia tridentata*: Slick Rock: 409.
Selenium-indicator plants: Slick Rock: 409.
Sulfur-indicator plants: Slick Rock: 409.
Colorado Plateau
Geobotanical Guides—
Absorption of ore elements by plants: 409.
Anomalous growth habits in plants: 409.
Effect of chemical environment on plant growth near ore deposits: 409.
General indicator plants: 409.
Plants shown by analyses to have absorbed uranium: 409.
Selenium-indicator plants: 409.
Sulfur-indicator plants: 409.
Geologic Guides—
Bleaching of mudstone: where bleached band of mudstone below Shinarump formation and Salt Wash member of Morrison formation is over one foot thick, in either drill holes or on outcrops, it may be a useful ore guide or indicate strong flows of solutions that may have formed ore deposits: 481; Chinle formation overlying major deposit in Shinarump is bleached to olive-green and serves as a guide to areas in which orebodies may be found and not to orebodies themselves, as shown at Happy Jack mine, Utah: 481.
Bleaching of sandstone: an effective ore guide in La Sal Mts. and Abajo Mts., Utah: 481; chemical changes cause bleach-

URANIUM ORE GUIDES (contd.)
ing of color of sandstone, especially in portions surrounding mineralized area, where bleached zone forms halo around orebodies: 481; not a useful guide where entire formation is bleached and color changes are undetectable as in Henry Mts., Utah, and Carrizo Mts., Arizona: 481; one of the best guides for some areas in the Salt Wash member of the Morrison formation: 481.
Etched and corroded sand grains: this guide has little application since such grains are as difficult to locate as the ore itself, since they accompany the ore: 481.
Geologic guides to carnotite deposits: altered mudstone association with ore-bearing sandstone: 501; numerical evaluation of individual guides: 501; presence of abundant carbonaceous material in ore-bearing sandstone: 501; thickness and color of ore-bearing sandstone: 501.
Guides attributed to post-sedimentation processes: bleaching of mudstone adjacent to sandstone lenses: 481; bleaching of sandstone: 481; etched and corroded sand grains: 481; presence of bleached mudstone pebbles in sandstone lenses: 481; presence of yellow iron-oxide stains: 481; proximity of ore: 481; relation to mountain masses and large folds: 481; this group more useful to prospector than guides attributed to processes of sedimentation and of equal use to geologist directing exploratory drilling of uranium ores: 481.
Guides attributed to process of sedimentation: interfingering of mudstone and sandstone lenses: 481; presence of carbonaceous material: 481; presence of fossil stream channels: 481; thickening of sandstone lenses: 481; this group not as useful to prospector as guides attributed to post-sedimentation processes, but of equal use to geologist directing exploratory drilling of uranium ores: 481.
Interfingering of mudstone and sandstone lenses: Salt Wash member of Morrison formation becomes muddier farther from its source in central Utah, and rich Lukachukai Mts. uranium deposits in Arizona occur where facies change: 481.
Ore-bearing formations: Entrada sandstone: 481; Salt Wash member of Morrison formation: 481; Shinarump formation: 481; recognition of such formations: 481; substitute ore-bearing horizons where usual formations are absent, such as Todilto limestone for Salt Wash member of Morrison formation at Grants, New Mexico, Recapture shales for Salt Wash near Senastee, New Mexico, and at base of Chinle formation and at horizon usually occupied by Shinarump formation at Seven Mile Canyon, Utah: 481.
Ore Criteria—
Features apparently unrelated to ore deposits: conglomerate: White Canyon, Utah: 401; freckled limonite: White Canyon, Utah: 401; hydrous mica: White Canyon, Utah: 401; massive sandstone: White Canyon, Utah: 401; these have served as prospecting guides in other areas but have not been useful in White Canyon and are considered unimportant in finding concealed uranium deposits: 401.
Features found in unmineralized as well as mineralized areas: bleaching and alteration of Moenkopi formation: White Canyon, Utah: 401; carbonized wood fragments and vegetal material: White Canyon, Utah: 401; channel filling: White Canyon, Utah: 401; facies change within Shinarump conglomerate: White Canyon, Utah: 401; fracturing: White Canyon, Utah: 401; iron and manganese staining: White Canyon, Utah: 401; jarosite (?): White Canyon, Utah: 401; favorable prospecting areas may be indicated by association of several features: 401.
Features found only in mineralized areas: alunite (?): White Canyon, Utah: 401; hydrocarbons: White Canyon, Utah: 401; secondary copper sulfates and carbonates: White Canyon, Utah: 401; sulfide minerals: White Canyon, Utah: 401; visible uranium minerals: White Canyon, Utah: 401.
Presence of bleached mudstone pebbles in the sandstone lenses: if mudstone pebbles are red, area is unfavorable for ore: 481; if mudstone pebbles are bleached, ore may or may not be present, so this is an unreliable guide to ore: 481.
Presence of carbonaceous material: uranium deposits in both Shinarump formation and in Salt Wash member of Morrison formation tend to accumulate around contained carbonaceous matter whenever the latter is present, but this guide usually is revealed only during mining progress: 481.
Presence of fossil stream channels: Salt Wash member of Morrison formation, some but not all uranium ore in channels, which are ill-defined in this formation: 481; Shinarump formation, but not all uranium ore occurs in channels nor do all channels contain uranium ore: 481; uranium occurs in channels in Shinarump formation at Happy Jack mine, Utah, and in Monument Valley, Utah and Arizona, in the Monument Nos. 1 and 2, Skyline, and Whirlwind mines: 481.
Presence of limonite or brown rust stains: good ore guide in vicinity of Henry Mts., Utah, and Carrizo Mts., Arizona, where limonite-stained areas may contain ore: 481; where sufficient iron is present to stain outcrops, presence of limonite flecks or pyrite crystals in drill hole cores is good ore guide: 481.
Proximity of ore: drilling recommended where ore is exposed on opposite sides of rim of mesa: 481; drilling should be done directly behind exposure if ore is exposed only on one rim: 481; infrequent ore exposures should suggest drilling only in strip bounded by limits of ore exposures on rim of mesa: 481; where no mineralization appears on the rim of a mesa, drilling

is not recommended regardless of other possibly favorable guides: 481.
Proximity to major tectonic structures: mountain masses with exposed cores of crystalline igneous rock, intruded during Tertiary, and ore deposits forming haloes around the mountain groups at distances proportional to the mass of the mountains: Abajo Mts., Utah: 481; Henry Mts., Utah: 481; La Sal Mts., Utah: 481; second type of geologic structure includes large anticlines and domes on which igneous rocks are not exposed, except for a few dikes and volcanic plugs, and ore occurs as isolated orebodies at irregular intervals from crest of structure outward to base of its flanks: Cane Creek anticline, Utah: 481; Coal Creek anticline, Colorado: 481; Monument Valley uplift and Elk Ridge anticline, Utah and Arizona: 481; San Rafael Swell, Utah: 481; Spanish Valley anticline, NW faulted segment, Utah: 481; Upheaval Dome, Utah: 481; Waterpocket fold, Utah: 481.
Relation to channel fills: White Canyon, Utah: 401.
Structural controls: White Canyon, Utah: 401.
Thickening of sandstone lenses: all large uranium ore deposits in Salt Wash member of Morrison formation occur in thicker parts of sandstone lenses: 481.
Types of uranium ores: uranium-copper ores: 481; uranium-hydrocarbon or thucholite ores: 481; uranium-vanadium ores: 481; uranium in limestone deposits: 481.
Uranium ore usually found in porous carbonaceous sandstone on top of Shinarump siltstone: White Canyon, Utah: 466.
Utah
General—
Geobotanical Guides—
General indicator plants: Marysvale, Temple Mt., Thompsons: 409.
Selenium-indicator plants: Marysvale, Temple Mt., Thompsons: 409.
Sulfur-selenium indicator plants: Marysvale, Temple Mt., Thompsons: 409.
Geologic Guides—
Abundance of carbonaceous material: Blanding District: 465.
Altered mudstone asociated with ore-bearing sandstone: Blanding District: 465.
Associated black or purple fluorite: Marysvale: 451.
Bleaching of mudstone: in Chinle formation bleaching to olive-green color serves as guide to areas in which orebodies may be found and not to orebodies themselves, as shown at Happy Jack mine: 481.
Bleaching of sandstone: Abajo Mts.: 481; La Sal Mts.: 481; especially useful in certain areas of Salt Wash member of Morrison formation: 481.
Clay zones (argillic alteration): Marysvale: 451.
Interfingering of mudstone and sandstone lenses: Salt Wash member of Morrison formation becomes muddier farther from its source in central part of state: 481.
Iron-staining in uranium-bearing veins: Marysvale: 451.
Ore criteria: White Canyon: 401.
Presence of fossil stream channels: Happy Jack mine in Shinarump formation: 481; Monument Valley in Shinarump formation: 481.
Presence of limonite or brown rust stains: good ore guide in Henry Mts.: 481.
Proximity to major tectonic structures: mountain masses with exposed cores of crystalline igneous rock, intruded during Tertiary, and ore deposits forming haloes around the mountain groups at distances proportional to the mass of the mountains: Abajo Mts.: 481; Henry Mts.: 481; La Sal Mts.: 481; second type of geologic structure includes large anticlines and domes on which igneous rocks are not exposed, except for a few dikes and volcanic plugs, and ore occurs as isolated orebodies at irregular intervals from crest of structure outward to base of its flanks: Cane Creek anticline: 481; Elk Ridge anticline: 481; Monument Valley uplift: 481; San Rafael Swell: 481; Spanish Valley anticline, NW faulted segment: 481; Upheaval Dome: 481; Waterpocket fold: 481.
Radioactive anomalies: Marysvale: 451.
Rock alteration: Marysvale: 451.
Emery County—
Geobotanical Guides—
Analyses of plants growing on uranium-bearing rocks and soils and showing uranium content in ppm. along with vanadium, selenium, and lead content: Temple Mt.: 409.
General indicator plant: *Cowania mexicana*: Temple Mt.: 409.
Selenium-indicator plants: Temple Mt.: 409.
Sulfur-indicator plants: Temple Mt.: 409.
Geologic Guides—
Proximity to major tectonic structures: second type of geologic structure includes large anticlines and domes on which igneous rocks are not exposed, except for a few dikes and volcanic plugs, and ore occurs as isolated orebodies at irregular intervals from crest of structure outward to base of its flanks, as in San Rafael Swell: 481.
Garfield County—
Geologic Guides—
Presence of limonite or brown rust stains: Henry Mts.: 481.
Proximity to major tectonic structures: mountain masses with exposed cores of crystalline igneous rock, intruded during Tertiary, and ore deposits forming haloes around mountain groups at distances proportional to the mass of the mountains, as in the Henry Mts.: 481; second type of geologic structure includes large anticlines and domes on which igneous rocks are not exposed, except for a few dikes and volcanic plugs, and ore occurs as isolated ore-

URANIUM ORE GUIDES (contd.)
bodies at irregular intervals from crest of structure outward to base of its flanks, as in the Waterpocket fold: 481.
Grand County—
Geobotanical Guides—
Thompsons District—
Analyses of plants growing on nonmineralized rocks and soils and showing uranium content in ppm. along with vanadium, selenium, molybdenum, and lead content: Dakota sandstone, Harley Dome: 409; Mancos shale E of Thompsons: 409.
Analyses of plants growing on uranium-bearing rocks and soils and showing uranium content in ppm. along with vanadium, selenium, molybdenum, and lead content: McCoy-Flattop area: 409; Yellow Cat area: 409.
General indicator plants: Thompsons: 409.
Selenium-indicator plants: Thompsons: 409.
Special studies of distribution of selenium-indicator plants and the distribution patterns of various species: Thompsons: 409.
Sulfur-indicator plants: Thompsons: 409.
Geologic Guides—
Bleaching of sandstone: La Sal Mts.: 481.
Proximity to major tectonic structures: mountain masses with exposed cores of crystalline igneous rock, intruded during Tertiary, and ore deposits forming haloes around the mountain groups at distances proportional to the mass of the mountains, as in La Sal Mts.: 481; second type of geologic structure includes large anticlines and domes on which igneous rocks are not exposed, except for a few dikes and volcanic plugs, and ore occurs as isolated orebodies at irregular intervals from crest of structure outward to base of its flanks, as in Cane Creek anticline: 481.
Piute County—
Geobotanical Guides—
General indicator plant: *Purshia tridentata*: Marysvale: 409.
One sulfur-selenium-indicator plant: Marysvale: 409.
Only three selenium-indicator plants: Marysvale: 409.
Geologic Guides—
Associated black or purple fluorite: Marysvale: 451.
Clay zones (argillic alteration): Marysvale: 451.
Iron-staining in uranium-bearing veins: Marysvale: 451.
Radioactive anomalies: Marysvale: 451.
Rock alteration: Marysvale: 451.
San Juan County—
Geologic Guides—
Bleaching of sandstone: Abajo Mts.: 481; La Sal Mts.: 481.
Presence of fossil stream channels: Monument Valley in Shinarump formation: 481.
Proximity to major tectonic structures: mountain masses with exposed cores of crystalline igneous rock, intruded during Tertiary, and ore deposits forming haloes around the mountain groups at distances proportional to the mass of the mountains: Abajo Mts.: 481; La Sal Mts.: 481; second type of geologic structure includes large anticlines and domes on which igneous rocks are not exposed, except for a few dikes and volcanic plugs, and ore occurs as isolated orebodies at irregular intervals from crest of structure outward to base of its flanks: Elk Ridge anticline: 481; Monument Valley uplift: 481; Spanish Valley anticline, NW faulted segment: 481.
White Canyon District—
Bleaching of mudstone: Chinle formation at Happy Jack mine, White Canyon: 481.
Channels in Shinarump formation with carbonaceous matter and lithologic changes as intra-channel controls: White Canyon: 466.
Channels mapped first here in 1951 by outcrop mapping alone: White Canyon: 466.
Channels (three) explored and extended by drilling: White Canyon (Happy Jack, Sunrise, and Gonaway): 466.
Chemical controls: White Canyon: 401.
Geologic controls: White Canyon: 401.
Ore Criteria—
Features apparently unrelated to ore deposits: conglomerate: White Canyon: 401; freckled limonite: White Canyon: 401; hydrous mica: White Canyon: 401; massive sandstone: White Canyon: 401; these have served as prospecting guides in other areas but have not been useful in White Canyon and are considered unimportant in finding concealed uranium deposits: 401.
Features found in unmineralized as well as mineralized areas: bleaching and alteration of Moenkopi formation: White Canyon: 401; carbonized wood fragments and vegetal material: White Canyon: 401; channel filling: White Canyon: 401; facies change within Shinarump conglomerate: White Canyon: 401; fracturing: White Canyon: 401; iron and manganese staining: White Canyon: 401; jarosite (?): White Canyon: 401; favorable prospecting areas may be indicated by association of several features: 401.
Features found only in mineralized areas: alunite (?): White Canyon: 401; hydrocarbons: White Canyon: 401; secondary copper sulfates and carbonates: White Canyon: 401; sulfide minerals: White Canyon: 401; visible uranium minerals: White Canyon: 401.

Presence of fossil stream channels: Happy Jack mine in Shinarump formation: 481.
Relation to channel fills: White Canyon: 401.
Structural controls: White Canyon: 401.
Uranium ore usually found in porous carbonaceous sandstone on top of Shinarump siltstone: White Canyon: 466.
Wayne County—
Geologic Guides—
Presence of limonite and brown rust stains: Henry Mts.: 481.
Proximity to major tectonic structures: mountain masses with exposed cores of crystalline igneous rocks, intruded during Tertiary and ore deposits forming haloes around the mountain groups at distances proportional to the mass of the mountains, as in the Henry Mts.: 481; second type of geologic structure includes large anticlines and domes on which igneous rocks are not exposed, except for a few dikes and volcanic plugs, and ore occurs as isolated orebodies at irregular intervals from crest of structure outward to base of its flanks: Upheaval Dome: 481; Waterpocket fold: 481.

URANIUM PRICES

Colorado Plateau
Minimum prices guaranteed: 187.
U.S.A.E.C. Bonus: 2, 53, 90, 163, 187, 219, 411, 430, 441, 497; and ore prices: 430.
U.S.A.E.C.'s buying schedule and policies for carnotite ore: 441.
United States
General: 53.
Minimum prices guaranteed: 2, 187, 219, 457.
Navajo Indian Reservation carnotite ore: percentage to Navajo owners: 140.
U.S.A.E.C. Bonus: 2, 53, 90, 163, 187, 219, 411, 430, 441, 497; and ore prices: 430.
Utah
Piute County—
Marysvale area: uranium ore purchase schedule for typical autunite-torbernite ores: 522.

URANIUM PROCESSES

General
Extraction processes—
General: 13, 90.
Chemical treatment: test for vanadium content of carnotite: 473; test to recover radium from carnotite: 473; test to recover uranium from residue of carnotite: 473; test to recover vanadium from carnotite: 473.
Concentration from carnotite: 470.
Production of uranium compounds from carnotite: 471.
Treatment to form new uranium compounds: 472.
Uranium extraction from carnotite: 472.
Uranium extraction from pitchblende: 472.
Tests for uranium: 13, 25, 90.

Colorado
General—
Qualified Uranium Mills—
General: five uranium mills in operation: 53.
Durango: 497; formerly operated by U.S. Vanadium Co. for Metals Reserve Co., capacity 100 t. daily reported in 1946: 440.
Gateway: inactive mill, formerly operated by Gateway Alloys under contract with Metals Reserve Co., capacity 15 t. daily: 440.
Grand Junction: 497.
Naturita: 497; owned by V.C.A., capacity 100 t. daily reported in 1946: 440.
Rifle: owned and operated by U.S. Vanadium Co.: 497; capacity 200 t. daily reported in 1946: 440.
Slick Rock: inactive mill owned by North Continent Mines, Inc., capacity 20 t. daily reported in 1946: 440.
Uravan: owned and operated by U.S. Vanadium Co.: 497; capacity 240 t. daily reported in 1946: 440.
Garfield County—
Qualified Uranium Mills—
Rifle: U.S. Vanadium Co. mill: 413, 431, 497, 519; capacity of 200 t. daily reported in 1946: 440.
La Plata County—
Qualified Uranium Mills—
Durango:
V.C.A. mill (owned by U.S.A.E.C): 140, 144, 413, 431, 497, 538, 557.
V.C.A. mill to treat Navajo Indian Reservation carnotite ore: 140.
Mill formerly operated by U.S. Vanadium Co. for Metals Reserve Co., capacity 100 t. daily reported in 1946: 440.
Mesa County—
Qualified Uranium Mills—
Climax Uranium Co. mill, Grand Junction: acid-leaching process for carnotite: 533; first mill to acid-leach carnotite: 534; mill operations: 73, 431, 497, 557.
Gateway: inactive uranium mill, formerly operated by Gateway Alloys under contract with Metals Reserve Co.; capacity 15 t. daily reported in 1946: 440.
Grand Junction: new uranium processing mill may be built by Vitro Manufacturing Co.: 513, 521.
Montrose County—
General:
Carnotite ore formerly processed in mills at Denver or in the East: 407.
Standard Chemical Co.: formerly operated a 50-ton mill on lower San Miguel River for treating carnotite ore: 407.
Qualified Uranium Mills—
Naturita: V.C.A. uranium mill: 144, 413, 431, 497, 538, 557; capacity 100 t. daily reported in 1946: 440.
Uravan: U.S. Vanadium Co. uranium mill: 144, 148, 413, 431, 497, 519; capacity 240 t. daily reported in 1946: 440; expansion at mill for carnotite

URANIUM PROCESSES (contd.)
ores; process for treating high-lime ores described: 557.
San Miguel County—
Slick Rock: inactive uranium mill, formerly owned by North Continent Mines, Inc., capacity 20 t. daily reported in 1946: 440.
Colorado Plateau
Carnotite ore formerly processed in mills at Denver or in the East: 407.
Climax Uranium Co. operations: Grand Junction, Colorado, uranium mill: 431, 497, 557.
Colorado: Standard Chemical Co. formerly operated 50-ton mill on Lower San Miguel River for treating carnotite ore: 407.
Galigher Co. operations (for U.S.A.E.C.): Monticello, Utah, uranium mill: 413, 431, 497, 557.
Qualified Uranium Mills—
General: uranium mills: 430.
Durango, Colorado: V.C.A. uranium mill: 413, 431, 497, 557.
Grand Junction, Colorado: Climax Uranium Co. uranium mill: 431, 497, 557.
Naturita, Colorado: V.C.A. uranium mill: 413, 431, 497, 557.
Rifle, Colorado: U.S. Vanadium Co. uranium mill: 413, 431, 497.
Uravan, Colorado: U.S. Vanadium Co. uranium mill: 413, 431, 497, 557.
Hite, Utah: V.C.A. uranium mill: 497, 557.
Monticello, Utah: Galigher Co. (for U.S.A.E.C.) uranium mill: 413, 431, 497, 557.
Salt Lake City, Utah: Vitro Chemical Co. uranium mill: 497, 557.
Thompsons, Utah: U.S. Vanadium Co. uranium ore sampling plant: 497.
U.S.A.E.C. owned operations: plants at Durango, Colorado, and Monticello, Utah: 413.
U.S. Vanadium Co. operations: Rifle and Uravan, Colorado, uranium mills: 413, 431, 557; activities: owns and operates uranium mills at Rifle and Uravan, Colorado, and a sampling plant at Thompsons, Utah: 497.
Vanadium Corportion of America (V.C.A.) operations: Durango and Naturita, Colorado, and Hite, Utah, uranium mills: 413, 431. 497, 557.
Vitro Chemical Co. operations: Salt Lake City, Utah, uranium mill: 497, 557.
United States
Colorado: five qualified uranium mills: 53.
Navajo Indian Reservation carnotite ore: treated at Durango, Colorado, mill operated by V.C.A.: 140; treated at White Canyon District, Utah, pilot treatment plant: 140.
Utah: three qualified uranium mills: 53.
Utah
General: three uranium mills in operation: 53.
Qualified Uranium Mills—
Hite: V.C.A. uranium mill: 497.
Monticello: Galigher Co. uranium mill (for U.S.A.E.C.): 497; capacity 100 t. daily reported in 1946: 440.
Salt Lake City: Vitro Chemical Co. uranium mill: 497.
Uranium ore sampling plant at Thompsons: owned and operated by U.S. Vanadium Co.: 497.
Uranium treatment plants: Cottonwood, formerly owned by Blanding Mines Co., capacity 20 t. daily reported in 1946: 440.
Grand County—
Thompsons: uranium ore sampling plant owned and operated by U.S. Vanadium Co.: 413, 497, 519.
Piute County—
Marysvale area: U.S.A.E.C. uranium ore purchasing depot and ore sampling station operated by A.S. & R. Co. at Marysvale: 53, 441, 525, 526, 531; sampling methods and pricing described: 522.
Salt Lake County—
Salt Lake City: qualified uranium mill (Kalunite plant) of Vitro Chemical Co.: 497, 546; processes Marysvale autunite: 548; processes 100 t. Marysvale ores daily: 547; to process Wyoming ores: 384.
San Juan County—
Cottonwood: uranium treatment plant formerly owned by Blanding Mines Co., capacity 20 t. daily reported in 1946: 440.
Hite: qualified uranium mill operated by V.C.A.: 144, 413, 497, 547.
Monticello: qualified uranium mill owned by U.S.A.E.C. and operated by the Galigher Co.; treats 100 t. carnotite per day: 144, 413, 431, 461, 497, 547, 557; uranium ore sampling plant owned by U.S.A.E.C. and operated by A.S. & R. Co. acting as its sampling and ore buying agents: 461.
White Canyon District: pilot treatment plant: 140, 538; to treat Navajo Indian Reservation carnotite ore: 140.

URANIUM PRODUCTION
Colorado
General: 459
Carnotite: 7; ores from Colorado and Utah, 202 g. radium, 2 million lbs. U_3O_8 from 1913–1923: 415.
Uranium ore: exported to Europe: 511.
Clear Creek County—
Jo Reynolds mine: pitchblende, 8 t. assaying 72% U_3O_8 in 1919: 432.
Garfield County—
Rifle: U.S. Vanadium Co. mill in operation: 519.
Gilpin County—
Front Range Mineral Belt—
Central City Mining District—
Quartz Hill: principal domestic source of pitchblende, a recorded 110,757 lbs. of U_3O_8 produced there: 394.
Belcher mine: pitchblende: 330.
Calhoun vein in East Calhoun mine: pitchblende produced in commercial quantities from gold- and silver-bearing vein (no figures available): 467.
West Calhoun mine: only available figures show 240 lbs. with 37.5% U_3O_8 mined in 1912: 467.
German mine: German Gold and Uranium Co. at Central City mined a few hundred lbs. of pitchblende; used for experimental work: 330.

German and Belcher mines: pitchblende with over 70% U_3O_8, 240 lbs. ore produced between 1911 and 1913, and also 1 ton with 2% U_3O_8: 460.
German-Belcher vein: pitchblende produced in commercial quantities from gold- and silver-bearing vein: 467.
Kirk mine: pitchblende: 330.
Kirk vein: pitchblende mined in commercial quantities from gold- and silver-bearing vein: 467.
Wood and Kirk mines: average ore grade 0.2% U_3O_8: 394; producers of over 98% of U_3O_8 in area: 394.
Wood vein in Wood mine: pitchblende produced in commercial quantities from gold- and silver-bearing vein: 467; production figures for U ore from this mine total about 102,600 t. ore with 30,040 lbs. U_3O_8: 467.
La Plata County—
Durango: V.C.A. mill: 538; capacity increased: 558.
Mesa County—
Grand Junction: Climax Uranium Co. mill in operation: 73, 431, 497, 557; new uranium processing mill may be built by Vitro Manufacturing Co.: 513, 521.
Mesa-Montrose-San Miguel Counties—
Uravan mineral belt: 565,000 t. carnotite produced from 1936–1943 or 78% of entire production from Colorado and Utah main producing region: 417.
Montrose County—
Naturita: V.C.A. uranium mill: 144, 413, 431, 440, 497, 538, 557.
Paradox Valley: 118.
Uravan: U.S. Vanadium Co. uranium mill: 144, 148, 413, 431, 440, 497, 519, 557.
San Miguel County—
Slick Rock: production of 500 to 600 t. average grade uranium ore per month with Incline No. 1 mine producing 300 t.: 431.
Southwest Part—
General: total production including 1919, approximately 29,000 t. carnotite ores with 1.9% U_3O_8 and 5.8% V_2O_5: 407.
Dulaney property: produces 60% of U.S. uranium: 518.
Former producers: Radium Co. of Colorado, Radium Luminous Materials Corp., and Standard Chemical Co.: 407.
Colorado Front Range
Colorado—
Gilpin County—
Quartz Hill: principal domestic source of pitchblende in area, a recorded 110,757 lbs. of U_3O_8 produced there with average ore grade of 0.2% U_3O_8: 394.
Wood and Kirk mines: producers of over 98% of U_3O_8 in area: 394.
Colorado Plateau
General—
F.A. Sitton operations: work at Radium-Sitton area W of Egnar, Colorado: 413.
Minerals Engineering Co. operations: mine operating on Arrowhead group, Calamity area, Colorado: 413; work on Cactus Rat group, Thompsons, Utah: 413; work at Legin group, Slick Rock area, Colorado 413.
U.S.A.E.C. Bonus, Increased by: 163.
U.S.A.E.C. program: assistance to prospectors and mining companies: 497; bonuses: 497; road building: 497.
U.S. Vanadium Co. operations: extensive exploration program being carried out throughout entire Colorado Plateau: 497; 40 mining operations on lease to small operators: 413; 50 active agreements with mine contractors to work its property; purchases ore from 90 independent contractors: 557; owns mines in many counties in Colorado and Utah and has about 50 active agreements with mining contractors to work properties: 497; owns and operates two uranium mills at Rifle and Uravan Colorado, and a uranium ore sampling plant at Thompsons, Utah: 413, 497; Rifle, Colorado, uranium mill: 413; Uravan, Colorado, uranium mill: 413; Thompsons, Utah, uranium ore sampling plant: 413.
Vanadium Corporation of America (V.C.A.) operations: Durango, Colorado, uranium mill: 413; Naturita, Colorado, uranium mill: 413; Hite, Utah, small uranium mill: 413.
United States
General: ranks second in world production: 73; for 1911: 330.
Carnotite: ores and concentrates shipped from U.S. mines from 1932–1941: 457; ores from Colorado and Utah, 2 million lbs. U_3O_8, 202 g. radium, from 1913–1923: 415.
Colorado: carnotite: 7; carnotite, pitchblende: 397.
Colorado Plateau: carnotite, tyuyamunite, produced most of 1913 tonnage: 398.
Quartz Hill, Colorado: pitchblende: 398.
U.S.A.E.C. Bonus: Utah, 3 eligible claims: 544.
U.S.A.E.C. Bonus as incentive: Colorado Plateau: 53, 163.
Utah: carnotite: 7,397.
Utah
General: 459.
Carnotite: 7; ores from Colorado and Utah, 202 g. radium, 2 million lbs. U_3O_8, from 1913–1923: 415.
Three claims: eligible for U.S.A.E.C. Bonus: 544.
Emery County—
San Rafael Swell—
Temple Mt.: Consolidated Uranium Mines, Inc., claims: uranium ore shipments: 550.
Garfield County—
Henry Mts.: from scattered claims: 482.
Grand County—
La Sal Mts. near Moab: carnotite: 33.
Thompsons: uranium ore sampling plant owned and operated by U.S. Vanadium Co.: 413, 497, 519.
Piute County—
Marysvale area: 77; autunite processed at Vitro Chemical Co. qualified uranium mill (Kalunite plant), Salt Lake City: 548; U.S.A.E.C. uranium ore purchasing depot and ore sampling station operated by

URANIUM PRODUCTION (contd.)
A.S. & R. Co. at Marysvale: 53, 441, 525, 526, 531; sampling methods and pricing described: 522; uranium produced in several mines and prospects: 522;175 t. ore shipped daily: 547; uranium processing plant may be built if ore is found in sufficient quantities: 525.
Bullion Monarch Mining Co. property: shipped ore averaging over 0.2% U_3O_8: 522.
Central Mining area—
Buddy mine: 451.
Bullion Monarch mine: 451.
Freedom No. 1 (Seegmiller) mine: 451.
Freedom No. 2 mine: 451.
Prospector mine: 451.
Farmer John open pit, Bullion Monarch Mining Co.: autunite: 479.
Freedom claims, V.C.A.: autunite: 479.
Prospector lease, V.C.A.: only producer of pitchblende: 479.
Salt Lake County—
Salt Lake City: qualified uranium mill (Kalunite plant) of Vitro Chemical Co.: 497, 546; processes Marysvale autunite: 548; processes 100 t. Marysvale ores daily: 547; to process Wyoming ores: 384.
San Juan County—
Hite: qualified uranium mill operated by V.C.A.: 144, 413, 497, 547.
Monticello: qualified uranium mill owned by U.S.A.E.C. and operated by the Galigher Co.; treats 100 t. carnotite per day: 144, 413, 431, 461, 497, 547, 557; uranium ore sampling plant owned by U.S.A.E.C. and operated by A.S. & R. Co. acting as its sampling and ore buying agents: 53, 461.
White Canyon: pilot plant: 140, 538.

URANIUM PROSPECTING
See Uranium Exploration and Geophysical Exploration.

URANIUM PURCHASES
Colorado
El Paso County—
Colorado Springs: uranium ore-buying station; Nevada pitchblende ore purchased: 188.
Utah
Piute County—
Marysvale: U.S.A.E.C. uranium ore-buying station: 53, 441, 525, 526, 531; uranium ore purchase schedule for typical autunite-torbernite ores: 522.
San Juan County—
Monticello: uranium ore-buying station: 53, 461.

URANIUM UTILIZATION
General
General: 330.
United States
General: 457.

URANOPHANE OCCURRENCES
Utah
Beaver County—
Staats mine: with autunite in fluorite: 504.
Piute County—
Marysvale area: in veins with other secondary uranium minerals and pitchblende: 493.
Bullion Monarch mine: with pitchblende, autunite, metatorbernite, schroeckingerite, torbernite: 495.
East Slope No. 2 deposit: with autunite, metatorbernite, schroeckingerite along face of open-cut coating fractures and joints in hornfels: 493.
Freedom No. 2 mine: with autunite, schroeckingerite, torbernite: 495; in fractures in rhyolite NW of and in upper reaches of mine: 451.
Papsy's Hope prospect: as zone about 2 ft. thick forming halo overlying autunite-bearing vein and underlying leached clay: 451.
Prospector mine under lease by V.C.A.: with pitchblende, a calcium-uranium-oxide mineral (analogue of fluorite), autunite, torbernite: 495.
Yellow Canary prospect: questionable occurrence with autunite: 495.
San Juan County—
White Canyon: 401.
Happy Jack mine: with torbernite starting just below surface: 493.

URANOSPINITE OCCURRENCES
Utah
Juab County—
Fish Springs Mining District—
Honeycomb Hills: 493.
Kane County—
Pahreah, 9 mi. S of: with autunite: 78, 82.

URANOTHORITE MINERALOGY
General
Chemical analyses: Blue Jay mine, Colorado, specimen: 474, 475.
Chemical properties: Blue Jay mine, Colorado, specimen: 474, 475.
Hydrothermal origin: Blue Jay mine, Colorado, specimen: 474, 475.
Optical properties: Blue Jay mine, Colorado, specimen: 474, 475.
Spectrographic analyses: Blue Jay mine, Colorado, specimen: 474, 475.

URANOTHORITE OCCURRENCES
Colorado
Boulder County—
Blue Jay mine, Jamestown: in fluorite breccias: 474, 475;
hydrothermal origin: 474, 475.
Fremont-Park Counties—
Guffey-Micanite region: questionable occurrence with monazite in granitic pegmatites: 403.

UVANITE OCCURRENCES
Utah
Emery County—
General: 2.

V-Z

ZEUNERITE MINERALOGY

General
Fluorescence: 421.
Optical properties: 421.
Physical properties: 421.
X-ray powder pattern: 421.

ZEUNERITE OCCURRENCES

Utah
Juab County—
Tintic Mining District—
Centennial Eureka mine: 82, 421.

ZIPPEITE OCCURRENCES

Utah
Emery County—
San Rafael Swell—
Temple Mt.: as coating on asphaltite pellets: 509.
San Juan County—
White Canyon: 401.
Wayne County—
General: 2.
Fruita: 434.
Oyler mine near Fruita: as coatings on mine walls, carbonized wood, and gypsum: 493; with torbernite and other secondary uranium minerals, with highly uraniferous carbonized wood and hydrocarbons, associated with copper sulfates and carbonates in podlike lenses at base of Shinarump conglomerate as copper-uranium deposit: 509.

U.S. ATOMIC ENERGY COMM., BOX 30, ANSONIA STATION, NEW YORK, N. Y.

MANUSCRIPT RECEIVED BY THE SECRETARY OF THE SOCIETY, NOVEMBER 4, 1953.